

# Package ‘eatRep’

March 27, 2023

**Type** Package

**Title** Educational Assessment Tools for Replication Methods

**Version** 0.14.7

**Depends** R (>= 4.1), survey (>= 4.1-1), BIFIEsurvey, progress, lavaan (>= 0.6-7)

**Imports** Hmisc, fmsb, mice (>= 2.46), boot, car, reshape2, plyr, combinat, miceadds, tidyr, EffectLiteR, estimatr, eatTools (>= 0.7.4), eatGADS (>= 0.20.0), janitor, msm, lme4, utils, methods

## Description

Replication methods to compute some basic statistic operations (means, standard deviations, frequency tables, percentiles and generalized linear models) in complex survey designs comprising multiple imputed variables and/or a clustered sampling structure which both deserve special procedures at least in estimating standard errors. See the package documentation for a more detailed description along with references.

**License** GPL (>= 2)

**Encoding** UTF-8

**URL** <https://github.com/weirichs/eatRep>

**LazyLoad** yes

**LazyData** yes

**NeedsCompilation** no

**Suggests** testthat, knitr, rmarkdown

**VignetteBuilder** knitr

**Author** Sebastian Weirich [aut, cre],  
Martin Hecht [aut],  
Karoline Sachse [aut],  
Benjamin Becker [aut]

**Maintainer** Sebastian Weirich <sebastian.weirich@iqb.hu-berlin.de>

**Repository** CRAN

**Date/Publication** 2023-03-26 22:30:10 UTC

## R topics documented:

eatRep-package . . . . .	2
checkLEs . . . . .	5
generateRandomJk1Zones . . . . .	6
lsa . . . . .	6
repGlm . . . . .	8
repLmer . . . . .	12
repMean . . . . .	14
report . . . . .	22
repQuantile . . . . .	24
repTable . . . . .	27

<b>Index</b>	<b>34</b>
--------------	-----------

---

eatRep-package	<i>Statistical analyses in complex survey designs with multiple imputed data and trend estimation.</i>
----------------	--

---

## Description

The package provide functions to computes some basic statistic operations—(adjusted) means, standard deviations, frequency tables, percentiles and generalized linear models—in complex survey designs comprising multiple imputed variables and/or a clustered sampling structure which both deserve special procedures at least in estimating standard errors. In large-scale assessments, standard errors are comprised of three components: the measurement error, the sampling error, and (if trend estimation of at least two times of measurement are involved) the linking error.

**Measurement error:** In complex surveys or large-scale assessments, measurement errors are taken into account by the mean of multiple imputed variables. The computation of standard errors for the mean of a multiple imputed variable (e.g. plausible values) involves the formulas provided by Rubin (1987). Computing standard errors for the mean of a nested imputed variable involves the formulas provided by Rubin (2003). Both methods are implemented in the package. The estimation of  $R^2$  and adjusted  $R^2$  in linear and generalized linear regression models with multiple imputed data sets is realized using the methods provided in Harel (2009).

**Sampling error:** Computation of sampling errors of variables which stem from a clustered design may involve replication methods like balanced repeated replicate (BRR), bootstrap or Jackknife methods. See Westat (2000), Foy, Galia & Li (2008), Rust and Rao (1996), and Wolter (1985) for details. To date, the Jackknife-1 (JK1), Jackknife-2 (JK2) and the Balanced Repeated Replicates (BRR; optionally with Fay’s method) procedures are supported.

**Linking error:** Lastly, standard errors for trend estimates may involve incorporating linking errors to account for potential differential item functioning or item parameter drift. eatRep allows to account for linking error when computing standard errors for trend estimates. Standard error estimation is conducted according to the operational practice in PISA, see equation 5 in Sachse & Haag (2017).

The package eatRep is designed to combine one or several error types which is necessary, for example, if (nested) multiple imputed data are used in clustered designs. Considering the structure

is relevant especially for the estimation of standard errors. The estimation of national trends requires a sequential analysis for both measurements and a comparison of estimates between them.

Technically, eatRep is a wrapper for the survey package (Lumley, 2004). Each function in eatRep corresponds to a specific function in survey which is called repeatedly during the analysis. Hence, a nested loop is used. We use “trend replicates” in the outer loop, “imputation replicates” in the middle loop to account for multiple imputed data, and “cluster replicates” in the inner loop to account for the clustered sampling structure. While the functional principle of survey is based on replication of standard analyses, eatRep is based on replication of survey analyses to take multiple imputed data into account. More recent versions of the package additionally allow estimations using the BIFIEsurvey package instead of survey which provide substantial advantages in terms of speed.

For each imputed data set in each measurement, i.e. in the inner loop, the eatRep function first creates replicate weights based on the primary sampling unit (PSU) variable and the replication indicator variable. In the jackknife procedure, the first one is often referred to as “jackknife zone”, whereas the second one is often referred to as “jackknife replicate”. The number of distinct units in the PSU variable defines the number of replications which are necessary due to the clustered structure. A design object is created and the appropriate survey function is called. The process is repeated for each imputed dataset and the results of the analyses are pooled. The pooling procedure varies in relation to the type of variable to be pooled. For examples, means or regression coefficients are pooled according to Rubin (1987) or Rubin (2003).  $R^2$  is pooled according to Harel (2009), using a Fisher  $z$ -transformation. Chi-square distributed values are pooled according to Thomas and Rao (1990) for clustered data and according to Enders (2010) and Allison (2002) for multiple imputed data. For trend analyses, the whole process is repeated two times (according to the two measurements) and the difference of the estimates are computed along with their pooled standard errors.

Without trend estimation, the outer loop has only one cycle (instead of two). Without multiple imputations, the middle loop has only one cycle. Without a clustered sampling structure (i.e. in a random sample), the inner loop has only one cycle. Without trend, imputation and clustered structure, no replication is performed at all. To compute simple mean estimates, for example, eatRep then simply calls mean instead of svymean from the survey package. A special case occurs with nested multiple imputation. We then have four loops in a nested structure. Hence, the corresponding analyses may take considerably computational effort.

*Important note:* Starting with version 0.10.0, several methods for the standard error estimation of cross level differences are implemented. Prior to version 0.10.0, the standard error for the difference between one single group (e.g., Belgium) and the total population (which is comprised of several states including Belgium) was estimated as if both groups would have been independent from each other. The standard errors, however, are biased then. Two new methods are now applicable using the argument crossDiffSE in repMean and provide unbiased standard errors—weighted effect coding (wec) and replication methods (rep); see, for example te Grotenhuis et al. (2017) and Weirich et al. (2021). The old method is still available by using crossDiffSE = “old”. Note that the default method now is weighted effect coding.

*Second important note:* Starting with version 0.13.0, function names have been changed due to inconsistent former denomination: Function jk2.mean now goes under the name of repMean, jk2.table was renamed to repTable, jk2.quantile was renamed to repQuantile, and jk2.glm now goes under the name of repGlm. The old functions are deprecated and will be removed in further package publications. Renaming was driven by the fact that the corresponding functions now have broader range of methods than only jackknife-2.

## Details

Package: eatRep  
 Type: Package  
 Version: 0.14.7  
 Date: 2023-03-24  
 License: GPL(>=2)

## Author(s)

Authors: Sebastian Weirich <sebastian.weirich@iqb.hu-berlin.de>, Martin Hecht <martin.hecht@hu-berlin.de>, Benjamin Becker <b.becker@iqb.hu-berlin.de>

## References

- Allison, P. D. (2002). Missing data. Newbury Park, CA: Sage.
- Enders, C. K. (2010). Applied missing data analysis. Guilford Press.
- Foy, P., Galia, J. & Li, I. (2008). Scaling the data from the TIMSS 2007 mathematics and science assessment. In J. F. Olson, M. O. Martin & I. V. S. Mullis (ed.), *TIMSS 2007 Technical Report* (S. 225–280). Chestnut Hill, MA: TIMSS & PIRLS International Study Center, Lynch School of Education, Boston College.
- Harel, O. (2009): The estimation of  $R^2$  and adjusted  $R^2$  in incomplete data sets using multiple imputation. *Journal of Applied Statistics*. **36**, **10**, 1109–1118.
- Lumley, T. (2004). Analysis of complex survey samples. *Journal of Statistical Software* **9(1)**: 1–19
- Rubin, D. B. (1987). *Multiple imputation for nonresponse in surveys*. New York: Wiley.
- Rubin, D.B. (2003): Nested multiple imputation of NMES via partially incompatible MCMC. *Statistica Neerlandica* **57**, **1**, 3–18.
- Rust, K., & Rao, JNK. (1996): Variance estimation for complex surveys using replication techniques. *Statistical Methods in Medical Research* **5**, 283–310.
- Sachse, K. A. & Haag, N. (2017). Standard errors for national trends in international large-scale assessments in the case of cross-national differential item functioning. *Applied Measurement in Education*, *30*, (2), 102-116. <http://dx.doi.org/10.1080/08957347.2017.1283315>
- Satorra, A., & Bentler, P. M. (1994). Corrections to test statistics and standard errors in covariance structure analysis.
- te Grotenhuis, M., Pelzer, B., Eisinga, R., Nieuwenhuis, R., Schmidt-Catran, A., & Konig, R. (2017). When size matters: advantages of weighted effect coding in observational studies. *International Journal of Public Health*. **62**, 163–167.
- Thomas, D. R. & Rao, JNK (1990): Small-sample comparison of level and power for simple goodness-of-fit statistics under cluster sampling. *JASA* 82:630-636
- Weirich, S., Hecht, M., Becker, B. et al. (2021). Comparing group means with the total mean in random samples, surveys, and large-scale assessments: A tutorial and software illustration. *Behavior Research Methods*. <https://doi.org/10.3758/s13428-021-01553-1>

Westat (2000). *WesVar*. Rockville, MD: Westat.

Wolter, K. M. (1985). *Introduction to variance estimation*. New York: Springer.

---

checkLEs	<i>Checks compatibility of linking errors with GADS data bases.</i>
----------	---

---

## Description

This function checks if a linking error data.frame is compatible with multiple trend eatGADS data bases.

## Usage

```
checkLEs(filePaths, leDF)
```

## Arguments

filePaths	Character vectors with at least two paths to the eatGADS db files.
leDF	Linking error data.frame.

## Details

This function inspects whether all linking error variables correspond to variables in the eatGADS data base and if the key variables also correspond to existing variables in the trend eatGADS data bases.

## Value

Returns a report list.

## Examples

```
# define eatGADs data bases
trenddat1 <- system.file("extdata", "trend_gads_2010.db", package = "eatGADS")
trenddat2 <- system.file("extdata", "trend_gads_2015.db", package = "eatGADS")
trenddat3 <- system.file("extdata", "trend_gads_2020.db", package = "eatGADS")
# use template linking Error Object
load(system.file("extdata", "linking_error.rda", package = "eatRep"))
check1 <- checkLEs(c(trenddat1, trenddat2, trenddat3), leErr)
check2 <- checkLEs(c(trenddat1, trenddat2, trenddat3), leErr[1:14,])
```

---

```
generateRandomJk1Zones
```

*Generates random jackknife-1 zones based on sampling units in the data set.*

---

### Description

Function adds randomly generated jackknife-1 zones to the data.

### Usage

```
generateRandomJk1Zones (datL, unit, nZones, name = "randomCluster")
```

### Arguments

datL	Data frame containing at least the primary sampling unit variable
unit	Variable name or column number of the primary sampling unit (i.e. student or class identifier)
nZones	integer: number of jackknife zones. Note: The number of jackknife zones must not exceed the number of distinct sampling units
name	New name of the jackknife-zone variable in the data set

### Value

The original data with an additional column of the jackknife-zone variable

### Examples

```
data(lsa)

### We only consider year 2010
lsa10<- lsa[which(lsa[,"year"] == 2010),]
lsa10<- generateRandomJk1Zones(datL = lsa10, unit="idclass", nZones = 50)
```

---

```
lsa
```

*Achievement data from two large-scale assessments of 2010 and 2015.*

---

### Description

This example data set contains fictional achievement scores of 11637 students from three countries and two times of measurement in two domains (reading and listening comprehension) in the long format. The data set contains nested multiple imputed plausible values of achievement scores as well as some demographic variables. Illustrating trend analyses, data from two fictional time points (2010 and 2015) are included.

The data set can be used for several illustration purposes. For example, if only multiple imputation should be considered (without nesting), simply use only cases from the first nest (by subsetting). If only one time of measurement should be considered (i.e., without any trend analyses), simply choose only cases from 2010 or 2015. If only reading or listening should be considered, choose the desired domain by subsetting according to the domain column.

### Usage

```
data(lsa)
```

### Format

'data.frame': 77322 obs. of 25 variables

**year** Year of evaluation

**idstud** individual student identification

**idclass** class identifier

**wgt** Total case weight

**L2wgt** School weight (level 2 weight)

**L1wgt** Student weight (level 1 weight)

**jkzone** jackknifing zone (jk2)

**jkrep** jackknife replicate

**imp** Number of imputation

**nest** Number of nest (for nested imputation only)

**country** The country an examinee stems from

**sex** student's sex

**ses** student's socio-economical status

**mig** student's migration background

**domain** The domain the corresponding score belongs to

**score** student's achievement score (corresponding to the domain reading or listening, and to the imputation 1, 2, or 3)

**comp** student's competence level

**failMin** dichotomous indicator whether the student fails to fulfill the minimal standard

**passReg** dichotomous indicator whether the student fulfills at least the regular standard

**passOpt** dichotomous indicator whether the student fulfills the optimal standard

**leSore** linking error of each student's achievement score

**leComp** linking error of each student's competence level

**leFailMin** linking error of each student's indicator of failing to fulfill the minimal standard

**lePassReg** linking error of each student's indicator of fulfilling the regular standard

**lePassOpt** linking error of each student's indicator of fulfilling the optimal standard

### Source

Simulated data

---

repGlm	<i>Replication methods (JK1, JK2 and BRR) for linear regression models and trend estimation.</i>
--------	--

---

### Description

Compute generalized linear models for complex cluster designs with multiple imputed variables based on the Jackknife (JK1, JK2) or balanced repeated replicates (BRR) procedure. Conceptually, the function combines replication methods and methods for multiple imputed data. Technically, this is a wrapper for the `svyglm` function of the survey package.

### Usage

```
repGlm(datL, ID, wgt = NULL, type = c("none", "JK2", "JK1", "BRR", "Fay"), PSU = NULL,
       repInd = NULL, repWgt = NULL, nest=NULL, imp=NULL, groups = NULL,
       group.splits = length(groups), group.delimiter = "_",
       cross.differences = FALSE, trend = NULL, linkErr = NULL, formula,
       family=gaussian, forceSingularityTreatment = FALSE,
       glmTransformation = c("none", "sdY"), doCheck = TRUE, na.rm = FALSE,
       poolMethod = c("mice", "scalar"), useWec = FALSE,
       scale = 1, rscales = 1, mse=TRUE, rho=NULL, hetero=TRUE,
       se_type = c("HC3", "HC0", "HC1", "HC2", "CR0", "CR2"),
       clusters = NULL, crossDiffSE.engine= c("lavaan", "lm"),
       stochasticGroupSizes = FALSE, verbose = TRUE, progress = TRUE)
```

### Arguments

datL	Data frame in the long format (i.e. each line represents one ID unit in one imputation of one nest) containing all variables for analysis.
ID	Variable name or column number of student identifier (ID) variable. ID variable must not contain any missing values.
wgt	Optional: Variable name or column number of weighting variable. If no weighting variable is specified, all cases will be equally weighted.
type	Defines the replication method for cluster replicates which is to be applied. Depending on type, additional arguments must be specified (e.g., PSU and/or repInd or repWgt).
PSU	Variable name or column number of variable indicating the primary sampling unit (PSU). When a jackknife procedure is applied, the PSU is the jackknife zone variable. If NULL, no cluster structure is assumed and standard errors are computed according to a random sample.
repInd	Variable name or column number of variable indicating replicate ID. In a jackknife procedure, this is the jackknife replicate variable. If NULL, no cluster structure is assumed and standard errors are computed according to a random sample.
repWgt	Normally, replicate weights are created by repGlm directly from PSU and repInd variables. Alternatively, if replicate weights are included in the data.frame, specify the variable names or column number in the repWgt argument.

nest	Optional: name or column number of the nesting variable. Only applies in nested multiple imputed data sets.
imp	Optional: name or column number of the imputation variable. Only applies in multiple imputed data sets.
groups	Optional: vector of names or column numbers of one or more grouping variables.
group.splits	Optional: If groups are defined, group.splits optionally specifies whether analysis should be done also in the whole group or overlying groups. See examples for more details.
group.delimiter	Character string which separates the group names in the output frame.
cross.differences	Either a list of vectors, specifying the pairs of levels for which cross-level differences should be computed. Alternatively, if TRUE, cross-level differences for all pairs of levels are computed. If FALSE, no cross-level differences are computed. (see examples 2a, 3, and 4 in the help file of the repMean function)
trend	Optional: name or column number of the trend variable. Note: Trend variable must have exact two levels. Levels for grouping variables must be equal in both 'sub populations' partitioned by the trend variable.
linkErr	Optional: name or column number of the linking error variable. If NULL, a linking error of 0 will be assumed in trend estimation.
formula	Model formula, see help page of glm for details.
family	A description of the error distribution and link function to be used in the model. See help page of glm for details.
forceSingularityTreatment	Logical: Forces the function to use the workaround to handle singularities in regression models.
glmTransformation	Optional: Allows for transformation of parameters from linear regression and logistic regression before pooling. Useful to compare parameters from different glm models, see Mood (2010). Note: This argument applies only if forceSingularityTreatment is set to 'TRUE'.
doCheck	Logical: Check the data for consistency before analysis? If TRUE groups with insufficient data are excluded from analysis to prevent subsequent functions from crashing.
na.rm	Logical: Should cases with missing values be dropped?
poolMethod	Which pooling method should be used? The "mice" method is recommended.
useWec	Logical: use weighted effect coding?
scale	scaling constant for variance, for details, see help page of svrepdesign from the survey package
rscales	scaling constant for variance, for details, see help page of svrepdesign from the survey package

mse	Logical: If TRUE, compute variances based on sum of squares around the point estimate, rather than the mean of the replicates. See help page of <a href="#">svrepdesign</a> from the survey package for further details.
rho	Shrinkage factor for weights in Fay's method. See help page of <a href="#">svrepdesign</a> from the survey package for further details.
hetero	Logical: Assume heteroscedastic variance for weighted effect coding? Only applies for random samples, i.e. if no replication analyses are executed.
se_type	The sort of standard error sought for cross level differences. Only applies if <code>crossDiffSE == "wec"</code> and <code>hetero == TRUE</code> and <code>crossDiffSE.engine == "lm"</code> . See the help page of <a href="#">lm_robust</a> from the estimatr package for further details.
clusters	Optional: Variable name or column number of cluster variable. Only necessary if weighted effect coding should be performed using heteroscedastic variances. See the help page of <a href="#">lm_robust</a> from the estimatr package for further details.
crossDiffSE.engine	Optional: Sort of estimator which should be used for standard error estimation in weighted effect coding regression. Only applies if <code>useWec == TRUE</code> . To date, only lavaan allows for stochastic group sizes.
stochasticGroupSizes	Logical: Assume stochastic group sizes for using weighted effect coding regression with categorical predictors? Note: To date, only lavaan allows for stochastic group sizes. Stochastic group sizes cannot be assumed if any replication method (jackknife, BRR) is applied.
verbose	Logical: Show analysis information on console?
progress	Logical: Show progress bar on console?

## Details

Function first creates replicate weights based on PSU and repInd variables according to JK2 or BRR procedure. According to multiple imputed data sets, a workbook with several analyses is created. The function afterwards serves as a wrapper for [svyglm](#) implemented in the survey package. The results of the several analyses are then pooled according to Rubin's rule, which is adapted for nested imputations if the `nest` argument implies a nested structure.

## Value

A list of data frames in the long format. The output can be summarized using the `report` function. The first element of the list is a list with either one (no trend analyses) or two (trend analyses) data frames with at least six columns each. For each subpopulation denoted by the `groups` statement, each dependent variable, each parameter and each coefficient the corresponding value is given.

group	Denotes the group an analysis belongs to. If no groups were specified and/or analysis for the whole sample were requested, the value of 'group' is 'whole-Group'.
depVar	Denotes the name of the dependent variable in the analysis.

modus	Denotes the mode of the analysis. For example, if a JK2 analysis without sampling weights was conducted, ‘modus’ takes the value ‘jk2.unweighted’. If a analysis without any replicates but with sampling weights was conducted, ‘modus’ takes the value ‘weighted’.
parameter	Denotes the parameter of the regression model for which the corresponding value is given further. Amongst others, the ‘parameter’ column takes the values ‘(Intercept)’ and ‘gendermale’ if ‘gender’ was the dependent variable, for instance. See example 1 for further details.
coefficient	Denotes the coefficient for which the corresponding value is given further. Takes the values ‘est’ (estimate) and ‘se’ (standard error of the estimate).
value	The value of the parameter estimate in the corresponding group.

If groups were specified, further columns which are denoted by the group names are added to the data frame.

## References

te Grotenhuis, M., Pelzer, B., Eisinga, R., Nieuwenhuis, R., Schmidt-Catran, A., & Konig, R. (2017). When size matters: advantages of weighted effect coding in observational studies. *International Journal of Public Health*, **62**, 163–167.

## Examples

```
### load example data (long format)
data(lsa)
### use only the first nest
bt      <- lsa[which(lsa[,"nest"] == 1),]
### use only data from 2010
bt2010  <- bt[which(bt[,"year"] == 2010),]
## use only reading data
bt2010read <- bt2010[which(bt2010[,"domain"] == "reading"),]

### Example 1: Computes linear regression from reading score on gender separately
### for each country. Assume no nested structure.
mod1 <- repGlm(datL = bt2010read, ID = "idstud", wgt = "wgt", type = "jk2",
  PSU = "jkzone", repInd = "jkrep", imp = "imp", groups = "country",
  formula = score~sex, family = "gaussian")
res1 <- report(mod1, printGlm = TRUE)

### Example 2: Computes log linear regression from pass/fail on ses and gender
### separately for each country in a nested structure. Assuming equally weighted
### cases by omitting "wgt" argument
dat <- lsa[intersect(which(lsa[,"year"] == 2010), which(lsa[,"domain"] == "reading")),]
mod2 <- repGlm(datL = dat, ID = "idstud", type = "JK2", PSU = "jkzone",
  repInd = "jkrep", imp = "imp", nest="nest", groups = "country",
  formula = passReg~sex*ses, family = quasibinomial(link="logit"))
res2 <- report(mod2, printGlm = TRUE)

### Example 3: Like example 1, but without any replication methods
### trend estimation (without linking error) and nested imputation
```

```

dat <- lsa[which(lsa[, "domain"] == "reading"),]
mod3 <- repGlm(datL = dat, ID = "idstud", wgt = "wgt", imp = "imp", nest = "nest",
  groups = "country", formula = score~sex, trend = "year")
res3 <- report(mod3, printGlm = TRUE)

### Example 4: weighted effect coding to estimate whether a specific country's mean
### differs from the overall mean (whereas the overall population is a composite of
### all countries). The procedure adapts the weighted effect coding procedures
### described in te Grotenhuis (2017) for multiple imputation and replication methods.
mod4 <- repGlm(datL = bt2010read, ID = "idstud", wgt = "wgt", type = "jk2",
  PSU = "jkzone", repInd = "jkrep", imp = "imp", formula = score~country,
  useWec=TRUE)
res4 <- report(mod4, printGlm = FALSE)

```

---

repLmer	<i>Replication methods (JK1 and JK2) for multilevel linear regression models and trend estimation.</i>
---------	--

---

## Description

Compute multilevel linear models for complex cluster designs with multiple imputed variables based on the Jackknife (JK1, JK2) procedure. Conceptually, the function combines replication methods and methods for multiple imputed data. Technically, this is a wrapper for the [BIFIE.twolevelreg](#) function of the BIFIEsurvey package. repLmer only adds functionality for trend estimation. Please note that the function is not suitable for logistic logit/probit models.

## Usage

```

repLmer(datL, ID, wgt = NULL, L1wgt=NULL, L2wgt=NULL, type = c("JK2", "JK1"),
  PSU = NULL, repInd = NULL, jkfac = NULL, rho = NULL, imp=NULL,
  group = NULL, trend = NULL, dependent, formula.fixed, formula.random,
  doCheck = TRUE, na.rm = FALSE, clusters, verbose = TRUE)

```

## Arguments

datL	Data frame in the long format (i.e. each line represents one ID unit in one imputation of one nest) containing all variables for analysis.
ID	Variable name or column number of student identifier (ID) variable. ID variable must not contain any missing values.
wgt	Optional: Variable name or column number of case weighting variable. If no weighting variable is specified, all cases will be equally weighted.
L1wgt	Name of Level 1 weight variable. This is optional. If it is not provided, L1wgt is calculated from the total weight (i.e., wgt) and L2wgt.
L2wgt	Name of Level 2 weight variable
type	Defines the replication method for cluster replicates which is to be applied. Depending on type, additional arguments must be specified (e.g., PSU and/or repInd or repWgt).

PSU	Variable name or column number of variable indicating the primary sampling unit (PSU). When a jackknife procedure is applied, the PSU is the jackknife zone variable. If NULL, no cluster structure is assumed and standard errors are computed according to a random sample.
repInd	Variable name or column number of variable indicating replicate ID. In a jackknife procedure, this is the jackknife replicate variable. If NULL, no cluster structure is assumed and standard errors are computed according to a random sample.
jkfac	Argument is passed to <code>BIFIE.data.jack</code> and specifies the factor for multiplying jackknife replicate weights.
rho	Fay factor for statistical inference. The argument is passed to the <code>fayfac</code> argument of the <code>BIFIE.data.jack</code> function from the <code>BIFIEsurvey</code> package. See the corresponding help page for further details. For convenience, if <code>rho = NULL</code> (the default) and <code>type = "JK1"</code> , <code>BIFIE.data.jack</code> is called with <code>jktype="JK_GROUP"</code> and <code>fayfac = rho</code> , where $\rho = (N_{cluster} - 1) \times N_{cluster}^{-1}$
imp	Name or column number of the imputation variable.
group	Optional: column number or name of one grouping variable. Note: in contrast to <code>repMean</code> , only one grouping variable can be specified.
trend	Optional: name or column number of the trend variable. Note: Trend variable must have exact two levels. Levels for grouping variables must be equal in both 'sub populations' partitioned by the trend variable.
dependent	Name or column number of the dependent variable
formula.fixed	An R formula for fixed effects
formula.random	An R formula for random effects
doCheck	Logical: Check the data for consistency before analysis? If TRUE groups with insufficient data are excluded from analysis to prevent subsequent functions from crashing.
na.rm	Logical: Should cases with missing values be dropped?
clusters	Variable name or column number of cluster variable.
verbose	Logical: Show analysis information on console?

## Value

A list of data frames in the long format. The output can be summarized using the `report` function. The first element of the list is a list with either one (no trend analyses) or two (trend analyses) data frames with at least six columns each. For each subpopulation denoted by the `groups` statement, each dependent variable, each parameter and each coefficient the corresponding value is given.

group	Denotes the group an analysis belongs to. If no groups were specified and/or analysis for the whole sample were requested, the value of 'group' is 'whole-Group'.
depVar	Denotes the name of the dependent variable in the analysis.
modus	Denotes the mode of the analysis. For example, if a JK2 analysis without sampling weights was conducted, 'modus' takes the value 'jk2.unweighted'. If a analysis without any replicates but with sampling weights was conducted, 'modus' takes the value 'weighted'.

parameter	Denotes the parameter of the regression model for which the corresponding value is given further. Amongst others, the ‘parameter’ column takes the values ‘(Intercept)’ and ‘gendermale’ if ‘gender’ was the dependent variable, for instance. See example 1 for further details.
coefficient	Denotes the coefficient for which the corresponding value is given further. Takes the values ‘est’ (estimate) and ‘se’ (standard error of the estimate).
value	The value of the parameter estimate in the corresponding group.

If groups were specified, further columns which are denoted by the group names are added to the data frame.

### Examples

```
### load example data (long format)
data(lsa)
### use only the first nest, use only reading
btRead <- subset(lsa, nest==1 & domain=="reading")

### random intercept model with groups
mod1 <- repLmer(datL = btRead, ID = "idstud", wgt = "wgt", L1wgt="L1wgt", L2wgt="L2wgt",
  type = "jk2", PSU = "jkzone", repInd = "jkrep", imp = "imp", trend="year",
  group="country", dependent="score", formula.fixed = ~as.factor(sex)+mig,
  formula.random=~1, clusters="idclass")
res1 <- report(mod1)

### random slope without groups and without trend
mod2 <- repLmer(datL = subset(btRead, country=="countryA" & year== 2010),
  ID = "idstud", wgt = "wgt", L1wgt="L1wgt", L2wgt="L2wgt", type = "jk2",
  PSU = "jkzone", repInd = "jkrep", imp = "imp", dependent="score",
  formula.fixed = ~as.factor(sex)*mig, formula.random=~mig, clusters="idclass")
res2 <- report(mod2)
```

---

repMean

*Replication methods (JK1, JK2 and BRR) for descriptive statistics.*

---

### Description

Compute totals, means, adjusted means, mean differences, variances and standard deviations with standard errors in random or clustered or complex samples. Variance estimation in complex cluster designs based on Jackknife (JK1, JK2) or Balanced Repeated Replicates (BRR) procedure. Moreover, analyses can be customized for multiple or nested imputed variables, applying the combination rules of Rubin (1987) for imputed data and Rubin (2003) for nested imputed data. Conceptually, the function combines replication methods and methods for multiple imputed data. Trend estimation as usual in large-scale assessments is supported as well. Technically, this is a wrapper for the [svymean](#) and [svyvar](#) functions of the survey package.

**Usage**

```
repMean (datL, ID, wgt = NULL, type = c("none", "JK2", "JK1", "BRR", "Fay"), PSU = NULL,
  repInd = NULL, jkfac=NULL, repWgt = NULL, nest=NULL, imp=NULL, groups = NULL,
  group.splits = length(groups), group.differences.by = NULL,
  cross.differences = FALSE, crossDiffSE = c("wec", "rep", "old"),
  adjust = NULL, useEffectLiteR = FALSE, nBoot = 100, group.delimiter = "_",
  trend = NULL, linkErr = NULL, dependent, na.rm = FALSE, doCheck = TRUE,
  engine = c("survey", "BIFIEsurvey"), scale = 1, rscales = 1, mse=TRUE,
  rho=NULL, hetero=TRUE, se_type = c("HC3", "HC0", "HC1", "HC2", "CR0", "CR2"),
  clusters = NULL, crossDiffSE.engine= c("lavaan", "lm"),
  stochasticGroupSizes = FALSE, verbose = TRUE, progress = TRUE)
```

**Arguments**

datL	Data frame in the long format (i.e. each line represents one ID unit in one imputation of one nest) containing all variables for analysis.
ID	Variable name or column number of student identifier (ID) variable. ID variable must not contain any missing values.
wgt	Optional: Variable name or column number of weighting variable. If no weighting variable is specified, all cases will be equally weighted.
type	Defines the replication method for cluster replicates which is to be applied. Depending on type, additional arguments must be specified (e.g., PSU and/or repInd or repWgt).
PSU	Variable name or column number of variable indicating the primary sampling unit (PSU). When a jackknife procedure is applied, the PSU is the jackknife zone variable. If NULL, no cluster structure is assumed and standard errors are computed according to a random sample.
repInd	Variable name or column number of variable indicating replicate ID. In a jackknife procedure, this is the jackknife replicate variable. If NULL, no cluster structure is assumed and standard errors are computed according to a random sample.
jkfac	Only applies if engine = "BIFIEsurvey". Argument is passed to <a href="#">BIFIE.data.jack</a> and specifies the factor for multiplying jackknife replicate weights.
repWgt	Normally, replicate weights are created by repMean directly from PSU and repInd variables. Alternatively, if replicate weights are included in the data.frame, specify the variable names or column number in the repWgt argument.
nest	Optional: name or column number of the nesting variable. Only applies in nested multiple imputed data sets.
imp	Optional: name or column number of the imputation variable. Only applies in multiple imputed data sets.
groups	Optional: vector of names or column numbers of one or more grouping variables.
group.splits	Optional: If groups are defined, group.splits optionally specifies whether analysis should be done also in the whole group or overlying groups. See examples for more details.

<code>group.differences.by</code>	Optional: Specifies variable group differences should be computed for. The corresponding variable must be included in the groups statement. Exception: choose 'wholePop' if you want to estimate each's group difference from the overall sample mean. See examples for further details.
<code>cross.differences</code>	Either a list of vectors, specifying the pairs of levels for which cross-level differences should be computed. Alternatively, if TRUE, cross-level differences for all pairs of levels are computed. If FALSE, no cross-level differences are computed. (see example 2a, 3, and 4)
<code>crossDiffSE</code>	Method for standard error estimation for cross level differences, where groups are dependent. <code>wec</code> uses weighted effect coding, <code>rep</code> uses replication methods (bootstrap or jackknife) to estimate the standard error between the total mean and group-specific means. <code>old</code> does not account for dependent groups and treat the groups as if they were independent from each other.
<code>adjust</code>	Variable name or column number of variable(s) for which adjusted means should be computed. Non-numeric variables (factors) will be converted to 0/1 dichotomous variables.
<code>useEffectLiteR</code>	Logical: use the lavaan-wrapper <code>EffectLiteR</code> to compute adjusted means? Alternatively, adjusted means are computed by applying a simple linear regression model in each group, using the variables in <code>adjust</code> as independent variables. Afterwards, the coefficients are weighted with the (weighted) means of the independent variables. Standard errors for this procedure are received using the delta method by applying an augmented variance-covariance matrix which assumes zero covariances between independent variable means and regression coefficients. We recommend to set <code>useEffectLiteR = TRUE</code> if no replication methods are applied. When replication methods are used (jackknife-1, jackknife-2, BRR), we recommend to set <code>useEffectLiteR = FALSE</code> , because otherwise the estimation is very slow.
<code>nBoot</code>	Without replicates (i.e., for completely random samples), the <code>rep</code> method for standard error estimation for cross level differences needs a bootstrap. <code>nBoot</code> therefore specifies the number of bootstrap samples. This argument is only necessary, if <code>crossDiffSE = "rep"</code> and none of the replicate methods (JK1, JK2, or BRR) is applied. Otherwise, <code>nBoot</code> will be ignored.
<code>group.delimiter</code>	Character string which separates the group names in the output frame.
<code>trend</code>	Optional: name or column number of the trend variable. Note: Trend variable must have exact two levels. Levels for grouping variables must be equal in both 'sub populations' partitioned by the trend variable.
<code>linkErr</code>	Optional: Either the name or column number of the linking error variable. If NULL, a linking error of 0 will be assumed in trend estimation. Alternatively, linking errors may be given as <code>data.frame</code> with following specifications: Two columns, named <code>trendLevel1</code> and <code>trendLevel2</code> which contain the levels of the trend variable. The contrasts between both values indicates which trend is meant. For only two measurement occasions, i.e. 2010 and 2015, <code>trendLevel1</code> should be 2010, and <code>trendLevel2</code> should be 2015. For three measurement occasions, i.e. 2010, 2015, and 2020, additional lines are necessary where

trendLevel1 should be 2010, and trendLevel2 should be 2020, to mark the contrast between 2010 and 2020, and further additional lines are necessary where trendLevel1 should be 2015, and trendLevel2 should be 2020. The column depVar must include the name of the dependent variable. This string must correspond to the name of the dependent variable in the data. The column parameter indicates the parameter the linking error belongs to. Column linkingError includes the linking error value. Providing linking error in a data.frame is necessary for more than two measurement occasions. See the example 3a for further details.

dependent	Variable name or column number of the dependent variable.
na.rm	Logical: Should cases with missing values be dropped?
doCheck	Logical: Check the data for consistency before analysis? If TRUE groups with insufficient data are excluded from analysis to prevent subsequent functions from crashing.
engine	Which package should be used for estimation?
scale	scaling constant for variance, for details, see help page of <a href="#">svrepdesign</a> from the survey package
rscales	scaling constant for variance, for details, see help page of <a href="#">svrepdesign</a> from the survey package
mse	Logical: If TRUE, compute variances based on sum of squares around the point estimate, rather than the mean of the replicates. See help page of <a href="#">svrepdesign</a> from the survey package for further details.
rho	Shrinkage factor for weights in Fay's method. If engine = "survey", argument is passed to the rho argument of the <a href="#">svrepdesign</a> function from the survey package. See the corresponding help page for further details. If engine = "BIFIEsurvey", argument is passed to the fayfac argument of the <a href="#">BIFIE.data.jack</a> function from the BIFIEsurvey package. See the corresponding help page for further details. For convenience, if rho = NULL (the default) and engine = "BIFIEsurvey" and type = "JK1", <a href="#">BIFIE.data.jack</a> is called with jktype="JK_GROUP" and fayfac = rho, where $\rho = (N_{cluster} - 1) \times N_{cluster}^{-1}$
hetero	Logical: Assume heteroscedastic variance for weighted effect coding?
se_type	The sort of standard error sought for cross level differences. Only applies if crossDiffSE == "wec" and hetero == TRUE and crossDiffSE.engine == "lm". See the help page of <a href="#">lm_robust</a> from the estimatr package for further details.
clusters	Optional: Variable name or column number of cluster variable. Only necessary if weighted effecting coding should be performed using heteroscedastic variances. See the help page of <a href="#">lm_robust</a> from the estimatr package for further details.
crossDiffSE.engine	Software implementation used for estimating cross-level differences. Choices are either "lavaan" (required if stochasticGroupSites == "TRUE") or R function <a href="#">lm</a> . "lavaan" is the default.
stochasticGroupSizes	Logical: Assume stochastic group sizes for using weighted effect coding in cross-level differences? Note: To date, only crossDiffSE.engine = "lavaan"

	allows for stochastic group sizes. Stochastic group sizes are not yet implemented for any replication method (jackknife, BRR).
verbose	Logical: Show analysis information on console?
progress	Logical: Show progress bar on console?

## Details

Function first creates replicate weights based on PSU and repInd variables (if defined) according to JK2 or BRR procedure as implemented in WesVar. According to multiple imputed data sets, a workbook with several analyses is created. The function afterwards serves as a wrapper for `svymean` called by `svyby` implemented in the ‘survey’ package. The results of the several analyses are then pooled according to Rubin’s rule.

## Value

A list of data frames in the long format. The output can be summarized using the `report` function. The first element of the list is a list with either one (no trend analyses) or two (trend analyses) data frames with at least six columns each. For each subpopulation denoted by the `groups` statement, each parameter (i.e., mean, variance, or group differences) and each coefficient (i.e., the estimate and the corresponding standard error) the corresponding value is given.

group	Denotes the group an analysis belongs to. If no groups were specified and/or analysis for the whole sample were requested, the value of ‘group’ is ‘whole-Group’.
depVar	Denotes the name of the dependent variable in the analysis.
modus	Denotes the mode of the analysis. For example, if a JK2 analysis without sampling weights was conducted, ‘modus’ takes the value ‘jk2.unweighted’. If a analysis without any replicates but with sampling weights was conducted, ‘modus’ takes the value ‘weighted’.
parameter	Denotes the parameter of the regression model for which the corresponding value is given further. Amongst others, the ‘parameter’ column takes the values ‘mean’, ‘sd’, ‘var’ and ‘meanGroupDiff’ if group differences were requested.
coefficient	Denotes the coefficient for which the corresponding value is given further. Takes the values ‘est’ (estimate) and ‘se’ (standard error of the estimate).
value	The value of the parameter estimate in the corresponding group.

If groups were specified, further columns which are denoted by the group names are added to the data frame.

## References

- te Grotenhuis, M., Pelzer, B., Eisinga, R., Nieuwenhuis, R., Schmidt-Catran, A., & Konig, R. (2017). When size matters: advantages of weighted effect coding in observational studies. *International Journal of Public Health*, *62*, 163–167.
- Sachse, K. A. & Haag, N. (2017). Standard errors for national trends in international large-scale assessments in the case of cross-national differential item functioning. *Applied Measurement in Education*, *30*, (2), 102-116. <http://dx.doi.org/10.1080/08957347.2017.1283315>

Weirich, S., Hecht, M., Becker, B. et al. Comparing group means with the total mean in random samples, surveys, and large-scale assessments: A tutorial and software illustration. *Behav Res* (2021). <https://doi.org/10.3758/s13428-021-01553-1>

## Examples

```

data(lsa)

### Example 1: only means, SD and variances for each country
### We only consider domain 'reading'
rd    <- lsa[which(lsa[, "domain"] == "reading"),]

### We only consider the first "nest".
rdN1  <- rd[which(rd[, "nest"] == 1),]

### First, we only consider year 2010
rdN1y10<- rdN1[which(rdN1[, "year"] == 2010),]

### mean estimation
means1 <- repMean(datL = rdN1y10, ID="idstud", wgt="wgt", type = "JK2", PSU = "jkzone",
  repInd = "jkrep", imp="imp", groups = "country", dependent = "score",
  na.rm=FALSE, doCheck=TRUE, engine = "BIFIEsurvey")
### reporting function: the function does not know which content domain is being considered,
### so the user may add new columns in the output using the 'add' argument
res1   <- report(means1, add = list(domain = "reading"))

### Example 1a: Additionally to example 1, we decide to estimate whether
### each country's mean differ significantly from the overall mean as well
### as from the individual means of the other contries
means1a<- repMean(datL = rdN1y10, ID="idstud", wgt="wgt", type = "JK2", PSU = "jkzone",
  repInd = "jkrep", imp="imp", groups = "country", group.splits = 0:1,
  group.differences.by = "country", cross.differences = TRUE,
  dependent = "score", na.rm=FALSE, doCheck=TRUE, hetero=FALSE)
res1a  <- report(means1a, add = list(domain = "reading"))

### See that the means of 'countryA' and 'countryB' significantly differ from the overall mean.
print(res1a[intersect(which(res1a[, "comparison"] == "crossDiff"),
  which(res1a[, "parameter"] == "mean")),], digits = 3)

### Example 2: Sex differences by country. Assume equally weighted cases by omitting
### 'wgt' argument.
means2 <- repMean(datL = rdN1y10, ID="idstud", type = "JK2", PSU = "jkzone",
  repInd = "jkrep", imp="imp", groups = c("country", "sex"), group.splits = 0:2,
  group.differences.by="sex", dependent = "score", na.rm=FALSE, doCheck=TRUE,
  cross.differences =TRUE, crossDiffSE.engine="lm")
res2   <- report(means2,add = list(domain = "reading"))

### Example 2a: Additionally to example 2, we decide to estimate whether
### each country's mean differ significantly from the overall mean. (Note: by default,
### such cross level differences are estimated using 'weighted effect coding'. Use the
### 'crossDiffSE' argument to choose alternative methods.) Moreover, we estimate whether
### each country's sex difference differ significantly from the sex difference in the

```

```

### whole population.
means2a<- repMean(datL = rdN1y10, ID="idstud", wgt="wgt", type = "JK2", PSU = "jkzone",
  repInd = "jkrep", imp="imp", groups = c("country", "sex"), group.splits = 0:2,
  group.differences.by="sex", cross.differences = list(c(0,1), c(0,2)),
  dependent = "score", na.rm=FALSE, doCheck=TRUE,
  crossDiffSE.engine= "lm", clusters = "idclass")
res2a <- report(means2a,add = list(domain = "reading"), trendDiffs = TRUE)

### Third example: like example 2a, but using nested imputations of dependent variable,
### and additionally estimating trend: use 'rd' instead of 'rdN1y10'
### assume equally weighted cases by omitting 'wgt' argument
### ignoring jackknife by omitting 'type', 'PSU' and 'repInd' argument
means3T<- repMean(datL = rd, ID="idstud", imp="imp", nest="nest",
  groups = c("country", "sex"), group.splits = 0:2, group.differences.by="sex",
  cross.differences = list(c(0,1), c(0,2)), dependent = "score", na.rm=FALSE,
  doCheck=TRUE, trend = "year", linkErr = "leScore",
  crossDiffSE = "wec", crossDiffSE.engine= "lavaan")
res3T <- report(means3T, add = list(domain = "reading"))

### Example 3a: like example 3, but providing linking errors in an additional data.frame
### This is optional for two measurement occasions but mandatory if the analysis contains
### more than two measurement occasions
linkErr<- data.frame ( trendLevel1 = 2010, trendLevel2 = 2015, depVar = "score",
  parameter = "mean", unique(lsa[,c("domain", "leScore")] ),
  stringsAsFactors = FALSE)
colnames(linkErr) <- car::recode(colnames(linkErr), "'leScore'='linkingError'")
### note that the linking errors for the specified domain have to be chosen via
### subsetting
means3a<- repMean(datL = rd, ID="idstud", imp="imp", nest="nest",
  groups = c("country", "sex"),
  group.splits = 0:2, group.differences.by="sex",
  cross.differences = list(c(0,1), c(0,2)),
  dependent = "score", na.rm=FALSE, doCheck=TRUE, trend = "year",
  linkErr = linkErr[which(linkErr[, "domain"] == "reading"),],
  crossDiffSE = "wec", crossDiffSE.engine= "lavaan")
res3a <- report(means3a, add = list(domain = "reading"))

### Fourth example: using a loop do analyse 'reading' and 'listening' comprehension
### in one function call. Again with group and cross differences and trends, and
### trend differences
### we use weights but omit jackknife analysis by omitting 'type', 'PSU' and 'repInd'
### argument
means4T<- by ( data = lsa, INDICES = lsa[, "domain"], FUN = function (sub.dat) {
  repMean(datL = sub.dat, ID="idstud", wgt="wgt", imp="imp", nest="nest",
    groups = c("country", "sex"), group.splits = 0:2,
    group.differences.by="sex",
    cross.differences = list(c(0,1), c(0,2)), dependent = "score",
    na.rm=FALSE, doCheck=TRUE,
    trend = "year", linkErr = "leScore", crossDiffSE.engine= "lm" ) })
ret4T <- do.call("rbind", lapply(names(means4T), FUN = function ( domain ) {
  report(means4T[[domain]], trendDiffs = TRUE, add = list(domain = domain))}))

### Fifth example: compute adjusted means, also with trend estimation

```

```

### Note: all covariates must be numeric or 0/1 dichotomous
rdN1[, "mignum"] <- as.numeric(rdN1[, "mig"])
rdN1[, "sexnum"] <- car::recode(rdN1[, "sex"], "'male'=0; 'female'=1", as.numeric=TRUE,
                               as.factor=FALSE)
means5 <- repMean(datL = rdN1, ID="idstud", wgt="wgt", type = "JK2", PSU = "jkzone",
                  repInd = "jkrep", imp="imp", groups = "country",
                  adjust = c("sexnum", "ses", "mignum"), useEffectLiteR = FALSE,
                  dependent = "score", na.rm=FALSE, doCheck=TRUE, trend = "year",
                  linkErr = "leScore")
res5 <- report(means5, add = list(domain = "reading"))

## Not run:
#####
# Example 6: R code for running the PISA 2015 science example to compare group means #
# with the total mean using weighted effect coding #
#####

# Warning: large PISA data set requires at least 16 GB free working memory (RAM):

### define necessary directories (note: writing permissions required)
folder <- tempdir()

### download PISA 2015 zipped student questionnaire data (420 MB) to a folder with
### writing permissions
download.file(url = "https://webfs.oecd.org/pisa/PUF_SPSS_COMBINED_CMB_STU_QQQ.zip",
             destfile = file.path(folder, "pisa2015.zip"))

### unzip PISA 2015 student questionnaire data (1.5 GB) to temporary folder
zip::unzip(zipfile = file.path(folder, "pisa2015.zip"), files= "CY6_MS_CMB_STU_QQQ.sav",
           exdir=folder)

### read data
pisa <- foreign::read.spss(file.path(folder, "CY6_MS_CMB_STU_QQQ.sav"),
                          to.data.frame=TRUE, use.value.labels = FALSE, use.missings = TRUE)

# dependent variables
measure.vars <- paste0("PV", 1:10, "SCIE")

### choose desired variables and reshape into the long format
# 'CNTSTUID' = individual student identifier
# 'CNT' = country identifier
# 'SENWT' = senate weight (assume a population of 5000 in each country)
# 'W_FSTUWT' = final student weight
# 'OECD' = dummy variable indicating which country is part of the OECD
# 'W_FSTURWT' (1 to 80) = balanced repeated replicate weights
# 'PV1SCIE' to 'PV10SCIE' = 10 plausible values of (latent) science performance
pisaLong <- reshape2::melt(pisa, id.vars = c("CNTSTUID", "CNT", "SENWT", "W_FSTUWT",
      "OECD", paste0("W_FSTURWT", 1:80)),
                        measure.vars = measure.vars, value.name = "value", variable.name="imp",
                        na.rm=TRUE)

### choose OECD countries
oecd <- pisaLong[which(pisaLong[, "OECD"] == 1),]

```

```

### analyze data
### analysis takes approximately 30 minutes on an Intel i5-6500 machine with 32 GB RAM
means <- repMean( datL = oecd,      # data.frame in the long format
  ID              = "CNTSTUID",   # student identifier
  dependent       = "value",      # the dependent variable in the data
  groups          = "CNT",        # the grouping variable
  wgt             = "SENWT",      # (optional) weighting variable. We use senate
                                # weights (assume a population of 5000 in each
                                # country)
  type            = "Fay",        # type of replication method. Corresponding to
                                # the PISA sampling method, we use "Fay"
  rho             = 0.5,          # shrinkage factor for weights in Fay's method
  scale           = NULL,        # scaling constant for variance, set to NULL
                                # according to PISA's sampling method
  rscales         = NULL,        # scaling constant for variance, set to NULL
                                # according to PISA's sampling method
  repWgt          = paste0("W_FSTURWT", 1:80), # the replicate weights,
                                # provided by the OECD
  imp             = "imp",        # the imputation variable
  mse             = FALSE,        # if TRUE, compute variances based on sum of
                                # squares around the point estimate, rather
                                # than the mean of the replicates.
  group.splits    = 0:1,         # defining the 'levels' for which means should
                                # be computed. 0:1 implies that means for the
                                # whole sample (level 0) as well as for groups
                                # (level 1) are computed
  cross.differences = TRUE,       # defines whether (and which) cross level mean
                                # differences should be computed. TRUE means
                                # that all cross level mean differences are
                                # computed
  crossDiffSE     = "wec",        # method for standard errors of mean
                                # differences
  crossDiffSE.engine = "lm",      # software implementation for standard
                                # errors of mean differences
  hetero          = TRUE,        # assume heteroscedastic group variances
  stochasticGroupSizes = FALSE    # assume fixed group sizes
)

### call a reporting function to generate user-friendly output
results <- report(means, exclude = c("Ncases", "NcasesValid", "var", "sd"))

## End(Not run)

```

---

report

*Reporting function for `repMean`, `repTable`, `repQuantile`, and `repGlm`*


---

**Description**

Summarizes the output of the four main functions [repMean](#), [repTable](#), [repQuantile](#), and [repGlm](#), and provides a single data.frame with all results.

**Usage**

```
report(repFunOut, trendDiffs = FALSE, add = list(),
       exclude = c("NcasesValid", "var", "sampleSize"), printGlm = FALSE,
       round = TRUE, digits = 3, printDeviance = FALSE)
```

**Arguments**

repFunOut	output of one of the four eatRep-functions.
trendDiffs	Logical: compute differences of trends?
add	Optional: additional columns for output. See examples of the jk2-functions
exclude	Which parameters should be excluded from reporting?
printGlm	Only relevant for <a href="#">repGlm</a> : print summary on console?
round	Logical: should the results be rounded to a limited number of digits?
digits	How many digits should be used for rounding?
printDeviance	Only relevant for <a href="#">repGlm</a> when other than the identical function is used as link function, and if printGlm is TRUE. Should the deviance information be printed additionally? Note: To print deviance information, the argument poolMethod of the <a href="#">repGlm</a> function must be set to "scalar".

**Value**

A data frame with at least nine columns.

group	Denotes the group an analysis belongs to. If no groups were specified and/or analysis for the whole sample were requested, the value of 'group' is 'whole-Group'.
depVar	Denotes the name of the dependent variable in the analysis.
modus	Denotes the mode of the analysis. For example, if a JK2 regression analysis was conducted, 'modus' takes the value 'JK2.glm'. If a mean analysis without any replicates was conducted, 'modus' takes the value 'CONV.mean'.
comparison	Denotes whether group mean comparisons or cross-level comparisons were conducted. Without any comparisons, 'comparison' takes the value 'NA'
parameter	Denotes the parameter of the corresponding analysis. If regression analysis was applied, the regression parameter is given. Amongst others, the 'parameter' column takes the values '(Intercept)' and 'gendermale' if 'gender' was the independent variable, for instance. If mean analysis was applied, the 'parameter' column takes the values 'mean', 'sd', 'var', or 'Nvalid'. See the examples of <a href="#">repMean</a> , <a href="#">repTable</a> , <a href="#">repQuantile</a> , or <a href="#">repGlm</a> for further details.
depVar	Denotes the name of the dependent variable (only if <a href="#">repGlm</a> was called before)
est	Denotes the estimate of the corresponding analysis.
se	Denotes the standard error of the corresponding estimate.
p	Denotes the p value of the estimate.

**Author(s)**

Benjamin Becker, Sebastian Weirich

**Examples**

```
### see examples of the eatRep main functions.
```

---

repQuantile	<i>Replication methods (JK1, JK2 and BRR) for quantiles and trend estimation.</i>
-------------	---

---

**Description**

Compute quantiles with standard errors for complex cluster designs with multiple imputed variables (e.g. plausible values) based on Jackknife (JK1, JK2) or balanced repeated replicates (BRR) procedure. Conceptually, the function combines replication methods and methods for multiple imputed data. Technically, this is a wrapper for the `svyquantile()` function of the survey package.

**Usage**

```
repQuantile(datL, ID, wgt = NULL, type = c("none", "JK2", "JK1", "BRR", "Fay"),
            PSU = NULL, repInd = NULL, repWgt = NULL, nest=NULL, imp=NULL,
            groups = NULL, group.splits = length(groups), cross.differences = FALSE,
            group.delimiter = "_", trend = NULL, linkErr = NULL, dependent,
            probs = c(0.25, 0.50, 0.75), na.rm = FALSE, nBoot = NULL,
            bootMethod = c("wSampling", "wQuantiles"), doCheck = TRUE,
            scale = 1, rscales = 1, mse=TRUE,
            rho=NULL, verbose = TRUE, progress = TRUE)
```

**Arguments**

datL	Data frame in the long format (i.e. each line represents one ID unit in one imputation of one nest) containing all variables for analysis.
ID	Variable name or column number of student identifier (ID) variable. ID variable must not contain any missing values.
wgt	Optional: Variable name or column number of weighting variable. If no weighting variable is specified, all cases will be equally weighted.
type	Defines the replication method for cluster replicates which is to be applied. Depending on type, additional arguments must be specified (e.g., PSU and/or repInd or repWgt).
PSU	Variable name or column number of variable indicating the primary sampling unit (PSU). When a jackknife procedure is applied, the PSU is the jackknife zone variable. If NULL, no cluster structure is assumed and standard errors are computed according to a random sample.

repInd	Variable name or column number of variable indicating replicate ID. In a jackknife procedure, this is the jackknife replicate variable. If NULL, no cluster structure is assumed and standard errors are computed according to a random sample.
repWgt	Normally, replicate weights are created by repQuantile directly from PSU and repInd variables. Alternatively, if replicate weights are included in the data.frame, specify the variable names or column number in the repWgt argument.
nest	Optional: name or column number of the nesting variable. Only applies in nested multiple imputed data sets.
imp	Optional: name or column number of the imputation variable. Only applies in multiple imputed data sets.
groups	Optional: vector of names or column numbers of one or more grouping variables.
group.splits	Optional: If groups are defined, group.splits optionally specifies whether analysis should be done also in the whole group or overlying groups. See examples for more details.
cross.differences	Either a list of vectors, specifying the pairs of levels for which cross-level differences should be computed. Alternatively, if TRUE, cross-level differences for all pairs of levels are computed. If FALSE, no cross-level differences are computed. (see examples 2a, 3, and 4 in the help file of the repMean function)
group.delimiter	Character string which separates the group names in the output frame.
trend	Optional: name or column number of the trend variable. Note: Trend variable must have exact two levels. Levels for grouping variables must be equal in both 'sub populations' partitioned by the trend variable.
linkErr	Optional: name or column number of the linking error variable. If 'NULL', a linking error of 0 will be assumed in trend estimation. Alternatively, the linking error may be given as a single scalar value (i.e. 'linkErr = 1.225').
dependent	Variable name or column number of the dependent variable.
probs	Numeric vector with probabilities for which to compute quantiles.
na.rm	Logical: Should cases with missing values be dropped?
nBoot	Optional: Without replicates, standard error cannot be computed in a weighted sample. Alternatively, standard errors may be computed using the boot package. nBoot therefore specifies the number of bootstrap samples. If not specified, no standard errors will be given. In analyses containing replicates or samples without specifying person weights, nBoot will be ignored.
bootMethod	Optional: If standard error are computed in a bootstrap, two possible methods may be applied. wSampling requests the function to draw nBoot weighted bootstrap samples for which unweighted quantiles are computed. wQuantiles requests the function to draw nBoot unweighted bootstrap samples for which weighted quantiles are computed.
doCheck	Logical: Check the data for consistency before analysis? If TRUE groups with insufficient data are excluded from analysis to prevent subsequent functions from crashing.

scale	scaling constant for variance, for details, see help page of <a href="#">svrepdesign</a> from the survey package
rscales	scaling constant for variance, for details, see help page of <a href="#">svrepdesign</a> from the survey package
mse	Logical: If TRUE, compute variances based on sum of squares around the point estimate, rather than the mean of the replicates. See help page of <a href="#">svrepdesign</a> from the survey package for further details.
rho	Shrinkage factor for weights in Fay's method. See help page of <a href="#">svrepdesign</a> from the survey package for further details.
verbose	Logical: Show analysis information on console?
progress	Logical: Show progress bar on console?

### Details

Function first creates replicate weights based on PSU and repInd variables according to JK2 or BRR procedure implemented in WesVar. According to multiple imputed data sets, a workbook with several analyses is created. The function afterwards serves as a wrapper for [svyquantile](#) called by [svyby](#) implemented in the survey package. The results of the several analyses are then pooled according to Rubins rule, which is adapted for nested imputations if the dependent argument implies a nested structure.

### Value

A list of data frames in the long format. The output can be summarized using the `report` function. The first element of the list is a list with either one (no trend analyses) or two (trend analyses) data frames with at least six columns each. For each subpopulation denoted by the `groups` statement, each dependent variable, each parameter (i.e., the values of the corresponding categories of the dependent variable) and each coefficient (i.e., the estimate and the corresponding standard error) the corresponding value is given.

group	Denotes the group an analysis belongs to. If no groups were specified and/or analysis for the whole sample were requested, the value of 'group' is 'whole-Group'.
depVar	Denotes the name of the dependent variable in the analysis.
modus	Denotes the mode of the analysis. For example, if a JK2 analysis without sampling weights was conducted, 'modus' takes the value 'jk2.unweighted'. If a analysis without any replicates but with sampling weights was conducted, 'modus' takes the value 'weighted'.
parameter	Denotes the parameter of the regression model for which the corresponding value is given further. For frequency tables, this is the value of the category of the dependent variable which relative frequency is given further.
coefficient	Denotes the coefficient for which the corresponding value is given further. Takes the values 'est' (estimate) and 'se' (standard error of the estimate).
value	The value of the parameter, i.e. the relative frequency or its standard error.

If groups were specified, further columns which are denoted by the group names are added to the data frame.

## Examples

```

data(lsa)
### Example 1: only means, SD and variances for each country
### We only consider domain 'reading'
rd    <- lsa[which(lsa[, "domain"] == "reading"),]

### We only consider the first "nest".
rdN1  <- rd[which(rd[, "nest"] == 1),]

### First, we only consider year 2010
rdN1y10<- rdN1[which(rdN1[, "year"] == 2010),]

### First example: Computes percentile in a nested data structure for reading
### scores conditionally on country and for the whole group
percent  <- repQuantile(datL = rd, ID = "idstud", wgt = "wgt", type = "JK2",
                        PSU = "jkzone", repInd = "jkrep", imp = "imp", nest="nest",
                        groups = "country", group.splits = c(0:1), dependent = "score",
                        probs = seq(0.1,0.9,0.2) )
res      <- report(percent, add = list(domain = "reading"))

### Second example: Computes percentile for reading scores conditionally on country,
### use 100 bootstrap samples, assume no nested structure
percent  <- repQuantile(datL = rdN1y10, ID = "idstud", wgt = "wgt",
                        imp = "imp", groups = "country", dependent = "score",
                        probs = seq(0.1,0.9,0.2), nBoot = 100 )
res      <- report(percent, add = list(domain = "reading"))

```

---

 repTable

*JK1, JK2 and BRR for frequency tables and trend estimation.*


---

## Description

Compute frequency tables for categorical variables (e.g. factors: dichotomous or polytomous) in complex cluster designs. Estimation of standard errors optionally takes the clustered structure and multiple imputed variables into account. To date, Jackknife-1 (JK1), Jackknife-2 (JK2) and Balanced repeated replicate (BRR) methods are implemented to account for clustered designs. Procedures of Rubin (1987) and Rubin (2003) are implemented to account for multiple imputed data and nested imputed data, if necessary. Conceptually, the function combines replication and imputation methods. Technically, this is a wrapper for the `svymean` function of the `survey` package.

## Usage

```

repTable(datL, ID, wgt = NULL, type = c("none", "JK2", "JK1", "BRR", "Fay"), PSU = NULL,
         repInd = NULL, jkfac=NULL, repWgt = NULL, nest=NULL, imp=NULL, groups = NULL,
         group.splits = length(groups), group.differences.by = NULL,
         cross.differences = FALSE, crossDiffSE = c("wec", "rep", "old"),
         nBoot = 100, chiSquare = FALSE, correct = TRUE, group.delimiter = "_",
         trend = NULL, linkErr = NULL, dependent, separate.missing.indicator = FALSE,

```

```
na.rm=FALSE, expected.values = NULL, doCheck = TRUE, forceTable = FALSE,
engine = c("survey", "BIFIEsurvey"), scale = 1, rscales = 1, mse=TRUE,
rho=NULL, verbose = TRUE, progress = TRUE )
```

### Arguments

datL	Data frame in the long format (i.e. each line represents one ID unit in one imputation of one nest) containing all variables for analysis.
ID	Variable name or column number of student identifier (ID) variable. ID variable must not contain any missing values.
wgt	Optional: Variable name or column number of weighting variable. If no weighting variable is specified, all cases will be equally weighted.
type	Defines the replication method for cluster replicates which is to be applied. Depending on type, additional arguments must be specified (e.g., PSU and/or repInd or repWgt).
PSU	Variable name or column number of variable indicating the primary sampling unit (PSU). When a jackknife procedure is applied, the PSU is the jackknife zone variable. If NULL, no cluster structure is assumed and standard errors are computed according to a random sample.
repInd	Variable name or column number of variable indicating replicate ID. In a jackknife procedure, this is the jackknife replicate variable. If NULL, no cluster structure is assumed and standard errors are computed according to a random sample.
jkfac	Only applies if engine = "BIFIEsurvey". Argument is passed to <a href="#">BIFIE.data.jack</a> and specifies the factor for multiplying jackknife replicate weights.
repWgt	Normally, replicate weights are created by repTable directly from PSU and repInd variables. Alternatively, if replicate weights are included in the data.frame, specify the variable names or column number in the repWgt argument.
nest	Optional: name or column number of the nesting variable. Only applies in nested multiple imputed data sets.
imp	Optional: name or column number of the imputation variable. Only applies in multiple imputed data sets.
groups	Optional: vector of names or column numbers of one or more grouping variables.
group.splits	Optional: If groups are defined, group.splits optionally specifies whether analysis should be done also in the whole group or overlying groups. See examples for more details.
group.differences.by	Optional: Specifies one grouping variable for which a chi-square test should be applied. The corresponding variable must be included in the groups statement. If specified, the distribution of the dependent variable is compared between the groups. See examples for further details.
cross.differences	Either a list of vectors, specifying the pairs of levels for which cross-level differences should be computed. Alternatively, if TRUE, cross-level differences for all pairs of levels are computed. If FALSE, no cross-level differences are computed. (see examples 2a, 3, and 4 in the help file of the repMean function)

crossDiffSE	Method for standard error estimation for cross level differences, where groups are dependent. <code>wec</code> uses weighted effect coding, <code>rep</code> uses replication methods (bootstrap or jackknife) to estimate the standard error between the total mean and group-specific means. <code>old</code> does not account for dependent groups and treat the groups as if they were independent from each other.
nBoot	Without replicates (i.e., for completely random samples), the <code>rep</code> method for standard error estimation for cross level differences needs a bootstrap. <code>nBoot</code> therefore specifies the number of bootstrap samples. This argument is only necessary, if <code>crossDiffSE = "rep"</code> and none of the replicate methods (JK1, JK2, or BRR) is applied. Otherwise, <code>nBoot</code> will be ignored.
chiSquare	Logical. Applies only if <code>group.differences.by</code> was specified. Defines whether group differences should be represented in a chi square test or in (mean) differences of each group's relative frequency. Note: To date, chi square test is not available for <code>engine = "BIFIEsurvey"</code> .
correct	Logical. Applies only if 'group.differences.by' is requested without cluster replicates. A logical indicating whether to apply continuity correction when computing the test statistic for 2 by 2 tables. See help page of 'chisq.test' for further details.
group.delimiter	Character string which separates the group names in the output frame.
trend	Optional: name or column number of the trend variable. Note: Trend variable must have exact two levels. Levels for grouping variables must be equal in both 'sub populations' partitioned by the trend variable.
linkErr	Optional: Either the name or column number of the linking error variable. If NULL, a linking error of 0 will be assumed in trend estimation. Alternatively, linking errors may be given as <code>data.frame</code> with following specifications: Two columns, named <code>trendLevel1</code> and <code>trendLevel2</code> which contain the levels of the trend variable. The contrasts between both values indicates which trend is meant. For only two measurement occasions, i.e. 2010 and 2015, <code>trendLevel1</code> should be 2010, and <code>trendLevel2</code> should be 2015. For three measurement occasions, i.e. 2010, 2015, and 2020, additional lines are necessary where <code>trendLevel1</code> should be 2010, and <code>trendLevel2</code> should be 2020, to mark the contrast between 2010 and 2020, and further additional lines are necessary where <code>trendLevel1</code> should be 2015, and <code>trendLevel2</code> should be 2020. The column <code>depVar</code> must include the name of the dependent variable. This string must correspond to the name of the dependent variable in the data. The column parameter indicates the parameter the linking error belongs to. Column <code>linkingError</code> includes the linking error value. Providing linking error in a <code>data.frame</code> is necessary for more than two measurement occasions. See the fourth example below for further details.
dependent	Variable name or column number of the dependent variable.
separate.missing.indicator	Logical. Should frequencies of missings in dependent variable be integrated? Note: That is only useful if missing occur as NA. If the dependent variable is coded as character, for example 'male', 'female', 'missing', separate missing indicator is not necessary.

na.rm	Logical: Should cases with missing values be dropped?
expected.values	Optional. A vector of values expected in dependent variable. Recommend to left this argument empty.
doCheck	Logical: Check the data for consistency before analysis? If TRUE groups with insufficient data are excluded from analysis to prevent subsequent functions from crashing.
forceTable	Logical: Function decides internally whether the table or the mean function of survey is called. If the mean function is called, the polytomous dependent variable is converted to dichotomous indicator variables. If mean is called, group differences for each category of the polytomous dependent variable can be computed. If table is called, a chi square statistic may be computed. The argument allows to force the function either to call mean or table.
engine	Which package should be used for estimation?
scale	scaling constant for variance, for details, see help page of <a href="#">svrepdesign</a> from the survey package
rscales	scaling constant for variance, for details, see help page of <a href="#">svrepdesign</a> from the survey package
mse	Logical: If TRUE, compute variances based on sum of squares around the point estimate, rather than the mean of the replicates. See help page of <a href="#">svrepdesign</a> from the survey package for further details.
rho	Shrinkage factor for weights in Fay's method. If engine = "survey", argument is passed to the rho argument of the <a href="#">svrepdesign</a> function from the survey package. See the corresponding help page for further details. If engine = "BIFIEsurvey", argument is passed to the fayfac argument of the <a href="#">BIFIE.data.jack</a> function from the BIFIEsurvey package. See the corresponding help page for further details. For convenience, if rho = NULL (the default) and engine = "BIFIEsurvey" and type = "JK1", <a href="#">BIFIE.data.jack</a> is called with jktype="JK_GROUP" and fayfac = rho, where $\rho = (N_{cluster} - 1) \times N_{cluster}^{-1}$
verbose	Logical: Show analysis information on console?
progress	Logical: Show progress bar on console?

## Details

Function first creates replicate weights based on PSU and repInd variables according to JK2 procedure implemented in WesVar. According to multiple imputed data sets, a workbook with several analyses is created. The function afterwards serves as a wrapper for [svymean](#) called by [svyby](#) implemented in the survey package. Relative frequencies of the categories of the dependent variable are computed by the means of the dichotomous indicators (e.g. dummy variables) of each category. The results of the several analyses are then pooled according to Rubin's rule, which is adapted for nested imputations if the dependent argument implies a nested structure.

## Value

A list of data frames in the long format. The output can be summarized using the [report](#) function. The first element of the list is a list with either one (no trend analyses) or two (trend analyses) data

frames with at least six columns each. For each subpopulation denoted by the groups statement, each dependent variable, each parameter (i.e., the values of the corresponding categories of the dependent variable) and each coefficient (i.e., the estimate and the corresponding standard error) the corresponding value is given.

group	Denotes the group an analysis belongs to. If no groups were specified and/or analysis for the whole sample were requested, the value of 'group' is 'whole-Group'.
depVar	Denotes the name of the dependent variable in the analysis.
modus	Denotes the mode of the analysis. For example, if a JK2 analysis without sampling weights was conducted, 'modus' takes the value 'jk2.unweighted'. If a analysis without any replicates but with sampling weights was conducted, 'modus' takes the value 'weighted'.
parameter	Denotes the parameter of the regression model for which the corresponding value is given further. For frequency tables, this is the value of the category of the dependent variable which relative frequency is given further.
coefficient	Denotes the coefficient for which the corresponding value is given further. Takes the values 'est' (estimate) and 'se' (standard error of the estimate).
value	The value of the parameter, i.e. the relative frequency or its standard error.

If groups were specified, further columns which are denoted by the group names are added to the data frame.

## References

Rubin, D.B. (2003): Nested multiple imputation of NMES via partially incompatible MCMC. *Statistica Neerlandica* **57**, 1, 3–18.

## Examples

```
data(lsa)

### Example 1: only means, SD and variances for each country
### subsetting: We only consider domain 'reading'
rd    <- lsa[which(lsa[,"domain"] == "reading"),]

### We only consider the first "nest".
rdN1  <- rd[which(rd[,"nest"] == 1),]

### First, we only consider year 2010
rdN1y10<- rdN1[which(rdN1[,"year"] == 2010),]

### First example: Computes frequencies of polytomous competence levels (1, 2, 3, 4, 5)
### conditionally on country, using a chi-square test to decide whether the distribution
### varies between countries (it's an overall test, i.e. with three groups, df1=8).
freq.tab1 <- repTable(datL = rdN1y10, ID = "idstud", wgt = "wgt", imp="imp",
                    type = "JK2", PSU = "jkzone", repInd = "jkrep", groups = "country",
                    group.differences.by = "country", dependent = "comp", chiSquare = TRUE)
res1     <- report(freq.tab1, add = list ( domain = "reading" ))
```

```

### Second example: Computes frequencies of polytomous competence levels (1, 2, 3, 4, 5)
### conditionally on country. Now we test whether the frequency of each single category
### differs between pairs of countries (it's not an overall test ... repTable now
### calls repMean internally, using dummy variables
freq.tab2 <- repTable(datL = rdN1y10, ID = "idstud", wgt = "wgt", imp="imp",
  type = "JK2", PSU = "jkzone", repInd = "jkrep", groups = "country",
  group.differences.by = "country", dependent = "comp", chiSquare = FALSE)
res2      <- report(freq.tab2, add = list ( domain = "reading" ))

### Third example: trend estimation and nested imputation and 'by' loop
### (to date, only crossDiffSE = "old" works)
freq.tab3 <- by ( data = lsa, INDICES = lsa[, "domain"], FUN = function (subdat) {
  repTable(datL = subdat, ID = "idstud", wgt = "wgt", imp="imp",
    nest = "nest", type = "JK2", PSU = "jkzone", repInd = "jkrep",
    groups = "country", group.differences.by = "country",
    group.splits = 0:1, cross.differences = TRUE, crossDiffSE = "old",
    dependent = "comp", chiSquare = FALSE, trend = "year",
    linkErr = "leComp" ) })
res3      <- do.call("rbind", lapply(names(freq.tab3), FUN = function (domain) {
  report(freq.tab3[[domain]], trendDiffs = TRUE,
    add = list ( domain = domain )
  )))

### Fourth example: similar to example 3. trend estimation using a linking
### error data.frame
linkErrs <- data.frame ( trendLevel1 = 2010, trendLevel2 = 2015, depVar = "comp",
  unique(lsa[,c("domain", "comp", "leComp")]), stringsAsFactors = FALSE)
colnames(linkErrs) <- car::recode(colnames(linkErrs),
  "'comp'='parameter'; 'leComp'='linkingError'")
freq.tab4 <- by ( data = lsa, INDICES = lsa[, "domain"], FUN = function (subdat) {
  repTable(datL = subdat, ID = "idstud", wgt = "wgt", type="none",
    imp="imp", nest = "nest", groups = "country",
    group.differences.by = "country", group.splits = 0:1,
    cross.differences = FALSE, dependent = "comp", chiSquare = FALSE,
    trend = "year",
    linkErr = linkErrs[which(linkErrs[, "domain"] == subdat[1, "domain"]),])
  })
res4      <- do.call("rbind", lapply(names(freq.tab4), FUN = function (domain) {
  report(freq.tab4[[domain]], trendDiffs = TRUE,
    add = list ( domain = domain )
  )))

### Fifth example: minimal example for three measurement occasions
### borrow data from the eatGADS package
trenddat1 <- system.file("extdata", "trend_gads_2010.db", package = "eatGADS")
trenddat2 <- system.file("extdata", "trend_gads_2015.db", package = "eatGADS")
trenddat3 <- system.file("extdata", "trend_gads_2020.db", package = "eatGADS")
trenddat <- eatGADS::getTrendGADS(filePaths = c(trenddat1, trenddat2, trenddat3),
  years = c(2010, 2015, 2020), fast=FALSE)
dat      <- eatGADS::extractData(trenddat)
### use template linking Error Object
load(system.file("extdata", "linking_error.rda", package = "eatRep"))

```

```
### check consistency of data and linking error object
check1 <- checkLEs(c(trenddat1, trenddat2, trenddat3), lErr)
### Analysis for reading comprehension
freq.tab5 <- repTable(datL = dat[which(dat[, "dimension"] == "reading"),],
  ID = "idstud", type="none", imp="imp", dependent = "traitLevel",
  chiSquare = FALSE, trend = "year",
  linkErr = lErr[which(lErr[, "domain"] == "reading"),])
res5 <- report(freq.tab5, trendDiffs = TRUE, add = list ( domain = "reading" ))
```

# Index

## \* datasets

lsa, 6

## \* package

eatRep-package, 2

BIFIE.data.jack, 13, 15, 17, 28, 30

BIFIE.twolevelreg, 12

checkLEs, 5

eatRep-package, 2

generateRandomJk1Zones, 6

jk2.glm(repGlm), 8

jk2.mean(repMean), 14

jk2.quantile(repQuantile), 24

jk2.table(repTable), 27

lm, 17

lm\_robust, 10, 17

lsa, 6

repGlm, 3, 8, 22, 23

repLmer, 12

repMean, 3, 14, 22, 23, 25

report, 22

repQuantile, 3, 22, 23, 24

repTable, 3, 22, 23, 27

svrepdesign, 10, 17, 26, 30

svyby, 18, 26, 30

svyglm, 8, 10

svymean, 14, 18, 27, 30

svyquantile, 26

svyvar, 14