

Package ‘gotop’

October 13, 2022

Type Package

Title Scroll Back to Top Icon in 'rmarkdown' and 'shiny'

Version 0.1.2

Description Add a scroll back to top 'Font Awesome' icon
<<https://fontawesome.com/>> in 'rmarkdown' documents and 'shiny'
apps thanks to 'jQuery GoTop' <<https://scottdorman.blog/jquery-gotop/>>.

License MIT + file LICENSE

Imports jsonlite, htmltools

URL <https://felixluginbuhl.com/gotop>, <https://github.com/lgnbhl/gotop>

BugReports <https://github.com/lgnbhl/gotop/issues>

Encoding UTF-8

LazyData true

RoxygenNote 7.1.1

NeedsCompilation no

Author Félix Luginbuhl [aut, cre]

Maintainer Félix Luginbuhl <felix.luginbuhl@protonmail.ch>

Repository CRAN

Date/Publication 2020-10-31 23:10:02 UTC

R topics documented:

| | |
|---------------------|----------|
| use_gotop | 2 |
| Index | 4 |

 use_gotop

Add scroll up icon

Description

Add scroll up icon

Usage

```
use_gotop(
  src = "fas fa-chevron-up",
  width = 45,
  opacity = 0.5,
  place = "right",
  color = "",
  appear = 200,
  scrolltime = 800,
  fadein = 500,
  fadeout = 500,
  marginX = 2,
  marginY = 2,
  container = "",
  zIndex = 9
)
```

Arguments

| | |
|------------|---|
| src | A string. The CSS classes used to display the gotop icon. |
| width | An integer. The width of the gotop icon. |
| opacity | decimal Sets the transparency level for the gotop icon, where 1 is not transparent at all, 0.5 is 50 percent see-through and 0 is completely transparent. |
| place | A string. The location where the gotop icon will be shown. Valid values are 'right' or 'left'. |
| color | A string. The color of the selected the gotop icon. |
| appear | An integer. The amount of pixels the page must be scrolled down before the gotop icon is displayed. |
| scrolltime | An integer. A number determining how long the animation will run when scrolling to the top of the page. |
| fadein | An integer. A number determining how long the animation will run when fading in to opaque. |
| fadeout | An integer. A number determining how long the animation will run when fading out to transparent. |
| marginX | An integer. The percentage amount indicating how far away the gotop icon is from the bottom, left, or right, depending on the value of place. |

| | |
|-----------|--|
| marginY | An integer. The percentage amount indicating how far away the gotop icon is from the top or bottom, depending on the value of place. |
| container | A string. The HTML element to which the scroll function will be attached. If no value is given, then the scroll function will be attached to the window. |
| zIndex | An integer. The z-index value. |

Value

Javascript code initializing GoTop with dependencies

Examples

`use_gotop()`

Index

use_gotop, 2