

Package ‘safejoin’

April 26, 2021

Title Perform ``Safe" Table Joins

Version 0.1.0

Description The goal of 'safejoin' is to guarantee that when performing joins extra rows are not added to your data. 'safejoin' provides a wrapper around 'dplyr::left_join' that will raise an error when extra rows are unexpectedly added to your data. This can be useful when working with data where you expect there to be a many to one relationship but you are not certain the relationship holds.

License MIT + file LICENSE

Encoding UTF-8

LazyData false

Suggests testthat, knitr, rmarkdown

Imports dplyr, glue

RoxygenNote 7.1.1

URL <https://github.com/SamEdwardes/safejoin>

BugReports <https://github.com/SamEdwardes/safejoin/issues>

VignetteBuilder knitr

NeedsCompilation no

Author Sam Edwardes [aut, cre]

Maintainer Sam Edwardes <edwardes.s@gmail.com>

Repository CRAN

Date/Publication 2021-04-26 07:30:02 UTC

R topics documented:

safe_left_join 2

Index 4

 safe_left_join

Validate extra rows are added not added to the left hand side

Description

Perform a "safe" left join where it is guaranteed that no additional rows are added to the left hand side table. For more information on left joins see ([dplyr::left_join](#)).

Usage

```
safe_left_join(..., action = "error", relationship = "*:1")
```

Arguments

... Arguments passed on to [dplyr::left_join](#)

x A pair of data frames, data frame extensions (e.g. a tibble), or lazy data frames (e.g. from [dbplyr](#) or [dtplyr](#)). See *Methods*, below, for more details.

y A pair of data frames, data frame extensions (e.g. a tibble), or lazy data frames (e.g. from [dbplyr](#) or [dtplyr](#)). See *Methods*, below, for more details.

by A character vector of variables to join by.
 If NULL, the default, `*_join()` will perform a natural join, using all variables in common across `x` and `y`. A message lists the variables so that you can check they're correct; suppress the message by supplying `by` explicitly.
 To join by different variables on `x` and `y`, use a named vector. For example, `by = c("a" = "b")` will match `x$a` to `y$b`.
 To join by multiple variables, use a vector with length > 1 . For example, `by = c("a", "b")` will match `x$a` to `y$a` and `x$b` to `y$b`. Use a named vector to match different variables in `x` and `y`. For example, `by = c("a" = "b", "c" = "d")` will match `x$a` to `y$b` and `x$c` to `y$d`.
 To perform a cross-join, generating all combinations of `x` and `y`, use `by = character()`.

copy If `x` and `y` are not from the same data source, and `copy` is TRUE, then `y` will be copied into the same `src` as `x`. This allows you to join tables across `srcs`, but it is a potentially expensive operation so you must opt into it.

suffix If there are non-joined duplicate variables in `x` and `y`, these suffixes will be added to the output to disambiguate them. Should be a character vector of length 2.

keep Should the join keys from both `x` and `y` be preserved in the output?

action What should happen when the number of rows changes from a join? Options include: 'error', 'warning', or 'message'. By default 'error'.

relationship What is the expected relationship between 'x' and 'y'? At this time the only available option is '*:1', indicating a many to one relationship between 'x' and 'y'. In the future more options may be added.

Value

An object of the same type as 'x'. The order of the rows and columns of 'x' is preserved as much as possible. The output has the following properties:

Examples

```
# The relationship between `x` and `y` is `*:1`. No extra rows will be added
# to the left hand side.
x <- data.frame(key = c("a", "a", "b"), value_x = c(1, 4, 2))
y <- data.frame(key = c("a", "b"), value_y = c(1, 1))
safe_left_join(x, y)

# The relationship between `x` and `y` is `1:*`. An error should be raised
# because additional rows will be added to the left hand side.
## Not run: x <- data.frame(key = c("a", "b"), value_x = c(1, 2))
y <- data.frame(key = c("a", "a"), value_y = c(1, 1))
safe_left_join(x, y)
## End(Not run)

# Alternatively instead of raising an error a warning or message can be
# outputted.
x <- data.frame(key = c("a", "b"), value_x = c(1, 2))
y <- data.frame(key = c("a", "a"), value_y = c(1, 1))
safe_left_join(x, y, action = "warning")
safe_left_join(x, y, action = "message")
```

Index

`dplyr::left_join`, 2

`safe_left_join`, 2