

# Package ‘spdep’

February 28, 2023

**Version** 1.2-8

**Date** 2023-02-27

**Title** Spatial Dependence: Weighting Schemes, Statistics

**Encoding** UTF-8

**Depends** R (>= 3.3.0), methods, spData (>= 0.2.6.0), sf

**Imports** stats, deldir, boot (>= 1.3-1), graphics, utils, grDevices, units, s2, e1071, sp (>= 1.0)

**Suggests** spatialreg (>= 1.2-1), Matrix, parallel, dbscan, RColorBrewer, lattice, xtable, foreign, igraph, RSpectra, knitr, classInt, tmap, spam, ggplot2, rmarkdown, tinytest, rgeoda

**URL** <https://github.com/r-spatial/spdep/>,  
<https://r-spatial.github.io/spdep/>

**BugReports** <https://github.com/r-spatial/spdep/issues/>

**Description** A collection of functions to create spatial weights matrix objects from polygon 'contiguities', from point patterns by distance and tessellations, for summarizing these objects, and for permitting their use in spatial data analysis, including regional aggregation by minimum spanning tree; a collection of tests for spatial 'autocorrelation', including global 'Morans I' and 'Gearys C' proposed by 'Cliff' and 'Ord' (1973, ISBN: 0850860369) and (1981, ISBN: 0850860814), 'Hubert/Mantel' general cross product statistic, Empirical Bayes estimates and 'Assunção/Reis' (1999) <[doi:10.1002/\(SICI\)1097-0258\(19990830\)18:16%3C2147::AID-SIM179%3E3.0.CO;2-I](https://doi.org/10.1002/(SICI)1097-0258(19990830)18:16%3C2147::AID-SIM179%3E3.0.CO;2-I)> Index, 'Getis/Ord' G ('Getis' and 'Ord' 1992) <[doi:10.1111/j.1538-4632.1992.tb00261.x](https://doi.org/10.1111/j.1538-4632.1992.tb00261.x)> and multicoloured join count statistics, 'APLE' ('Li 'et al.' ) <[doi:10.1111/j.1538-4632.2007.00708.x](https://doi.org/10.1111/j.1538-4632.2007.00708.x)>, local 'Moran's I', 'Gearys C' ('Anselin' 1995) <[doi:10.1111/j.1538-4632.1995.tb00338.x](https://doi.org/10.1111/j.1538-4632.1995.tb00338.x)> and 'Getis/Ord' G ('Ord' and 'Getis' 1995) <[doi:10.1111/j.1538-4632.1995.tb00912.x](https://doi.org/10.1111/j.1538-4632.1995.tb00912.x)>, 'saddlepoint' approximations ('Tiefelsdorf' 2002) <[doi:10.1111/j.1538-4632.2002.tb01084.x](https://doi.org/10.1111/j.1538-4632.2002.tb01084.x)> and exact tests

for global and local 'Moran's I' ('Bivand et al.' 2009)  [<doi:10.1016/j.csda.2008.07.021 >](https://doi.org/10.1016/j.csda.2008.07.021) and 'LOSH' local indicators of spatial heteroscedasticity ('Ord' and 'Getis')  [<doi:10.1007/s00168-011-0492-y >](https://doi.org/10.1007/s00168-011-0492-y). The implementation of most of the measures is described in 'Bivand' and 'Wong' (2018)  [<doi:10.1007/s11749-018-0599-x >](https://doi.org/10.1007/s11749-018-0599-x), with further extensions in 'Bivand' (2022)  [<doi:10.1111/gean.12319 >](https://doi.org/10.1111/gean.12319). From 'spdep' and 'spatialreg' versions  $\geq 1.2-1$ , the model fitting functions previously present in this package are defunct in 'spdep' and may be found in 'spatialreg'.

**License** GPL ( $\geq 2$ )

**VignetteBuilder** knitr

**RoxygenNote** RoxygenNote: 6.1.1

**NeedsCompilation** yes

**Author** Roger Bivand [cre, aut] ( [<https://orcid.org/0000-0003-2392-6140 >](https://orcid.org/0000-0003-2392-6140)),  
 Micah Altman [ctb],  
 Luc Anselin [ctb],  
 Renato Assunção [ctb],  
 Olaf Berke [ctb],  
 F. Guillaume Blanchet [ctb],  
 Marília Carvalho [ctb],  
 Bjarke Christensen [ctb],  
 Yongwan Chun [ctb],  
 Carsten Dormann [ctb],  
 Stéphane Dray [ctb],  
 Dewey Dunnington [ctb] ( [<https://orcid.org/0000-0002-9415-4582 >](https://orcid.org/0000-0002-9415-4582)),  
 Virgilio Gómez-Rubio [ctb],  
 Elias Krainski [ctb],  
 Pierre Legendre [ctb],  
 Nicholas Lewin-Koh [ctb],  
 Angela Li [ctb],  
 Giovanni Millo [ctb],  
 Werner Mueller [ctb],  
 Hisaji Ono [ctb],  
 Josiah Parry [ctb] ( [<https://orcid.org/0000-0001-9910-865X >](https://orcid.org/0000-0001-9910-865X)),  
 Pedro Peres-Neto [ctb],  
 Gianfranco Piras [ctb],  
 Markus Reeder [ctb],  
 Jeff Sauer [ctb],  
 Michael Tiefelsdorf [ctb],  
 René Westerholt [ctb],  
 Levi Wolf [ctb],  
 Danlin Yu [ctb]

**Maintainer** Roger Bivand  [<Roger.Bivand@nhh.no >](mailto:Roger.Bivand@nhh.no)

**Repository** CRAN

**Date/Publication** 2023-02-28 13:10:02 UTC

**R topics documented:**

aggregate.nb . . . . .	5
airdist . . . . .	6
autocov_dist . . . . .	7
bhcv . . . . .	9
card . . . . .	9
cell2nb . . . . .	10
choynowski . . . . .	12
columbus . . . . .	14
diffnb . . . . .	14
dnearneigh . . . . .	15
droplinks . . . . .	18
EBest . . . . .	19
EBImoran.mc . . . . .	21
EBlocal . . . . .	23
edit.nb . . . . .	25
eire . . . . .	26
geary . . . . .	26
geary.mc . . . . .	27
geary.test . . . . .	29
globalG.test . . . . .	31
Graph Components . . . . .	32
graphneigh . . . . .	34
grid2nb . . . . .	37
hotspot . . . . .	38
include.self . . . . .	40
is.symmetric.nb . . . . .	41
joincount.mc . . . . .	42
joincount.multi . . . . .	44
joincount.test . . . . .	45
knearneigh . . . . .	47
knn2nb . . . . .	49
lag.listw . . . . .	50
lee . . . . .	51
lee.mc . . . . .	53
lee.test . . . . .	54
listw2sn . . . . .	57
lm.LMtests . . . . .	58
lm.morantest . . . . .	60
lm.morantest.exact . . . . .	61
lm.morantest.sad . . . . .	63
localC . . . . .	65
localG . . . . .	73
localGS . . . . .	76
localmoran . . . . .	78
localmoran.exact . . . . .	81
localmoran.sad . . . . .	84

localmoran_bv	87
local_joincount_bv	88
local_joincount_uni	90
LOSH	91
LOSH.cs	93
LOSH.mc	95
mat2listw	96
moran	98
moran.mc	99
moran.plot	101
moran.test	102
moran_bv	105
mstree	106
nb.set.operations	108
nb2blocknb	109
nb2INLA	111
nb2lines	112
nb2listw	113
nb2listwdist	115
nb2mat	118
nb2WB	119
nbcosts	120
nbdists	121
nblag	122
oldcol	124
p.adjustSP	125
plot.mst	126
plot.nb	127
plot.skater	128
poly2nb	129
probmap	131
prunecost	132
prunemst	134
read.gal	135
read.gwt2nb	136
Rotation	138
set.mcOption	139
set.spChkOption	141
skater	142
sp.correlogram	146
sp.mantel.mc	148
spdep	150
spdep-defunct	151
spweights.constants	154
ssw	155
subset.listw	156
subset.nb	157
summary.nb	158

tolerance.nb . . . . .	159
tri2nb . . . . .	161
write.nb.gal . . . . .	162

**Index****164**


---

aggregate.nb	<i>Aggregate a spatial neighbours object</i>
--------------	--

---

**Description**

The method aggregates a spatial neighbours object, creating a new object listing the neighbours of the aggregates.

**Usage**

```
## S3 method for class 'nb'
aggregate(x, IDs, remove.self = TRUE, ...)
```

**Arguments**

x	an nb neighbour object
IDs	a character vector of IDs grouping the members of the neighbour object
remove.self	default TRUE: remove self-neighbours resulting from aggregation
...	unused - arguments passed through

**Value**

an nb neighbour object, with empty aggregates dropped.

**Note**

Method suggested by Roberto Patuelli

**Author(s)**

Roger Bivand <Roger.Bivand@nhh.no>

**Examples**

```
data(used.cars, package="spData")
data(state)
cont_st <- match(attr(usa48.nb, "region.id"), state.abb)
cents <- as.matrix(as.data.frame(state.center))[cont_st,]
opar <- par(mfrow=c(2,1))
plot(usa48.nb, cents, xlim=c(-125, -65), ylim=c(25, 50))
IDs <- as.character(state.division[cont_st])
agg_cents <- aggregate(cents, list(IDs), mean)
agg_nb <- aggregate(usa48.nb, IDs)
```

```
plot(agg_nb, agg_cents[, 2:3], xlim=c(-125, -65), ylim=c(25, 50))
text(agg_cents[, 2:3], agg_cents[, 1], cex=0.6)
par(opar)
```

---

**airdist***Measure distance from plot*

---

### Description

Measure a distance between two points on a plot using `locator`; the function checks `par("plt")` and `par("usr")` to try to ensure that the aspect ratio  $y/x$  is 1, that is that the units of measurement in both  $x$  and  $y$  are equivalent.

### Usage

```
airdist(ann=FALSE)
```

### Arguments

`ann`                    annotate the plot with line measured and distance

### Value

a list with members:

`dist`                    distance measured

`coords`                coordinates between which distance is measured

### Author(s)

Roger Bivand <Roger.Bivand@nhh.no>

### See Also

[locator](#)

---

autocov\_dist                      *Distance-weighted autocovariate*

---

### Description

Calculates the autocovariate to be used in autonormal, autopoission or autologistic regression. Three distance-weighting schemes are available.

### Usage

```
autocov_dist(z, xy, nbs = 1, type = "inverse", zero.policy = NULL,
             style = "B", longlat=NULL)
```

### Arguments

z	the response variable
xy	a matrix of coordinates or a SpatialPoints, sf or sfc points object
nbs	neighbourhood radius; default is 1
type	the weighting scheme: "one" gives equal weight to all data points in the neighbourhood; "inverse" (the default) weights by inverse distance; "inverse.squared" weights by the square of "inverse"
zero.policy	default NULL, use global option value; if FALSE stop with error for any empty neighbour sets, if TRUE permit the weights list to be formed with zero-length weights vectors
style	default "B" (changed from "W" 2015-01-27); style can take values "W", "B", "C", "U", and "S"
longlat	TRUE if point coordinates are longitude-latitude decimal, in which case distances are measured in kilometers; if xy is a SpatialPoints object, the value is taken from the object itself

### Value

A numeric vector of autocovariate values

### Note

The validity of this approach strongly hinges on the correct choice of the neighbourhood scheme! Using 'style="B"' ensures symmetry of the neighbourhood matrix (i.e.  $w_{nm} = w_{mn}$ ). Please see Bardos et al. (2015) for details.

### Author(s)

Carsten F. Dormann and Roger Bivand

## References

Augustin N.H., Muggleston M.A. and Buckland S.T. (1996) An autologistic model for the spatial distribution of wildlife. *Journal of Applied Ecology*, 33, 339-347; Gumpertz M.L., Graham J.M. and Ristaino J.B. (1997) Autologistic model of spatial pattern of Phytophthora epidemic in bell pepper: effects of soil variables on disease presence. *Journal of Agricultural, Biological and Environmental Statistics*, 2, 131-156; Bardos, D.C., Guillera-Aroita, G. and Wintle, B.A. (2015) Valid auto-models for spatially autocorrelated occupancy and abundance data. arXiv, 1501.06529.

## See Also

[nb2listw](#)

## Examples

```
columbus <- st_read(system.file("shapes/columbus.shp", package="spData")[1], quiet=TRUE)
#xy <- cbind(columbus$X, columbus$Y)
xy <- st_coordinates(st_centroid(st_geometry(columbus),
  of_largest_polygon=TRUE))
ac1a <- autocov_dist(columbus$CRIME, xy, nbs=10, style="B",
  type="one")
acinva <- autocov_dist(columbus$CRIME, xy, nbs=10, style="B",
  type="inverse")
acinv2a <- autocov_dist(columbus$CRIME, xy, nbs=10, style="B",
  type="inverse.squared")
plot(ac1a ~ columbus$CRIME, pch=16, ylim=c(0,9000))
points(acinva ~ columbus$CRIME, pch=16, col="red")
points(acinv2a ~ columbus$CRIME, pch=16, col="blue")
legend("topleft", legend=c("one", "inverse", "inverse.squared"),
  col=c("black", "red", "blue"), bty="n", pch=16)
nb <- dnearneigh(xy, 0, 10)
lw <- nb2listw(nb, style="B")
ac1b <- lag(lw, columbus$CRIME)
all.equal(ac1b, ac1a)
nbd <- nbdists(nb, xy)
gl <- lapply(nbd, function(x) 1/x)
lw <- nb2listw(nb, glist=gl, style="B")
acinvb <- lag(lw, columbus$CRIME)
all.equal(acinvb, acinva)
gl2 <- lapply(nbd, function(x) 1/(x^2))
lw <- nb2listw(nb, glist=gl2, style="B")
acinv2b <- lag(lw, columbus$CRIME)
all.equal(acinv2b, acinv2a)
#xy <- SpatialPoints(xy)
#acinva <- autocov_dist(columbus$CRIME, xy, nbs=10, style="W",
# type="inverse")
#nb <- dnearneigh(xy, 0, 10)
#nbd <- nbdists(nb, xy)
#gl <- lapply(nbd, function(x) 1/x)
#lw <- nb2listw(nb, glist=gl)
#acinvb <- lag(lw, columbus$CRIME)
#all.equal(acinvb, acinva)
```



```
acinvc <- autocov_dist(columbus$CRIME, st_centroid(st_geometry(columbus),
  of_largest_polygon=TRUE), nbs=10, style="W", type="inverse")
all.equal(acinvc, acinva)
```

---

 bhicv

*Data set with 4 life condition indices of Belo Horizonte region*


---

### Description

The data are collected in the Atlas of condition indices published by the Joao Pinheiro Foundation and UNDP.

### Format

A shape polygon object with seven variables:

**id** The identifier

**Name** Name of city

**Population** The population of city

**HLCI** Health Life Condition Index

**ELCI** Education Life Condition Index

**CLCI** Children Life Condition Index

**ELCI** Economic Life Condition Index

### Examples

```
bh <- st_read(system.file("etc/shapes/bhicv.shp",
  package="spdep")[1])
```

---

 card

*Cardinalities for neighbours lists*


---

### Description

The function tallies the numbers of neighbours of regions in the neighbours list.

### Usage

```
card(nb)
```

### Arguments

**nb** a neighbours list object of class nb

## Details

“nb” objects are stored as lists of integer vectors, where the vectors contain either the indices in the range 1:n for n as length(nb) of the neighbours of region i, or as .integer(0) to signal no neighbours. The function card(nb) is used to extract the numbers of neighbours from the “nb” object.

## Value

An integer vector of the numbers of neighbours of regions in the neighbours list.

## Author(s)

Roger Bivand <Roger.Bivand@nhh.no>

## References

Bivand R, Pebesma EJ, Gomez-Rubio V, (2008) *Applied Spatial Data Analysis with R*, Springer, New York, pp. 239-251; Bivand R, Portnov B, (2004) Exploring spatial data analysis techniques using R: the case of observations with no neighbours. In: Anselin L, Florax R, Rey S, (eds.), *Advances in Spatial Econometrics, Methodology, Tools and Applications*. Berlin: Springer-Verlag, pp. 121-142.

## See Also

[summary.nb](#)

## Examples

```
col.gal.nb <- read.gal(system.file("weights/columbus.gal", package="spData")[1])
table(card(col.gal.nb))
```

---

cell2nb

*Generate neighbours list for grid cells*

---

## Description

The function generates a list of neighbours for a grid of cells. Helper functions are used to convert to and from the vector indices for row and column grid positions, and rook (shared edge) or queen (shared edge or vertex) neighbour definitions are applied by type. If torus is TRUE, the grid is mapped onto a torus, removing edge effects.

## Usage

```
cell2nb(nrow, ncol, type="rook", torus=FALSE, legacy=FALSE, x=NULL)
vi2mrc(i, nrow, ncol)
```

**Arguments**

nrow	number of rows in the grid, may also be an object inheriting from class "SpatialGrid" or "GridTopology" only in cell2nb
ncol	number of columns in the grid; if nrow or x is an object inheriting from class "SpatialGrid" or "GridTopology", it may be omitted
type	default rook, may also be queen
torus	default FALSE, if TRUE map grid onto torus
legacy	default FALSE, nrow/ncol reversed, if TRUE wrong col/row directions (see <a href="https://github.com/r-spatial/spdep/issues/20">https://github.com/r-spatial/spdep/issues/20</a> )
x	if given, an object inheriting from class "SpatialGrid" or "GridTopology", and replaces nrow and ncol
i	vector of vector indices corresponding to rowcol, a matrix with two columns of row, column indices

**Value**

The function returns an object of class nb with a list of integer vectors containing neighbour region number ids. See [card](#) for details of "nb" objects.

**Author(s)**

Roger Bivand <Roger.Bivand@nhh.no>

**See Also**

[summary.nb](#), [card](#)

**Examples**

```
nb7rt <- cell2nb(7, 7)
summary(nb7rt)
xyc <- attr(nb7rt, "region.id")
xy <- matrix(as.integer(unlist(strsplit(xyc, ":"))), ncol=2, byrow=TRUE)
plot(nb7rt, xy)
nb7rt <- cell2nb(7, 7, torus=TRUE)
summary(nb7rt)
run <- FALSE
if (require("sp", quietly=TRUE)) run <- TRUE
if (run) {
# https://github.com/r-spatial/spdep/issues/20
GT <- GridTopology(c(1, 1), c(1, 1), c(10, 50))
SPix <- as(SpatialGrid(GT), "SpatialPixels")
nb_rook_cont <- poly2nb(as(SPix, "SpatialPolygons"), queen=FALSE)
nb_rook_dist <- dnearneigh(coordinates(SPix), 0, 1.01)
all.equal(nb_rook_cont, nb_rook_dist, check.attributes=FALSE)
## [1] TRUE
}
if (run) {
t.nb <- cell2nb(GT, type='rook', legacy=TRUE)
```

```

isTRUE(all.equal(nb_rook_cont, t.nb, check.attributes=FALSE))
## [1] FALSE
}
if (run) {
t.nb <- cell2nb(GT, type='rook')
isTRUE(all.equal(nb_rook_cont, t.nb, check.attributes=FALSE))
## [1] TRUE
}
if (run) {
# https://github.com/r-spatial/spdep/issues/55
# problem reported in issue caused by rep() cycling in unexpected order
GT <- GridTopology(c(1, 1), c(1, 1), c(22, 11))
SPix <- as(SpatialGrid(GT), "SpatialPixels")
nb_rook_cont <- poly2nb(as(SPix, "SpatialPolygons"), queen=FALSE)
nb_rook_dist <- dnearneigh(coordinates(SPix), 0, 1.01)
all.equal(nb_rook_cont, nb_rook_dist, check.attributes=FALSE)
}
if (run) {
t.nb <- cell2nb(GT, type='rook', legacy=TRUE)
isTRUE(all.equal(nb_rook_cont, t.nb, check.attributes=FALSE))
## [1] FALSE
}
if (run) {
t.nb <- cell2nb(GT, type='rook', legacy=FALSE)
isTRUE(all.equal(nb_rook_cont, t.nb, check.attributes=FALSE))
## [1] TRUE
}

```

---

choynowski

*Choynowski probability map values*


---

## Description

Calculates Choynowski probability map values.

## Usage

```
choynowski(n, x, row.names=NULL, tol = .Machine$double.eps^0.5, legacy=FALSE)
```

## Arguments

n	a numeric vector of counts of cases
x	a numeric vector of populations at risk
row.names	row names passed through to output data frame
tol	accumulate values for observed counts $\geq$ expected until value less than tol
legacy	default FALSE using vectorised alternating side ppois version, if true use original version written from sources and iterating down to tol

**Value**

A data frame with columns:

pmap	Poisson probability map values: probability of getting a more “extreme” count than actually observed, one-tailed with less than expected and more than expected folded together
type	logical: TRUE if observed count less than expected

**Author(s)**

Roger Bivand <Roger.Bivand@nhh.no>

**References**

Choynowski, M (1959) Maps based on probabilities, *Journal of the American Statistical Association*, 54, 385–388; Cressie, N, Read, TRC (1985), Do sudden infant deaths come in clusters? *Statistics and Decisions*, Supplement Issue 2, 333–349; Bailey T, Gatrell A (1995) *Interactive Spatial Data Analysis*, Harlow: Longman, pp. 300–303.

**See Also**

[probmap](#)

**Examples**

```
auckland <- st_read(system.file("shapes/auckland.shp", package="spData"))[1], quiet=TRUE)
auckland.nb <- poly2nb(auckland)
res <- choynowski(auckland$M77_85, 9*auckland$Und5_81)
res1 <- choynowski(auckland$M77_85, 9*auckland$Und5_81, legacy=TRUE)
all.equal(res, res1)
rt <- sum(auckland$M77_85)/sum(9*auckland$Und5_81)
ch_ppois_pmap <- numeric(length(auckland$Und5_81))
side <- c("greater", "less")
for (i in seq(along=ch_ppois_pmap)) {
  ch_ppois_pmap[i] <- poisson.test(auckland$M77_85[i], r=rt,
    T=(9*auckland$Und5_81[i]), alternative=side[(res$type[i]+1)])$p.value
}
all.equal(ch_ppois_pmap, res$pmap)
res1 <- probmap(auckland$M77_85, 9*auckland$Und5_81)
table(abs(res$pmap - res1$pmap) < 0.00001, res$type)
lt005 <- (res$pmap < 0.05) & (res$type)
ge005 <- (res$pmap < 0.05) & (!res$type)
cols <- rep("nonsig", length(lt005))
cols[lt005] <- "low"
cols[ge005] <- "high"
auckland$cols <- factor(cols)
plot(auckland[, "cols"], main="Probability map")
```

---

columbus	<i>Columbus OH spatial analysis data set</i>
----------	--

---

**Description**

The data set is now part of the spData package

**Usage**

```
data(columbus)
```

**Examples**

```
columbus <- st_read(system.file("shapes/columbus.shp", package="spData")[1], quiet=TRUE)
col.gal.nb <- read.gal(system.file("weights/columbus.gal", package="spData")[1])
```

---

diffnb	<i>Differences between neighbours lists</i>
--------	---

---

**Description**

The function finds differences between lists of neighbours, returning a nb neighbour list of those found

**Usage**

```
diffnb(x, y, verbose=NULL)
```

**Arguments**

x	an object of class nb
y	an object of class nb
verbose	default NULL, use global option value; report regions ids taken from object attribute "region.id" with differences

**Value**

A neighbours list with class nb

**Author(s)**

Roger Bivand <Roger.Bivand@nhh.no>

## Examples

```
columbus <- st_read(system.file("shapes/columbus.shp", package="spData")[1], quiet=TRUE)
coords <- st_centroid(st_geometry(columbus), of_largest_polygon=TRUE)
rn <- row.names(columbus)
knn1 <- knearest(coords, 1)
knn2 <- knearest(coords, 2)
nb1 <- knn2nb(knn1, row.names=rn)
nb2 <- knn2nb(knn2, row.names=rn)
diffs <- diffnb(nb2, nb1)
opar <- par(no.readonly=TRUE)
plot(st_geometry(columbus), border="grey", reset=FALSE,
     main="Plot of first (black) and second (red)\nnearest neighbours")
plot(nb1, coords, add=TRUE)
plot(diffs, coords, add=TRUE, col="red", lty=2)
par(opar)
```

---

dnearest

*Neighbourhood contiguity by distance*


---

## Description

The function identifies neighbours of region points by Euclidean distance in the metric of the points between lower (greater than or equal to (changed from version 1.1-7)) and upper (less than or equal to) bounds, or with `longlat = TRUE`, by Great Circle distance in kilometers. If `x` is an "sf" object and `use_s2 = TRUE`, spherical distances in km are used.

## Usage

```
dnearest(x, d1, d2, row.names = NULL, longlat = NULL, bounds=c("GE", "LE"),
        use_kd_tree=TRUE, symtest=FALSE, use_s2=packageVersion("s2") > "1.0.7", k=200,
        dwithin=TRUE)
```

## Arguments

<code>x</code>	matrix of point coordinates, an object inheriting from <code>SpatialPoints</code> or an "sf" or "sfc" object; if the "sf" or "sfc" object geometries are in geographical coordinates ( <code>use_s2=FALSE</code> , <code>sf::st_is_longlat(x) == TRUE</code> and <code>sf::sf_use_s2() == TRUE</code> ), <code>s2</code> will be used to find the neighbours because it will (we hope) use spatial indexing <a href="https://github.com/r-spatial/s2/issues/125">https://github.com/r-spatial/s2/issues/125</a> as opposed to the legacy method which uses brute-force (at present <code>s2</code> also uses brute-force)
<code>d1</code>	lower distance bound in the metric of the points if planar coordinates, in km if in geographical coordinates
<code>d2</code>	upper distance bound in the metric of the points if planar coordinates, in km if in geographical coordinates
<code>row.names</code>	character vector of region ids to be added to the neighbours list as attribute <code>region.id</code> , default <code>seq(1, nrow(x))</code>

longlat	TRUE if point coordinates are geographical longitude-latitude decimal degrees, in which case distances are measured in kilometers; if <code>x</code> is a <code>SpatialPoints</code> object, the value is taken from the object itself, and overrides this argument if not NULL
bounds	character vector of length 2, default <code>c("GE", "LE")</code> , (GE: greater than or equal to, LE: less than or equal to) that is the finite and closed interval $[d1, d2]$ , $d1 \leq x \leq d2$ . The first element may also be "GT" (GT: greater than), the second "LT" (LT: less than) for finite, open intervals excluding the bounds; the first bound default was changed from "GT" to "GE" in release 1.1-7. When creating multiple distance bands, finite, half-open right-closed intervals may be used until the final interval to avoid overlapping on bounds: "GE", "LT", that is $[d1, d2)$ , $d1 \leq x < d2$
use_kd_tree	default TRUE, if TRUE, use <b>dbscan frNN</b> if available (permitting 3D distances).
symtest	Default FALSE; before release 1.1-7, TRUE - run symmetry check on output object, costly with large numbers of points.
use_s2	default= <code>packageVersion("s2") &gt; "1.0.7"</code> , as of <code>s2 &gt; 1.0-7</code> , distance bound computations use spatial indexing so when <code>sf::sf_use_s2()</code> is TRUE, <code>s2::s2_dwithin_matrix()</code> will be used for distances on the sphere for "sf" or "sfc" objects if <code>s2 &gt; 1.0-7</code> .
k	default 200, the number of closest points to consider when searching when using <code>s2::s2_closest_edges()</code>
dwithin	default TRUE, if FALSE, use <code>s2::s2_closest_edges()</code> , both if <code>use_s2=TRUE</code> , <code>sf::st_is_longlat(x) == TRUE</code> and <code>sf::sf_use_s2() == TRUE</code> ; <code>s2::s2_dwithin_matrix()</code> yields the same lists of neighbours as <code>s2::s2_closest_edges()</code> is <code>k=</code> is set correctly.

### Value

The function returns a list of integer vectors giving the region id numbers for neighbours satisfying the distance criteria. See [card](#) for details of "nb" objects.

### Author(s)

Roger Bivand <Roger.Bivand@nhh.no>

### See Also

[knearneigh](#), [card](#)

### Examples

```
columbus <- st_read(system.file("shapes/columbus.shp", package="spData"))[1], quiet=TRUE)
coords <- st_centroid(st_geometry(columbus), of_largest_polygon=TRUE)
rn <- row.names(columbus)
k1 <- knn2nb(knearneigh(coords))
all.linked <- max(unlist(nbdists(k1, coords)))
col.nb.0.all <- dnearneigh(coords, 0, all.linked, row.names=rn)
summary(col.nb.0.all, coords)
opar <- par(no.readonly=TRUE)
plot(st_geometry(columbus), border="grey", reset=FALSE,
```



```

    main=paste("Distance based neighbours 0-", format(all.linked), sep="")
plot(col.nb.0.all, coords, add=TRUE)
par(opar)
(sfc_obj <- st_centroid(st_geometry(columbus)))
col.nb.0.all_sf <- dnearneigh(sfc_obj, 0, all.linked, row.names=rn)
all.equal(col.nb.0.all, col.nb.0.all_sf, check.attributes=FALSE)
data(state)
us48.fipsno <- read.geoda(system.file("etc/weights/us48.txt",
  package="spdep")[1])
if (as.numeric(paste(version$major, version$minor, sep="")) < 19) {
  m50.48 <- match(us48.fipsno$"State.name", state.name)
} else {
  m50.48 <- match(us48.fipsno$"State_name", state.name)
}
xy <- as.matrix(as.data.frame(state.center))[m50.48,]
llk1 <- knn2nb(knearneigh(xy, k=1, longlat=FALSE))
(all.linked <- max(unlist(nbdists(llk1, xy, longlat=FALSE))))
ll.nb <- dnearneigh(xy, 0, all.linked, longlat=FALSE)
summary(ll.nb, xy, longlat=TRUE, scale=0.5)
gck1 <- knn2nb(knearneigh(xy, k=1, longlat=TRUE))
(all.linked <- max(unlist(nbdists(gck1, xy, longlat=TRUE))))
gc.nb <- dnearneigh(xy, 0, all.linked, longlat=TRUE)
summary(gc.nb, xy, longlat=TRUE, scale=0.5)
plot(ll.nb, xy)
plot(diffnb(ll.nb, gc.nb), xy, add=TRUE, col="red", lty=2)
title(main="Differences Euclidean/Great Circle")

#xy1 <- SpatialPoints((as.data.frame(state.center))[m50.48,],
# proj4string=CRS("+proj=longlat +ellps=GRS80"))
#gck1a <- knn2nb(knearneigh(xy1, k=1))
#(all.linked <- max(unlist(nbdists(gck1a, xy1))))
#gc.nb <- dnearneigh(xy1, 0, all.linked)
#summary(gc.nb, xy1, scale=0.5)

xy1 <- st_as_sf((as.data.frame(state.center))[m50.48,], coords=1:2,
  crs=st_crs("OGC:CRS84"))
old_use_s2 <- sf_use_s2()
sf_use_s2(TRUE)
gck1b <- knn2nb(knearneigh(xy1, k=1))
system.time(o <- nbdists(gck1b, xy1))
(all.linked <- max(unlist(o)))
# use s2 brute-force dwithin_matrix approach for s2 <= 1.0.7
system.time(gc.nb.dwithin <- dnearneigh(xy1, 0, all.linked, use_s2=TRUE, dwithin=TRUE))
summary(gc.nb, xy1, scale=0.5)
# use s2 closest_edges approach s2 > 1.0.7
if (packageVersion("s2") > "1.0.7") {
  (system.time(gc.nb.closest <- dnearneigh(xy1, 0, all.linked, dwithin=FALSE)))
}
if (packageVersion("s2") > "1.0.7") {
  system.time(gc.nb.dwithin <- dnearneigh(xy1, 0, all.linked, use_s2=TRUE, dwithin=TRUE))
}
if (packageVersion("s2") > "1.0.7") {
  summary(gc.nb.dwithin, xy1, scale=0.5)
}

```

```

}
if (packageVersion("s2") > "1.0.7") {
summary(gc.nb.closest, xy1, scale=0.5)
}
# use legacy symmetric brute-force approach
system.time(gc.nb.legacy <- dnearneigh(xy1, 0, all.linked, use_s2=FALSE))
summary(gc.nb, xy1, scale=0.5)
if (packageVersion("s2") > "1.0.7") all.equal(gc.nb.closest, gc.nb.dwithin, check.attributes=FALSE)
# legacy is ellipsoidal, s2 spherical, so minor differences expected
if (packageVersion("s2") > "1.0.7") all.equal(gc.nb, gc.nb.closest, check.attributes=FALSE)
all.equal(gc.nb, gc.nb.dwithin, check.attributes=FALSE)
sf_use_s2(old_use_s2)
# example of reading points with readr::read_csv() yielding a tibble
load(system.file("etc/misc/coords.rda", package="spdep"))
class(coords)
k1 <- knn2nb(knearneigh(coords, k=1))
all.linked <- max(unlist(nbdists(k1, coords)))
dnearneigh(coords, 0, all.linked)

```

---

droplinks

*Drop links in a neighbours list*


---

## Description

Drops links to and from or just to a region from a neighbours list. The example corresponds to Fingleton's Table 1, p. 6, for lattices 5 to 19.

## Usage

```
droplinks(nb, drop, sym=TRUE)
```

## Arguments

nb	a neighbours list object of class nb
drop	either a logical vector the length of nb, or a character vector of named regions corresponding to nb's region.id attribute, or an integer vector of region numbers
sym	TRUE for removal of both "row" and "column" links, FALSE for only "row" links

## Value

The function returns an object of class nb with a list of integer vectors containing neighbour region number ids.

## Author(s)

Roger Bivand <Roger.Bivand@nhh.no>

## References

B. Fingleton (1999) Spurious spatial regression: some Monte Carlo results with a spatial unit root and spatial cointegration, *Journal of Regional Science* 39, pp. 1–19.

## See Also

[is.symmetric.nb](#)

## Examples

```
rho <- c(0.2, 0.5, 0.95, 0.999, 1.0)
ns <- c(5, 7, 9, 11, 13, 15, 17, 19)
mns <- matrix(0, nrow=length(ns), ncol=length(rho))
rownames(mns) <- ns
colnames(mns) <- rho
mxs <- matrix(0, nrow=length(ns), ncol=length(rho))
rownames(mxs) <- ns
colnames(mxs) <- rho
for (i in 1:length(ns)) {
  nblist <- cell2nb(ns[i], ns[i])
  nbdropped <- droplinks(nblist, ((ns[i]*ns[i])+1)/2, sym=FALSE)
  listw <- nb2listw(nbdropped, style="W", zero.policy=TRUE)
  wmat <- listw2mat(listw)
  for (j in 1:length(rho)) {
    mat <- diag(ns[i]*ns[i]) - rho[j] * wmat
    res <- diag(solve(t(mat) %*% mat))
    mns[i,j] <- mean(res)
    mxs[i,j] <- max(res)
  }
}
print(mns)
print(mxs)
```

---

EBest

*Global Empirical Bayes estimator*

---

## Description

The function computes global empirical Bayes estimates for rates "shrunk" to the overall mean.

## Usage

```
EBest(n, x, family="poisson")
```

**Arguments**

n	a numeric vector of counts of cases
x	a numeric vector of populations at risk
family	either "poisson" for rare conditions or "binomial" for non-rare conditions

**Details**

Details of the implementation for the "poisson" family are to be found in Marshall, p. 284–5, and Bailey and Gatrell p. 303–306 and exercise 8.2, pp. 328–330. For the "binomial" family, see Martuzzi and Elliott (implementation by Olaf Berke).

**Value**

A data frame with two columns:

raw	a numerical vector of raw (crude) rates
estmm	a numerical vector of empirical Bayes estimates

and a parameters attribute list with components:

a	global method of moments phi value
m	global method of moments gamma value

**Author(s)**

Roger Bivand <Roger.Bivand@nhh.no> and Olaf Berke, Population Medicine, OVC, University of Guelph, CANADA

**References**

Marshall R M (1991) Mapping disease and mortality rates using Empirical Bayes Estimators, *Applied Statistics*, 40, 283–294; Bailey T, Gatrell A (1995) *Interactive Spatial Data Analysis*, Harlow: Longman, pp. 303–306, Martuzzi M, Elliott P (1996) Empirical Bayes estimation of small area prevalence of non-rare conditions, *Statistics in Medicine* 15, 1867–1873.

**See Also**

[EBlocal](#), [probmap](#), [EBImoran.mc](#)

**Examples**

```
auckland <- st_read(system.file("shapes/auckland.shp", package="spData"))[1], quiet=TRUE)
res <- EBest(auckland$M77_85, 9*auckland$Und5_81)
attr(res, "parameters")
auckland$estmm000 <- res$estmm*1000
plot(auckland[, "estmm000"], breaks=c(0,2,2.5,3,3.5,5),
     main="Infant mortality per 1000 per year")
data(huddersfield, package="spData")
res <- EBest(huddersfield$cases, huddersfield$total, family="binomial")
round(res[,1:2],4)*100
```

EBImoran.mc

*Permutation test for empirical Bayes index***Description**

An empirical Bayes index modification of Moran's I for testing for spatial autocorrelation in a rate, typically the number of observed cases in a population at risk. The index value is tested by using `nsim` random permutations of the index for the given spatial weighting scheme, to establish the rank of the observed statistic in relation to the `nsim` simulated values.

**Usage**

```
EBImoran.mc(n, x, listw, nsim, zero.policy = NULL,
            alternative = "greater", spChk=NULL, return_boot=FALSE,
            subtract_mean_in_numerator=TRUE)
```

**Arguments**

<code>n</code>	a numeric vector of counts of cases the same length as the neighbours list in <code>listw</code>
<code>x</code>	a numeric vector of populations at risk the same length as the neighbours list in <code>listw</code>
<code>listw</code>	a <code>listw</code> object created for example by <code>nb2listw</code>
<code>nsim</code>	number of permutations
<code>zero.policy</code>	default <code>NULL</code> , use global option value; if <code>TRUE</code> assign zero to the lagged value of zones without neighbours, if <code>FALSE</code> assign <code>NA</code>
<code>alternative</code>	a character string specifying the alternative hypothesis, must be one of "greater" (default), "two.sided", or "less"
<code>spChk</code>	should the data vector names be checked against the spatial objects for identity integrity, <code>TRUE</code> , or <code>FALSE</code> , default <code>NULL</code> to use <code>get.spChkOption()</code>
<code>return_boot</code>	return an object of class <code>boot</code> from the equivalent permutation bootstrap rather than an object of class <code>htest</code>
<code>subtract_mean_in_numerator</code>	default <code>TRUE</code> , if <code>TRUE</code> subtract mean of <code>z</code> in numerator of EBI equation on p. 2157 in reference (consulted with Renato Assunção 2016-02-19); until February 2016 the default was <code>FALSE</code> agreeing with the printed paper.

**Details**

The statistic used is ( $m$  is the number of observations):

$$EBI = \frac{m}{\sum_{i=1}^m \sum_{j=1}^m w_{ij}} \frac{\sum_{i=1}^m \sum_{j=1}^m w_{ij} z_i z_j}{\sum_{i=1}^m (z_i - \bar{z})^2}$$

where:

$$z_i = \frac{p_i - b}{\sqrt{v_i}}$$

and:

$$p_i = n_i/x_i$$

$$v_i = a + (b/x_i)$$

$$b = \frac{\sum_{i=1}^m n_i}{\sum_{i=1}^m x_i}$$

$$a = s^2 - b/(\sum_{i=1}^m x_i/m)$$

$$s^2 = \frac{\sum_{i=1}^m x_i(p_i - b)^2}{\sum_{i=1}^m x_i}$$

### Value

A list with class `htest` and `mc.sim` containing the following components:

<code>statistic</code>	the value of the observed Moran's I.
<code>parameter</code>	the rank of the observed Moran's I.
<code>p.value</code>	the pseudo p-value of the test.
<code>alternative</code>	a character string describing the alternative hypothesis.
<code>method</code>	a character string giving the method used.
<code>data.name</code>	a character string giving the name(s) of the data, and the number of simulations.
<code>res</code>	<code>nsim</code> simulated values of statistic, final value is observed statistic
<code>z</code>	a numerical vector of Empirical Bayes indices as <code>z</code> above

### Author(s)

Roger Bivand <Roger.Bivand@nhh.no>

### References

Assunção RM, Reis EA 1999 A new proposal to adjust Moran's I for population density. *Statistics in Medicine* 18, pp. 2147–2162; Bivand RS, Wong DWS 2018 Comparing implementations of global and local indicators of spatial association. *TEST*, 27(3), 716–748 doi:10.1007/s117490180599x

### See Also

[moran](#), [moran.mc](#), [EBest](#)

## Examples

```
nc.sids <- st_read(system.file("shapes/sids.shp", package="spData")[1], quiet=TRUE)
rn <- as.character(nc.sids$FIPS)
ncCC89_nb <- read.gal(system.file("weights/ncCC89.gal", package="spData")[1],
  region.id=rn)
EBImoran.mc(nc.sids$SID74, nc.sids$BIR74,
  nb2listw(ncCC89_nb, style="B", zero.policy=TRUE), nsim=999,
  alternative="two.sided", zero.policy=TRUE)
sids.p <- nc.sids$SID74 / nc.sids$BIR74
moran.mc(sids.p, nb2listw(ncCC89_nb, style="B", zero.policy=TRUE),
  nsim=999, alternative="two.sided", zero.policy=TRUE)
```

---

 EBlocal

*Local Empirical Bayes estimator*


---

## Description

The function computes local empirical Bayes estimates for rates "shrunk" to a neighbourhood mean for neighbourhoods given by the nb neighbourhood list.

## Usage

```
EBlocal(ri, ni, nb, zero.policy = NULL, spChk = NULL, geoda=FALSE)
```

## Arguments

ri	a numeric vector of counts of cases the same length as the neighbours list in nb; if there are many zero counts, some estimates may be affected by division by zero, see <a href="https://stat.ethz.ch/pipermail/r-sig-geo/2022-January/028882.html">https://stat.ethz.ch/pipermail/r-sig-geo/2022-January/028882.html</a>
ni	a numeric vector of populations at risk the same length as the neighbours list in nb
nb	a nb object of neighbour relationships
zero.policy	default NULL, use global option value; if TRUE assign zero to the lagged value of zones without neighbours, if FALSE assign NA
spChk	should the data vector names be checked against the spatial objects for identity integrity, TRUE, or FALSE, default NULL to use <code>get.spChkOption()</code>
geoda	default=FALSE, following Marshall's algorithm as interpreted by Bailey and Gatrell, pp. 305-307, and exercise 8.2, pp. 328-330 for the definition of phi; TRUE for the definition of phi used in GeoDa (see discussion on OpenSpace mailing list June 2003: <a href="http://agec221.agecon.uiuc.edu/pipermail/openspace/2003-June/thread.html">http://agec221.agecon.uiuc.edu/pipermail/openspace/2003-June/thread.html</a> )

**Details**

Details of the implementation are to be found in Marshall, p. 286, and Bailey and Gatrell p. 307 and exercise 8.2, pp. 328–330. The example results do not fully correspond to the sources because of slightly differing neighbourhoods, but are generally close. If there are many zero counts, some estimates may be affected by division by zero, see <https://stat.ethz.ch/pipermail/r-sig-geo/2022-January/028882.html>.

**Value**

A data frame with two columns:

raw	a numerical vector of raw (crude) rates
est	a numerical vector of local empirical Bayes estimates

and a parameters attribute list with components (if both are zero, the estimate will be NaN, <https://stat.ethz.ch/pipermail/r-sig-geo/2022-January/028882.html>):

a	a numerical vector of local phi values
m	a numerical vector of local gamma values

**Author(s)**

Roger Bivand <Roger.Bivand@nhh.no>, based on contributions by Marilia Carvalho

**References**

Marshall R M (1991) Mapping disease and mortality rates using Empirical Bayes Estimators, *Applied Statistics*, 40, 283–294; Bailey T, Gatrell A (1995) *Interactive Spatial Data Analysis*, Harlow: Longman, pp. 303–306.

**See Also**

[EBest](#), [probmap](#)

**Examples**

```
auckland <- st_read(system.file("shapes/auckland.shp", package="spData"))[1], quiet=TRUE)
auckland.nb <- poly2nb(auckland)
res <- EBlocal(auckland$M77_85, 9*auckland$Und5_81, auckland.nb)
auckland$est000 <- res$est*1000
plot(auckland[, "est000"], breaks=c(0,2,2.5,3,3.5,8),
     main="Infant mortality per 1000 per year")
```



---

`edit.nb`*Interactive editing of neighbours lists*

---

### Description

The function provides simple interactive editing of neighbours lists to allow unneeded links to be deleted, and missing links to be inserted. It uses `identify` to pick the endpoints of the link to be deleted or added, and asks for confirmation before committing. If the result is not assigned to a new object, the editing will be lost - as in `edit`.

This method relies on direct contact with the graphics device. Do not use in RStudio.

### Usage

```
## S3 method for class 'nb'  
edit(name, coords, polys=NULL, ..., use_region.id=FALSE)
```

### Arguments

<code>name</code>	an object of class <code>nb</code>
<code>coords</code>	matrix of region point coordinates; if missing and <code>polys=</code> inherits from <code>SpatialPolygons</code> , the label points of that object are used
<code>polys</code>	if polygon boundaries supplied, will be used as background; must inherit from <code>SpatialPolygons</code>
<code>...</code>	further arguments passed to or from other methods
<code>use_region.id</code>	default <code>FALSE</code> , in <code>identify</code> use 1-based observation numbers, otherwise use the <code>nb region.id</code> attribute values

### Value

The function returns an object of class `nb` with the edited list of integer vectors containing neighbour region number ids, with added attributes tallying the added and deleted links.

### Author(s)

Roger Bivand <Roger.Bivand@nhh.no>

### See Also

[summary.nb](#), [plot.nb](#)

### Examples

```
## Not run:  
columbus <- st_read(system.file("shapes/columbus.shp", package="spData"))[1], quiet=TRUE)  
class(columbus)  
if (FALSE) nnb1 <- edit.nb(col.gal.nb, polys=as(columbus, "Spatial"))  
  
## End(Not run)
```

---

eire	<i>Eire data sets</i>
------	-----------------------

---

**Description**

The data set is now part of the spData package

**Usage**

```
data(eire)
```

---

geary	<i>Compute Geary's C</i>
-------	--------------------------

---

**Description**

A simple function to compute Geary's C, called by `geary.test` and `geary.mc`;

$$C = \frac{(n-1)}{2 \sum_{i=1}^n \sum_{j=1}^n w_{ij}} \frac{\sum_{i=1}^n \sum_{j=1}^n w_{ij} (x_i - x_j)^2}{\sum_{i=1}^n (x_i - \bar{x})^2}$$

`geary.intern` is an internal function used to vary the similarity criterion.

**Usage**

```
geary(x, listw, n, n1, S0, zero.policy=NULL)
```

**Arguments**

<code>x</code>	a numeric vector the same length as the neighbours list in <code>listw</code>
<code>listw</code>	a <code>listw</code> object created for example by <code>nb2listw</code>
<code>n</code>	number of zones
<code>n1</code>	<code>n - 1</code>
<code>S0</code>	global sum of weights
<code>zero.policy</code>	default NULL, use global option value; if TRUE assign zero to the lagged value of zones without neighbours, if FALSE assign NA

**Value**

a list with	
<code>C</code>	Geary's C
<code>K</code>	sample kurtosis of <code>x</code>

**Author(s)**

Roger Bivand <Roger.Bivand@nhh.no>

**References**

Cliff, A. D., Ord, J. K. 1981 Spatial processes, Pion, p. 17.

**See Also**

[geary.test](#), [geary.mc](#), [sp.mantel.mc](#)

**Examples**

```
data(oldcol)
col.W <- nb2listw(COL.nb, style="W")
str(geary(COL.OLD$CRIME, col.W, length(COL.nb), length(COL.nb)-1,
  Szero(col.W)))
```

---

geary.mc

*Permutation test for Geary's C statistic*

---

**Description**

A permutation test for Geary's C statistic calculated by using `nsim` random permutations of `x` for the given spatial weighting scheme, to establish the rank of the observed statistic in relation to the `nsim` simulated values.

**Usage**

```
geary.mc(x, listw, nsim, zero.policy=NULL, alternative="greater",
  spChk=NULL, adjust.n=TRUE, return_boot=FALSE)
```

**Arguments**

<code>x</code>	a numeric vector the same length as the neighbours list in <code>listw</code>
<code>listw</code>	a <code>listw</code> object created for example by <code>nb2listw</code>
<code>nsim</code>	number of permutations
<code>zero.policy</code>	default <code>NULL</code> , use global option value; if <code>TRUE</code> assign zero to the lagged value of zones without neighbours, if <code>FALSE</code> assign <code>NA</code>
<code>alternative</code>	a character string specifying the alternative hypothesis, must be one of "greater" (default), or "less"; this reversal corresponds to that on <a href="#">geary.test</a> described in the section on the output statistic value, based on Cliff and Ord 1973, p. 21 (changed 2011-04-11, thanks to Daniel Garavito).
<code>spChk</code>	should the data vector names be checked against the spatial objects for identity integrity, <code>TRUE</code> , or <code>FALSE</code> , default <code>NULL</code> to use <code>get.spChkOption()</code>

adjust.n	default TRUE, if FALSE the number of observations is not adjusted for no-neighbour observations, if TRUE, the number of observations is adjusted
return_boot	return an object of class boot from the equivalent permutation bootstrap rather than an object of class htest

**Value**

A list with class htest and mc.sim containing the following components:

statistic	the value of the observed Geary's C.
parameter	the rank of the observed Geary's C.
p.value	the pseudo p-value of the test.
alternative	a character string describing the alternative hypothesis.
method	a character string giving the method used.
data.name	a character string giving the name(s) of the data, and the number of simulations.
res	nsim simulated values of statistic, final value is observed statistic

**Author(s)**

Roger Bivand <Roger.Bivand@nhh.no>

**References**

Cliff, A. D., Ord, J. K. 1981 Spatial processes, Pion, p. 63-5.

**See Also**

[geary](#), [geary.test](#)

**Examples**

```
data(oldcol)
sim1 <- geary.mc(COL.OLD$CRIME, nb2listw(COL.nb, style="W"),
  nsim=99, alternative="less")
sim1
mean(sim1$res)
var(sim1$res)
summary(sim1$res)
colold.lags <- nblag(COL.nb, 3)
sim2 <- geary.mc(COL.OLD$CRIME, nb2listw(colold.lags[[2]],
  style="W"), nsim=99)
sim2
summary(sim2$res)
sim3 <- geary.mc(COL.OLD$CRIME, nb2listw(colold.lags[[3]],
  style="W"), nsim=99)
sim3
summary(sim3$res)
```

---

geary.test	<i>Geary's C test for spatial autocorrelation</i>
------------	---

---

### Description

Geary's test for spatial autocorrelation using a spatial weights matrix in weights list form. The assumptions underlying the test are sensitive to the form of the graph of neighbour relationships and other factors, and results may be checked against those of `geary.mc` permutations.

### Usage

```
geary.test(x, listw, randomisation=TRUE, zero.policy=NULL,
           alternative="greater", spChk=NULL, adjust.n=TRUE)
```

### Arguments

<code>x</code>	a numeric vector the same length as the neighbours list in <code>listw</code>
<code>listw</code>	a <code>listw</code> object created for example by <code>nb2listw</code>
<code>randomisation</code>	variance of I calculated under the assumption of randomisation, if FALSE normality
<code>zero.policy</code>	default NULL, use global option value; if TRUE assign zero to the lagged value of zones without neighbours, if FALSE assign NA
<code>alternative</code>	a character string specifying the alternative hypothesis, must be one of "greater" (default), "less" or "two.sided".
<code>spChk</code>	should the data vector names be checked against the spatial objects for identity integrity, TRUE, or FALSE, default NULL to use <code>get.spChkOption()</code>
<code>adjust.n</code>	default TRUE, if FALSE the number of observations is not adjusted for no-neighbour observations, if TRUE, the number of observations is adjusted

### Value

A list with class `htest` containing the following components:

<code>statistic</code>	the value of the standard deviate of Geary's C, in the order given in Cliff and Ord 1973, p. 21, which is $(EC - C) / \sqrt{VC}$ , that is with the sign reversed with respect to the more usual $(C - EC) / \sqrt{VC}$ ; this means that the "greater" alternative for the Geary C test corresponds to the "greater" alternative for Moran's I test.
<code>p.value</code>	the p-value of the test.
<code>estimate</code>	the value of the observed Geary's C, its expectation and variance under the method assumption.
<code>alternative</code>	a character string describing the alternative hypothesis.
<code>method</code>	a character string giving the assumption used for calculating the standard deviate.
<code>data.name</code>	a character string giving the name(s) of the data.

**Note**

The derivation of the test (Cliff and Ord, 1981, p. 18) assumes that the weights matrix is symmetric. For inherently non-symmetric matrices, such as k-nearest neighbour matrices, `listw2U()` can be used to make the matrix symmetric. In non-symmetric weights matrix cases, the variance of the test statistic may be negative (thanks to Franz Munoz I for a well documented bug report). Geary's C is affected by non-symmetric weights under normality much more than Moran's I. From 0.4-35, the sign of the standard deviate of C is changed to match Cliff and Ord (1973, p. 21).

**Author(s)**

Roger Bivand <Roger.Bivand@nhh.no>

**References**

Cliff, A. D., Ord, J. K. 1981 Spatial processes, Pion, p. 21, Cliff, A. D., Ord, J. K. 1973 Spatial Autocorrelation, Pion, pp. 15-16, 21; Bivand RS, Wong DWS 2018 Comparing implementations of global and local indicators of spatial association. TEST, 27(3), 716–748 doi:10.1007/s11749018-0599x

**See Also**

[geary](#), [geary.mc](#), [listw2U](#)

**Examples**

```
data(oldcol)
geary.test(COL.OLD$CRIME, nb2listw(COL.nb, style="W"))
geary.test(COL.OLD$CRIME, nb2listw(COL.nb, style="W"),
  randomisation=FALSE)
colold.lags <- nblag(COL.nb, 3)
geary.test(COL.OLD$CRIME, nb2listw(colold.lags[[2]],
  style="W"))
geary.test(COL.OLD$CRIME, nb2listw(colold.lags[[3]],
  style="W"), alternative="greater")
print(is.symmetric.nb(COL.nb))
coords.OLD <- cbind(COL.OLD$X, COL.OLD$Y)
COL.k4.nb <- knn2nb(knearneigh(coords.OLD, 4))
print(is.symmetric.nb(COL.k4.nb))
geary.test(COL.OLD$CRIME, nb2listw(COL.k4.nb, style="W"))
geary.test(COL.OLD$CRIME, nb2listw(COL.k4.nb, style="W"),
  randomisation=FALSE)
cat("Note non-symmetric weights matrix - use listw2U()\n")
geary.test(COL.OLD$CRIME, listw2U(nb2listw(COL.k4.nb,
  style="W")))
geary.test(COL.OLD$CRIME, listw2U(nb2listw(COL.k4.nb,
  style="W")), randomisation=FALSE)
```

---

globalG.test	<i>Global G test for spatial autocorrelation</i>
--------------	--

---

**Description**

The global G statistic for spatial autocorrelation, complementing the local Gi LISA measures: [localG](#).

**Usage**

```
globalG.test(x, listw, zero.policy=NULL, alternative="greater",
             spChk=NULL, adjust.n=TRUE, B1correct=TRUE, adjust.x=TRUE, Arc_all_x=FALSE)
```

**Arguments**

x	a numeric vector the same length as the neighbours list in listw
listw	a listw object created for example by nb2listw; if a sequence of distance bands is to be used, it is recommended that the weights style be binary (one of c("B", "C", "U")).
zero.policy	default NULL, use global option value; if TRUE assign zero to the lagged value of zones without neighbours, if FALSE assign NA
alternative	a character string specifying the alternative hypothesis, must be one of "greater" (default), "less" or "two.sided".
spChk	should the data vector names be checked against the spatial objects for identity integrity, TRUE, or FALSE, default NULL to use get.spChkOption()
adjust.n	default TRUE, if FALSE the number of observations is not adjusted for no-neighbour observations, if TRUE, the number of observations is adjusted
B1correct	default TRUE, if TRUE, the erratum referenced below: "On page 195, the coefficient of W2 in B1, (just below center of the page) should be 6, not 3." is applied; if FALSE, 3 is used (as in CrimeStat IV)
adjust.x	default TRUE, if TRUE, x values of observations with no neighbours are omitted in the denominator of G
Arc_all_x	default FALSE, if Arc_all_x=TRUE and adjust.x=TRUE, use the full x vector in part of the denominator term for G

**Value**

A list with class htest containing the following components:

statistic	the value of the standard deviate of Getis-Ord G.
p.value	the p-value of the test.
estimate	the value of the observed statistic, its expectation and variance.
alternative	a character string describing the alternative hypothesis.
data.name	a character string giving the name(s) of the data.

**Author(s)**

Hisaji ONO <hi-ono@mn.xdsl.ne.jp> and Roger Bivand <Roger.Bivand@nhh.no>

**References**

Getis. A, Ord, J. K. 1992 The analysis of spatial association by use of distance statistics, *Geographical Analysis*, 24, p. 195; see also Getis. A, Ord, J. K. 1993 Erratum, *Geographical Analysis*, 25, p. 276; Bivand RS, Wong DWS 2018 Comparing implementations of global and local indicators of spatial association. *TEST*, 27(3), 716–748 doi:10.1007/s117490180599x

**See Also**

[localG](#)

**Examples**

```
nc.sids <- st_read(system.file("shapes/sids.shp", package="spData"))[1], quiet=TRUE)
sidsrate79 <- (1000*nc.sids$SID79)/nc.sids$BIR79
dists <- c(10, 20, 30, 33, 40, 50, 60, 70, 80, 90, 100)
ndists <- length(dists)
ZG <- vector(mode="list", length=ndists)
names(ZG) <- as.character(dists)
milesxy <- cbind(nc.sids$east, nc.sids$north)
for (i in 1:ndists) {
  thisnb <- dnearneigh(milesxy, 0, dists[i])
  thislw <- nb2listw(thisnb, style="B", zero.policy=TRUE)
  ZG[[i]] <- globalG.test(sidsrate79, thislw, zero.policy=TRUE)
}
t(sapply(ZG, function(x) c(x$estimate[1], x$statistic, p.value=unname(x$p.value))))
for (i in 1:ndists) {
  thisnb <- dnearneigh(milesxy, 0, dists[i])
  thislw <- nb2listw(thisnb, style="B", zero.policy=TRUE)
  ZG[[i]] <- globalG.test(sidsrate79, thislw, zero.policy=TRUE, alternative="two.sided")
}
t(sapply(ZG, function(x) c(x$estimate[1], x$statistic, p.value=unname(x$p.value))))
```

**Description**

`n.comp.nb()` finds the number of disjoint connected subgraphs in the graph depicted by `nb.obj` - a spatial neighbours list object.

**Usage**

```
n.comp.nb(nb.obj)
```



**Arguments**

`nb.obj` a neighbours list object of class `nb`

**Value**

A list of:

`nc` number of disjoint connected subgraphs  
`comp.id` vector with the indices of the disjoint connected subgraphs that the nodes in `nb.obj` belong to

**Author(s)**

Nicholas Lewin-Koh <nikko@hailmail.net>

**See Also**

[plot.nb](#)

**Examples**

```
columbus <- st_read(system.file("shapes/columbus.shp", package="spData")[1], quiet=TRUE)
col.gal.nb <- read.gal(system.file("weights/columbus.gal", package="spData")[1])
coords <- st_coordinates(st_centroid(st_geometry(columbus)))
plot(col.gal.nb, coords, col="grey")
col2 <- droplinks(col.gal.nb, 21)
res <- n.comp.nb(col2)
table(res$comp.id)
plot(col2, coords, add=TRUE)
points(coords, col=res$comp.id, pch=16)
run <- FALSE
if (require(igraph, quietly=TRUE) && require(spatialreg, quietly=TRUE)) run <- TRUE
if (run) {
  B <- as(nb2listw(col2, style="B", zero.policy=TRUE), "CsparseMatrix")
  g1 <- graph.adjacency(B, mode="undirected")
  c1 <- clusters(g1)
  print(c1$no == res$nc)
}
if (run) {
  print(all.equal(c1$membership, res$comp.id))
}
if (run) {
  print(all.equal(c1$csizes, c(table(res$comp.id)), check.attributes=FALSE))
}
if (run) {
  W <- as(nb2listw(col2, style="W", zero.policy=TRUE), "CsparseMatrix")
  g1W <- graph.adjacency(W, mode="directed", weighted="W")
  c1W <- clusters(g1W)
  print(all.equal(c1W$membership, res$comp.id, check.attributes=FALSE))
}
if (run) {
```

```

ow <- options("warn")$warn
options("warn"=2L)
# Matrix 1.4-2 vulnerability work-around
B1 <- try(get.adjacency(g1), silent=TRUE)
if (!inherits(B1, "try-error")) {
  #B1 <- get.adjacency(g1)
  print(all.equal(B, B1))
}
options("warn"=ow)
}

```

---

graphneigh

*Graph based spatial weights*


---

### Description

Functions return a graph object containing a list with the vertex coordinates and the to and from indices defining the edges. Some/all of these functions assume that the coordinates are not exactly regularly spaced. The helper function `graph2nb` converts a graph object into a neighbour list. The plot functions plot the graph objects.

### Usage

```

gabrielneigh(coords, nnmult=3)
relativeneigh(coords, nnmult=3)

soi.graph(tri.nb, coords, quadsegs=10)
graph2nb(gob, row.names=NULL, sym=FALSE)
## S3 method for class 'Gabriel'
plot(x, show.points=FALSE, add=FALSE, linecol=par(col), ...)
## S3 method for class 'relative'
plot(x, show.points=FALSE, add=FALSE, linecol=par(col), ...)

```

### Arguments

<code>coords</code>	matrix of region point coordinates or <code>SpatialPoints</code> object or <code>sfc</code> points object
<code>nnmult</code>	scaling factor for memory allocation, default 3; if higher values are required, the function will exit with an error; example below thanks to Dan Putler
<code>tri.nb</code>	a neighbor list created from <code>tri2nb</code>
<code>quadsegs</code>	number of line segments making a quarter circle buffer, see the <code>nQuadSegs</code> argument in <a href="#">geos_unary</a>
<code>gob</code>	a graph object created from any of the graph functions
<code>row.names</code>	character vector of region ids to be added to the neighbours list as attribute <code>region.id</code> , default <code>seq(1, nrow(x))</code>
<code>sym</code>	a logical argument indicating whether or not neighbors should be symmetric (if $i \rightarrow j$ then $j \rightarrow i$ )

x	object to be plotted
show.points	(logical) add points to plot
add	(logical) add to existing plot
linecol	edge plotting colour
...	further graphical parameters as in par(. .)

### Details

The graph functions produce graphs on a 2d point set that are all subgraphs of the Delaunay triangulation. The relative neighbor graph is defined by the relation, x and y are neighbors if

$$d(x, y) \leq \min(\max(d(x, z), d(y, z)) | z \in S)$$

where d() is the distance, S is the set of points and z is an arbitrary point in S. The Gabriel graph is a subgraph of the delaunay triangulation and has the relative neighbor graph as a sub-graph. The relative neighbor graph is defined by the relation x and y are Gabriel neighbors if

$$d(x, y) \leq \min((d(x, z)^2 + d(y, z)^2)^{1/2} | z \in S)$$

where x,y,z and S are as before. The sphere of influence graph is defined for a finite point set S, let  $r_x$  be the distance from point x to its nearest neighbor in S, and  $C_x$  is the circle centered on x. Then x and y are SOI neighbors iff  $C_x$  and  $C_y$  intersect in at least 2 places. From 2016-05-31, Computational Geometry in C code replaced by calls to functions in **dbscan** and **sf**; with a large quadsegs= argument, the behaviour of the function is the same, otherwise buffer intersections only closely approximate the original function.

See [card](#) for details of “nb” objects.

### Value

A list of class Graph with the following elements

np	number of input points
from	array of origin ids
to	array of destination ids
nedges	number of edges in graph
x	input x coordinates
y	input y coordinates

The helper functions return an nb object with a list of integer vectors containing neighbour region number ids.

### Author(s)

Nicholas Lewin-Koh <nikko@hailmail.net>

## References

- Matula, D. W. and Sokal R. R. 1980, Properties of Gabriel graphs relevant to geographic variation research and the clustering of points in the plane, *Geographic Analysis*, 12(3), pp. 205-222.
- Toussaint, G. T. 1980, The relative neighborhood graph of a finite planar set, *Pattern Recognition*, 12(4), pp. 261-268.
- Kirkpatrick, D. G. and Radke, J. D. 1985, A framework for computational morphology. In *Computational Geometry*, Ed. G. T. Toussaint, North Holland.

## See Also

[knearneigh](#), [dnearneigh](#), [knn2nb](#), [card](#)

## Examples

```
columbus <- st_read(system.file("shapes/columbus.shp", package="spData")[1], quiet=TRUE)
sf_obj <- st_centroid(st_geometry(columbus), of_largest_polygon)
sp_obj <- as(sf_obj, "Spatial")
coords <- st_coordinates(sf_obj)
suppressMessages(col.tri.nb <- tri2nb(coords))
col.gab.nb <- graph2nb(gabrielneigh(coords), sym=TRUE)
col.rel.nb <- graph2nb(relativeneigh(coords), sym=TRUE)
par(mfrow=c(2,2))
plot(st_geometry(columbus), border="grey")
plot(col.tri.nb,coords,add=TRUE)
title(main="Delaunay Triangulation", cex.main=0.6)
plot(st_geometry(columbus), border="grey")
plot(col.gab.nb, coords, add=TRUE)
title(main="Gabriel Graph", cex.main=0.6)
plot(st_geometry(columbus), border="grey")
plot(col.rel.nb, coords, add=TRUE)
title(main="Relative Neighbor Graph", cex.main=0.6)
plot(st_geometry(columbus), border="grey")
if (require("dbscan", quietly=TRUE)) {
  col.soi.nb <- graph2nb(soi.graph(col.tri.nb,coords), sym=TRUE)
  plot(col.soi.nb, coords, add=TRUE)
  title(main="Sphere of Influence Graph", cex.main=0.6)
}
par(mfrow=c(1,1))
col.tri.nb_sf <- tri2nb(sf_obj)
all.equal(col.tri.nb, col.tri.nb_sf, check.attributes=FALSE)
col.tri.nb_sp <- tri2nb(sp_obj)
all.equal(col.tri.nb, col.tri.nb_sp, check.attributes=FALSE)
if (require("dbscan", quietly=TRUE)) {
  col.soi.nb_sf <- graph2nb(soi.graph(col.tri.nb, sf_obj), sym=TRUE)
  all.equal(col.soi.nb, col.soi.nb_sf, check.attributes=FALSE)
  col.soi.nb_sp <- graph2nb(soi.graph(col.tri.nb, sp_obj), sym=TRUE)
  all.equal(col.soi.nb, col.soi.nb_sp, check.attributes=FALSE)
}
col.gab.nb_sp <- graph2nb(gabrielneigh(sp_obj), sym=TRUE)
all.equal(col.gab.nb, col.gab.nb_sp, check.attributes=FALSE)
col.gab.nb_sf <- graph2nb(gabrielneigh(sf_obj), sym=TRUE)
```

```

all.equal(col.gab.nb, col.gab.nb_sf, check.attributes=FALSE)
col.rel.nb_sp <- graph2nb(relativeneigh(sp_obj), sym=TRUE)
all.equal(col.rel.nb, col.rel.nb_sp, check.attributes=FALSE)
col.rel.nb_sf <- graph2nb(relativeneigh(sf_obj), sym=TRUE)
all.equal(col.rel.nb, col.rel.nb_sf, check.attributes=FALSE)
dx <- rep(0.25*0:4,5)
dy <- c(rep(0,5),rep(0.25,5),rep(0.5,5), rep(0.75,5),rep(1,5))
m <- cbind(c(dx, dx, 3+dx, 3+dx), c(dy, 3+dy, dy, 3+dy))
cat(try(res <- gabrielneigh(m), silent=TRUE), "\n")
res <- gabrielneigh(m, nmult=4)
summary(graph2nb(res))
grd <- as.matrix(expand.grid(x=1:5, y=1:5)) #gridded data
r2 <- gabrielneigh(grd)
set.seed(1)
grd1 <- as.matrix(expand.grid(x=1:5, y=1:5)) + matrix(runif(50, .0001, .0006), nrow=25)
r3 <- gabrielneigh(grd1)
opar <- par(mfrow=c(1,2))
plot(r2, show=TRUE, linecol=2)
plot(r3, show=TRUE, linecol=2)
par(opar)
# example of reading points with readr::read_csv() yielding a tibble
load(system.file("etc/misc/coords.rda", package="spdep"))
class(coords)
graph2nb(gabrielneigh(coords))
graph2nb(relativeneigh(coords))

```

grid2nb

*Construct neighbours for a GridTopology***Description**

The function builds a neighbours list for a grid topology. It works for a k-dimensional grid topology,  $k \geq 1$ .

**Usage**

```

grid2nb(grid, d = grid@cells.dim,
        queen = TRUE, nb = TRUE, self = FALSE)

```

**Arguments**

grid	An object of class GridTopology. One can avoid to supply this by just supplying the dimensions in the d argument.
d	A scalar (for one dimensional grid) or a length k vector specifying the number of grid cells in each direction of the k dimensions.
queen	Logical. Default is TRUE. To inform if the queen neighbourhood structure should be considered. If FALSE, only a hyper-cube with a common face will be considered neighbour. If TRUE, a single shared coordinate meets the contiguity condition.

<code>nb</code>	Default TRUE. If TRUE, return the result as a neighbours list with class <code>nb</code> . If FALSE, the result is a matrix with $3^k$ columns if <code>self = TRUE</code> or $3^{k-1}$ if <code>self = FALSE</code> . Zeros are used for hyper-cubes at boundaries.
<code>self</code>	Default FALSE, to indicate if the hyper-cube neighbour itself should be considered a neighbour.

**Value**

Either a matrix, if “`nb`” is FALSE or a neighbours list with class `nb`. See [card](#) for details of “`nb`” objects.

**Note**

This applies to a k-dimensional grid topology.

**Author(s)**

Elias T Krainski <eliaskrainski@gmail.com>

**See Also**

[poly2nb](#), [summary.nb](#), [card](#)

**Examples**

```
nb <- grid2nb(d = c(5L, 5L, 5L))
nb
summary(nb)
if (require("sp", quietly=TRUE)) {
  gt <- GridTopology(c(.125,.1), c(.25,.2), c(4L, 5L))
  nb1 <- grid2nb(gt, queen = FALSE)
  nb2 <- grid2nb(gt)

  sg <- SpatialGrid(gt)
  plot(sg, lwd=3)
  plot(nb1, coordinates(sg), add=TRUE, lty=2, col=2, lwd=2)
  plot(nb2, coordinates(sg), add=TRUE, lty=3, col=4)

  str(grid2nb(d=5))
}
```

**Description**

Used to return a factor showing so-called cluster classification for local indicators of spatial association for local Moran’s I, local Geary’s C (and its multivariate variant) and local Getis-Ord G. This factor vector can be added to a spatial object for mapping.

**Usage**

```

hotspot(obj, ...)

## Default S3 method:
hotspot(obj, ...)

## S3 method for class 'localmoran'
hotspot(obj, Pname, cutoff=0.005, quadrant.type="mean",
  p.adjust="fdr", droplevels=TRUE, ...)
## S3 method for class 'summary.localmoransad'
hotspot(obj, Pname, cutoff=0.005,
  quadrant.type="mean", p.adjust="fdr", droplevels=TRUE, ...)
## S3 method for class 'data.frame.localmoranex'
hotspot(obj, Pname, cutoff=0.005,
  quadrant.type="mean", p.adjust="fdr", droplevels=TRUE, ...)

## S3 method for class 'localG'
hotspot(obj, Pname, cutoff=0.005, p.adjust="fdr", droplevels=TRUE, ...)

## S3 method for class 'localC'
hotspot(obj, Pname, cutoff=0.005, p.adjust="fdr", droplevels=TRUE, ...)

```

**Arguments**

obj	An object of class localmoran, localC or localG
Pname	A character string, the name of the column containing the probability values to be classified by cluster type if found “interesting”
cutoff	Default 0.005, the probability value cutoff larger than which the observation is not found “interesting”
p.adjust	Default “fdr”, the p.adjust() method used, one of c(“holm”, “hochberg”, “hommel”, “bonferroni”, “BH”, “BY”, “fdr”, “none”)
droplevels	Default TRUE, should empty levels of the input cluster factor be dropped
quadrant.type	Default “mean”, for “localmoran” objects only, can be c(“mean”, “median”, “pysal”) to partition the Moran scatterplot; “mean” partitions on the means of the variable and its spatial lag, “median” on medians of the variable and its spatial lag, “pysal” at zero for the centred variable and its spatial lag
...	other arguments passed to methods.

**Value**

A factor showing so-called cluster classification for local indicators of spatial association.

**Author(s)**

Roger Bivand

**Examples**

```

orig <- spData::africa.rook.nb
listw <- nb2listw(orig)
x <- spData::afcon$totcon

set.seed(1)
C <- localC_perm(x, listw)
Ch <- hotspot(C, Prname="Pr(z != E(Ci)) Sim", cutoff=0.05, p.adjust="none")
table(addNA(Ch))
set.seed(1)
I <- localmoran_perm(x, listw)
Ih <- hotspot(I, Prname="Pr(z != E(Ii)) Sim", cutoff=0.05, p.adjust="none")
table(addNA(Ih))
Is <- summary(localmoran.sad(lm(x ~ 1), nb=orig))
Ish <- hotspot(Is, Prname="Pr. (Sad)", cutoff=0.05, p.adjust="none")
table(addNA(Ish))
Ie <- as.data.frame(localmoran.exact(lm(x ~ 1), nb=orig))
Ieh <- hotspot(Ie, Prname="Pr. (exact)", cutoff=0.05, p.adjust="none")
table(addNA(Ieh))
set.seed(1)
G <- localG_perm(x, listw)
Gh <- hotspot(G, Prname="Pr(z != E(Gi)) Sim", cutoff=0.05, p.adjust="none")
table(addNA(Gh))

```

---

include.self

*Include self in neighbours list*


---

**Description**

The function includes the region itself in its own list of neighbours, and sets attribute "self.included" to TRUE; remove.self reverts the effects of include.self.

**Usage**

```

include.self(nb)
remove.self(nb)

```

**Arguments**

nb                   input neighbours list of class nb

**Value**

The function returns an object of class nb with a list of integer vectors containing neighbour region number ids; attribute "self.included" is set to TRUE.

**Author(s)**

Roger Bivand <Roger.Bivand@nhh.no>



**See Also**[summary.nb](#)**Examples**

```
columbus <- st_read(system.file("shapes/columbus.shp", package="spData")[1], quiet=TRUE)
col.gal.nb <- read.gal(system.file("weights/columbus.gal", package="spData")[1])
coords <- st_coordinates(st_centroid(columbus))
summary(col.gal.nb, coords)
summary(include.self(col.gal.nb), coords)
summary(remove.self(include.self(col.gal.nb)), coords)
```

---

is.symmetric.nb	<i>Test a neighbours list for symmetry</i>
-----------------	--

---

**Description**

Checks a neighbours list for symmetry/transitivity (if *i* is a neighbour of *j*, then *j* is a neighbour of *i*). This holds for distance and contiguity based neighbours, but not for *k*-nearest neighbours. The helper function `sym.attr.nb()` calls `is.symmetric.nb()` to set the `sym` attribute if needed, and `make.sym.nb` makes a non-symmetric list symmetric by adding neighbors. `is.symmetric.glist` checks a list of general weights corresponding to neighbours for symmetry for symmetric neighbours.

**Usage**

```
is.symmetric.nb(nb, verbose = NULL, force = FALSE)
sym.attr.nb(nb)
make.sym.nb(nb)
old.make.sym.nb(nb)
is.symmetric.glist(nb, glist)
```

**Arguments**

<code>nb</code>	an object of class <code>nb</code> with a list of integer vectors containing neighbour region number ids.
<code>verbose</code>	default <code>NULL</code> , use global option value; if <code>TRUE</code> prints non-matching pairs
<code>force</code>	do not respect a neighbours list <code>sym</code> attribute and test anyway
<code>glist</code>	list of general weights corresponding to neighbours

**Value**

`TRUE` if symmetric, `FALSE` if not; `is.symmetric.glist` returns a value with an attribute, "d", indicating for failed symmetry the largest failing value.

**Note**

A new version of `make.sym.nb` by Bjarke Christensen is now included. The older version has been renamed `old.make.sym.nb`, and their comparison constitutes a nice demonstration of vectorising speedup using `sapply` and `lapply` rather than loops. When any no-neighbour observations are present, `old.make.sym.nb` is used.

**Author(s)**

Roger Bivand <Roger.Bivand@nhh.no>

**See Also**

[read.gal](#)

**Examples**

```
columbus <- st_read(system.file("shapes/columbus.shp", package="spData")[1], quiet=TRUE)
col.gal.nb <- read.gal(system.file("weights/columbus.gal", package="spData")[1])
coords <- st_coordinates(st_centroid(columbus))
ind <- row.names(as(columbus, "Spatial"))
print(is.symmetric.nb(col.gal.nb, verbose=TRUE, force=TRUE))
k4 <- knn2nb(knearneigh(coords, k=4), row.names=ind)
k4 <- sym.attr.nb(k4)
print(is.symmetric.nb(k4))
k4.sym <- make.sym.nb(k4)
print(is.symmetric.nb(k4.sym))
```

---

joincount.mc

*Permutation test for same colour join count statistics*

---

**Description**

A permutation test for same colour join count statistics calculated by using `nsim` random permutations of `fx` for the given spatial weighting scheme, to establish the ranks of the observed statistics (for each colour) in relation to the `nsim` simulated values.

**Usage**

```
joincount.mc(fx, listw, nsim, zero.policy=FALSE, alternative="greater",
  spChk=NULL)
```

**Arguments**

<code>fx</code>	a factor of the same length as the neighbours and weights objects in <code>listw</code>
<code>listw</code>	a <code>listw</code> object created for example by <code>nb2listw</code>
<code>nsim</code>	number of permutations

zero.policy	if TRUE assign zero to the lagged value of zones without neighbours, if FALSE assign NA
alternative	a character string specifying the alternative hypothesis, must be one of "greater" (default), "two.sided", or "less".
spChk	should the data vector names be checked against the spatial objects for identity integrity, TRUE, or FALSE, default NULL to use get.spChkOption()

### Value

A list with class `jclist` of lists with class `htest` and `mc.sim` for each of the `k` colours containing the following components:

statistic	the value of the observed statistic.
parameter	the rank of the observed statistic.
method	a character string giving the method used.
data.name	a character string giving the name(s) of the data.
p.value	the pseudo p-value of the test.
alternative	a character string describing the alternative hypothesis.
estimate	the mean and variance of the simulated distribution.
res	<code>nsim</code> simulated values of statistic, the final element is the observed statistic

### Author(s)

Roger Bivand <Roger.Bivand@nhh.no>

### References

Cliff, A. D., Ord, J. K. 1981 Spatial processes, Pion, p. 63-5.

### See Also

[joincount.test](#)

### Examples

```
data(oldcol)
HICRIME <- cut(COL.OLD$CRIME, breaks=c(0,35,80), labels=c("low","high"))
names(HICRIME) <- rownames(COL.OLD)
joincount.mc(HICRIME, nb2listw(COL.nb, style="B"), nsim=99, alternative="two.sided")
joincount.test(HICRIME, nb2listw(COL.nb, style="B"), alternative="two.sided")
```

---

joincount.multi      *BB, BW and Jtot join count statistic for k-coloured factors*

---

### Description

A function for tallying join counts between same-colour and different colour spatial objects, where neighbour relations are defined by a weights list. Given the global counts in each colour, expected counts and variances are calculated under non-free sampling, and a z-value reported. Since multiple tests are reported, no p-values are given, allowing the user to adjust the significance level applied. Jtot is the count of all different-colour joins.

### Usage

```
joincount.multi(fx, listw, zero.policy = FALSE,
  spChk = NULL, adjust.n=TRUE)
## S3 method for class 'jcmulti'
print(x, ...)
```

### Arguments

fx	a factor of the same length as the neighbours and weights objects in listw
listw	a listw object created for example by nb2listw
zero.policy	if TRUE assign zero to the lagged value of zones without neighbours, if FALSE assign NA
adjust.n	default TRUE, if FALSE the number of observations is not adjusted for no-neighbour observations, if TRUE, the number of observations is adjusted consistently (up to and including spdep 0.3-28 the adjustment was inconsistent - thanks to Tomoki NAKAYA for a careful bug report)
spChk	should the data vector names be checked against the spatial objects for identity integrity, TRUE, or FALSE, default NULL to use get.spChkOption()
x	object to be printed
...	arguments to be passed through for printing

### Value

A matrix with class jcmulti with row and column names for observed and expected counts, variance, and z-value.

### Note

The derivation of the test (Cliff and Ord, 1981, p. 18) assumes that the weights matrix is symmetric. For inherently non-symmetric matrices, such as k-nearest neighbour matrices, listw2U() can be used to make the matrix symmetric. In non-symmetric weights matrix cases, the variance of the test statistic may be negative.

**Author(s)**

Roger Bivand <Roger.Bivand@nhh.no>

**References**

Cliff, A. D., Ord, J. K. 1981 Spatial processes, Pion, p. 20; Upton, G., Fingleton, B. 1985 Spatial data analysis by example: point pattern and qualitative data, Wiley, pp. 158–170.

**See Also**

[joincount.test](#)

**Examples**

```
data(oldcol)
HICRIME <- cut(COL.OLD$CRIME, breaks=c(0,35,80), labels=c("low","high"))
names(HICRIME) <- rownames(COL.OLD)
joincount.multi(HICRIME, nb2listw(COL.nb, style="B"))
## Not run:
data(hopkins, package="spData")
image(1:32, 1:32, hopkins[5:36,36:5], breaks=c(-0.5, 3.5, 20),
      col=c("white", "black"))
box()
hopkins.rook.nb <- cell2nb(32, 32, type="rook")
unlist(spweights.constants(nb2listw(hopkins.rook.nb, style="B")))
hopkins.queen.nb <- cell2nb(32, 32, type="queen")
hopkins.bishop.nb <- diffnb(hopkins.rook.nb, hopkins.queen.nb, verbose=FALSE)
hopkins4 <- hopkins[5:36,36:5]
hopkins4[which(hopkins4 > 3, arr.ind=TRUE)] <- 4
hopkins4.f <- factor(hopkins4)
table(hopkins4.f)
joincount.multi(hopkins4.f, nb2listw(hopkins.rook.nb, style="B"))
cat("replicates Upton & Fingleton table 3.4 (p. 166)\n")
joincount.multi(hopkins4.f, nb2listw(hopkins.bishop.nb, style="B"))
cat("replicates Upton & Fingleton table 3.6 (p. 168)\n")
joincount.multi(hopkins4.f, nb2listw(hopkins.queen.nb, style="B"))
cat("replicates Upton & Fingleton table 3.7 (p. 169)\n")

## End(Not run)
```

---

joincount.test

*BB join count statistic for k-coloured factors*

---

**Description**

The BB join count test for spatial autocorrelation using a spatial weights matrix in weights list form for testing whether same-colour joins occur more frequently than would be expected if the zones were labelled in a spatially random way. The assumptions underlying the test are sensitive to the form of the graph of neighbour relationships and other factors, and results may be checked against those of `joincount.mc` permutations.

**Usage**

```
joincount.test(fx, listw, zero.policy=NULL, alternative="greater",
  sampling="nonfree", spChk=NULL, adjust.n=TRUE)
## S3 method for class 'jclist'
print(x, ...)
```

**Arguments**

<code>fx</code>	a factor of the same length as the neighbours and weights objects in <code>listw</code>
<code>listw</code>	a <code>listw</code> object created for example by <code>nb2listw</code>
<code>zero.policy</code>	default <code>NULL</code> , use global option value; if <code>TRUE</code> assign zero to the lagged value of zones without neighbours, if <code>FALSE</code> assign <code>NA</code>
<code>alternative</code>	a character string specifying the alternative hypothesis, must be one of "greater" (default), "less" or "two.sided".
<code>sampling</code>	default "nonfree", may be "free"
<code>adjust.n</code>	default <code>TRUE</code> , if <code>FALSE</code> the number of observations is not adjusted for no-neighbour observations, if <code>TRUE</code> , the number of observations is adjusted consistently (up to and including <code>spdep 0.3-28</code> the adjustment was inconsistent - thanks to Tomoki NAKAYA for a careful bug report)
<code>spChk</code>	should the data vector names be checked against the spatial objects for identity integrity, <code>TRUE</code> , or <code>FALSE</code> , default <code>NULL</code> to use <code>get.spChkOption()</code>
<code>x</code>	object to be printed
<code>...</code>	arguments to be passed through for printing

**Value**

A list with class `jclist` of lists with class `htest` for each of the `k` colours containing the following components:

<code>statistic</code>	the value of the standard deviate of the join count statistic.
<code>p.value</code>	the p-value of the test.
<code>estimate</code>	the value of the observed statistic, its expectation and variance under non-free sampling.
<code>alternative</code>	a character string describing the alternative hypothesis.
<code>method</code>	a character string giving the method used.
<code>data.name</code>	a character string giving the name(s) of the data.

**Note**

The derivation of the test (Cliff and Ord, 1981, p. 18) assumes that the weights matrix is symmetric. For inherently non-symmetric matrices, such as `k`-nearest neighbour matrices, `listw2U()` can be used to make the matrix symmetric. In non-symmetric weights matrix cases, the variance of the test statistic may be negative.

**Author(s)**

Roger Bivand <Roger.Bivand@nhh.no>

**References**

Cliff, A. D., Ord, J. K. 1981 Spatial processes, Pion, pp. 19-20.

**See Also**

[joincount.mc](#), [joincount.multi](#), [listw2U](#)

**Examples**

```
data(oldcol)
HICRIME <- cut(COL.OLD$CRIME, breaks=c(0,35,80), labels=c("low","high"))
names(HICRIME) <- rownames(COL.OLD)
joincount.test(HICRIME, nb2listw(COL.nb, style="B"))
joincount.test(HICRIME, nb2listw(COL.nb, style="B"), sampling="free")
joincount.test(HICRIME, nb2listw(COL.nb, style="C"))
joincount.test(HICRIME, nb2listw(COL.nb, style="S"))
joincount.test(HICRIME, nb2listw(COL.nb, style="W"))
by(card(COL.nb), HICRIME, summary)
print(is.symmetric.nb(COL.nb))
coords.OLD <- cbind(COL.OLD$X, COL.OLD$Y)
COL.k4.nb <- knn2nb(knearneigh(coords.OLD, 4))
print(is.symmetric.nb(COL.k4.nb))
joincount.test(HICRIME, nb2listw(COL.k4.nb, style="B"))
cat("Note non-symmetric weights matrix - use listw2U()\n")
joincount.test(HICRIME, listw2U(nb2listw(COL.k4.nb, style="B")))
```

---

knearneigh

*K nearest neighbours for spatial weights*

---

**Description**

The function returns a matrix with the indices of points belonging to the set of the k nearest neighbours of each other. If longlat = TRUE, Great Circle distances are used. A warning will be given if identical points are found.

**Usage**

```
knearneigh(x, k=1, longlat = NULL, use_kd_tree=TRUE)
```

**Arguments**

x	matrix of point coordinates, an object inheriting from SpatialPoints or an "sf" or "sfc" object; if the "sf" or "sfc" object geometries are in geographical coordinates (sf::st_is_longlat(x) == TRUE and sf::sf_use_s2() == TRUE), <b>s2</b> will be used to find the neighbours because it uses spatial indexing <a href="https://github.com/r-spatial/s2/issues/125">https://github.com/r-spatial/s2/issues/125</a> as opposed to the legacy method which uses brute-force
k	number of nearest neighbours to be returned
longlat	TRUE if point coordinates are longitude-latitude decimal degrees, in which case distances are measured in kilometers; if x is a SpatialPoints object, the value is taken from the object itself; longlat will override kd_tree
use_kd_tree	logical value, if the <b>dbscan</b> package is available, use for finding k nearest neighbours when longlat is FALSE, and when there are no identical points; from <a href="https://github.com/r-spatial/spdep/issues/38">https://github.com/r-spatial/spdep/issues/38</a> , the input data may have more than two columns if <b>dbscan</b> is used

**Details**

The underlying legacy C code is based on the knn function in the **class** package.

**Value**

A list of class knn

nn	integer matrix of region number ids
np	number of input points
k	input required k
dimension	number of columns of x
x	input coordinates

**Author(s)**

Roger Bivand <Roger.Bivand@nhh.no>

**See Also**

[knn](#), [dnearest](#), [knn2nb](#), [kNN](#)

**Examples**

```
columbus <- st_read(system.file("shapes/columbus.shp", package="spData"))[1], quiet=TRUE)
coords <- st_centroid(st_geometry(columbus), of_largest_polygon=TRUE)
col.knn <- knearneigh(coords, k=4)
plot(st_geometry(columbus), border="grey")
plot(knn2nb(col.knn), coords, add=TRUE)
title(main="K nearest neighbours, k = 4")
data(state)
us48.fipsno <- read.geoda(system.file("etc/weights/us48.txt",
```



```

package="spdep")[1])
if (as.numeric(paste(version$major, version$minor, sep="")) < 19) {
  m50.48 <- match(us48.fipsno$"State.name", state.name)
} else {
  m50.48 <- match(us48.fipsno$"State_name", state.name)
}
xy <- as.matrix(as.data.frame(state.center))[m50.48,]
llk4.nb <- knn2nb(knearneigh(xy, k=4, longlat=FALSE))
gck4.nb <- knn2nb(knearneigh(xy, k=4, longlat=TRUE))
plot(llk4.nb, xy)
plot(diffnb(llk4.nb, gck4.nb), xy, add=TRUE, col="red", lty=2)
title(main="Differences between Euclidean and Great Circle k=4 neighbours")
summary(llk4.nb, xy, longlat=TRUE, scale=0.5)
summary(gck4.nb, xy, longlat=TRUE, scale=0.5)

#xy1 <- SpatialPoints((as.data.frame(state.center))[m50.48,],
# proj4string=CRS("+proj=longlat +ellps=GRS80"))
#gck4a.nb <- knn2nb(knearneigh(xy1, k=4))
#summary(gck4a.nb, xy1, scale=0.5)

xy1 <- st_as_sf((as.data.frame(state.center))[m50.48,], coords=1:2,
  crs=st_crs("OGC:CRS84"))
old_use_s2 <- sf_use_s2()
sf_use_s2(TRUE)
system.time(gck4a.nb <- knn2nb(knearneigh(xy1, k=4)))
summary(gck4a.nb, xy1, scale=0.5)
sf_use_s2(FALSE)
system.time(gck4a.nb <- knn2nb(knearneigh(xy1, k=4)))
summary(gck4a.nb, xy1, scale=0.5)
sf_use_s2(old_use_s2)

# https://github.com/r-spatial/spdep/issues/38
if (require("dbscan", quietly=TRUE)) {
  set.seed(1)
  x <- cbind(runif(50), runif(50), runif(50))
  out <- knearneigh(x, k=5)
  knn2nb(out)
  try(out <- knearneigh(rbind(x, x[1:10,]), k=5))
}

```

---

knn2nb

*Neighbours list from knn object*


---

## Description

The function converts a knn object returned by `knearneigh` into a neighbours list of class `nb` with a list of integer vectors containing neighbour region number ids.

## Usage

```
knn2nb(knn, row.names = NULL, sym = FALSE)
```

**Arguments**

knn	A knn object returned by <code>knearneigh</code>
row.names	character vector of region ids to be added to the neighbours list as attribute <code>region.id</code> , default <code>seq(1, nrow(x))</code>
sym	force the output neighbours list to symmetry

**Value**

The function returns an object of class `nb` with a list of integer vectors containing neighbour region number ids. See [card](#) for details of “nb” objects.

**Author(s)**

Roger Bivand <Roger.Bivand@nhh.no>

**See Also**

[knearneigh](#), [card](#)

**Examples**

```
columbus <- st_read(system.file("shapes/columbus.shp", package="spData")[1], quiet=TRUE)
coords <- st_coordinates(st_centroid(columbus))
col.knn <- knearneigh(coords, k=4)
plot(st_geometry(columbus), border="grey")
plot(knn2nb(col.knn), coords, add=TRUE)
title(main="K nearest neighbours, k = 4")
# example of reading points with readr::read_csv() yielding a tibble
load(system.file("etc/misc/coords.rda", package="spdep"))
class(coords)
knn2nb(knearneigh(coords, k=4))
```

---

lag.listw

*Spatial lag of a numeric vector*

---

**Description**

Using a `listw` sparse representation of a spatial weights matrix, compute the lag vector  $Vx$

**Usage**

```
## S3 method for class 'listw'
lag(x, var, zero.policy=NULL, NAOK=FALSE, ...)
```

**Arguments**

x	a listw object created for example by nb2listw
var	a numeric vector the same length as the neighbours list in listw
zero.policy	default NULL, use global option value; if TRUE assign zero to the lagged value of zones without neighbours, if FALSE assign NA
NAOK	If 'FALSE', the presence of 'NA' values is regarded as an error; if 'TRUE' then any 'NA' or 'NaN' or 'Inf' values in var are represented as an NA lagged value.
...	additional arguments

**Value**

a numeric vector the same length as var

**Author(s)**

Roger Bivand <Roger.Bivand@nhh.no>

**See Also**

[nb2listw](#)

**Examples**

```
data(oldcol)
Vx <- lag.listw(nb2listw(COL.nb, style="W"), COL.OLD$CRIME)
plot(Vx, COL.OLD$CRIME)
plot(ecdf(COL.OLD$CRIME))
plot(ecdf(Vx), add=TRUE, col.points="red", col.hor="red")
is.na(COL.OLD$CRIME[5]) <- TRUE
VxNA <- lag.listw(nb2listw(COL.nb, style="W"), COL.OLD$CRIME, NAOK=TRUE)
```

---

 lee

---

*Compute Lee's statistic*


---

**Description**

A simple function to compute Lee's L statistic for bivariate spatial data;

$$L(x, y) = \frac{n}{\sum_{i=1}^n (\sum_{j=1}^n w_{ij})^2} \frac{\sum_{i=1}^n (\sum_{j=1}^n w_{ij} (x_i - \bar{x})) (\sum_{j=1}^n w_{ij} (y_j - \bar{y}))}{\sqrt{\sum_{i=1}^n (x_i - \bar{x})^2} \sqrt{\sum_{i=1}^n (y_i - \bar{y})^2}}$$

**Usage**

```
lee(x, y, listw, n, S2, zero.policy=NULL, NAOK=FALSE)
```

**Arguments**

x	a numeric vector the same length as the neighbours list in listw
y	a numeric vector the same length as the neighbours list in listw
listw	a listw object created for example by nb2listw
n	number of zones
S2	Sum of squared sum of weights by rows.
zero.policy	default NULL, use global option value; if TRUE assign zero to the lagged value of zones without neighbours, if FALSE assign NA
NAOK	if 'TRUE' then any 'NA' or 'NaN' or 'Inf' values in x are passed on to the foreign function. If 'FALSE', the presence of 'NA' or 'NaN' or 'Inf' values is regarded as an error.

**Value**

a list of	
L	Lee's L statistic
local L	Lee's local L statistic

**Author(s)**

Roger Bivand and Virgilio Gómez-Rubio <Virgilio.Gomez@uclm.es>

**References**

Lee (2001). Developing a bivariate spatial association measure: An integration of Pearson's r and Moran's I. *J Geograph Syst* 3: 369-385

**See Also**

[lee.mc](#)

**Examples**

```
data(boston, package="spData")
lw<-nb2listw(boston.soi)

x<-boston.c$CMEDV
y<-boston.c$CRIM
z<-boston.c$RAD

Lxy<-lee(x, y, lw, length(x), zero.policy=TRUE)
Lxz<-lee(x, z, lw, length(x), zero.policy=TRUE)
```

---

lee.mc	<i>Permutation test for Lee's L statistic</i>
--------	---

---

**Description**

A permutation test for Lee's L statistic calculated by using `nsim` random permutations of `x` and `y` for the given spatial weighting scheme, to establish the rank of the observed statistic in relation to the `nsim` simulated values.

**Usage**

```
lee.mc(x, y, listw, nsim, zero.policy=NULL, alternative="greater",
       na.action=na.fail, spChk=NULL, return_boot=FALSE)
```

**Arguments**

<code>x</code>	a numeric vector the same length as the neighbours list in <code>listw</code>
<code>y</code>	a numeric vector the same length as the neighbours list in <code>listw</code>
<code>listw</code>	a <code>listw</code> object created for example by <code>nb2listw</code>
<code>nsim</code>	number of permutations
<code>zero.policy</code>	default <code>NULL</code> , use global option value; if <code>TRUE</code> assign zero to the lagged value of zones without neighbours, if <code>FALSE</code> assign <code>NA</code>
<code>alternative</code>	a character string specifying the alternative hypothesis, must be one of "greater" (default), "two.sided", or "less".
<code>na.action</code>	a function (default <code>na.fail</code> ), can also be <code>na.omit</code> or <code>na.exclude</code> - in these cases the weights list will be subsetted to remove NAs in the data. It may be necessary to set <code>zero.policy</code> to <code>TRUE</code> because this subsetting may create no-neighbour observations. Note that only weights lists created without using the <code>glist</code> argument to <code>nb2listw</code> may be subsetted. <code>na.pass</code> is not permitted because it is meaningless in a permutation test.
<code>spChk</code>	should the data vector names be checked against the spatial objects for identity integrity, <code>TRUE</code> , or <code>FALSE</code> , default <code>NULL</code> to use <code>get.spChkOption()</code>
<code>return_boot</code>	return an object of class <code>boot</code> from the equivalent permutation bootstrap rather than an object of class <code>htest</code>

**Value**

A list with class `htest` and `mc.sim` containing the following components:

<code>statistic</code>	the value of the observed Lee's L.
<code>parameter</code>	the rank of the observed Lee's L.
<code>p.value</code>	the pseudo p-value of the test.
<code>alternative</code>	a character string describing the alternative hypothesis.
<code>method</code>	a character string giving the method used.
<code>data.name</code>	a character string giving the name(s) of the data, and the number of simulations.
<code>res</code>	<code>nsim</code> simulated values of statistic, final value is observed statistic

**Author(s)**

Roger Bivand, Virgilio Gómez-Rubio <Virgilio.Gomez@uclm.es>

**References**

Lee (2001). Developing a bivariate spatial association measure: An integration of Pearson's  $r$  and Moran's  $I$ . *J Geograph Syst* 3: 369-385

**See Also**

[lee](#)

**Examples**

```
data(boston, package="spData")
lw<-nb2listw(boston.soi)

x<-boston.c$CMEDV
y<-boston.c$CRIM

lee.mc(x, y, nsim=99, lw, zero.policy=TRUE, alternative="two.sided")

#Test with missing values
x[1:5]<-NA
y[3:7]<-NA

lee.mc(x, y, nsim=99, lw, zero.policy=TRUE, alternative="two.sided",
       na.action=na.omit)
```

---

lee.test

*Lee's L test for spatial autocorrelation*

---

**Description**

Lee's L test for spatial autocorrelation using a spatial weights matrix in weights list form. The assumptions underlying the test are sensitive to the form of the graph of neighbour relationships and other factors, and results may be checked against those of `lee.mc` permutations.

**Usage**

```
lee.test(x, y, listw, zero.policy=NULL,
         alternative="greater", na.action=na.fail, spChk=NULL)
```

**Arguments**

x	a numeric vector the same length as the neighbours list in listw
y	a numeric vector the same length as the neighbours list in listw
listw	a listw object created for example by nb2listw
zero.policy	default NULL, use global option value; if TRUE assign zero to the lagged value of zones without neighbours, if FALSE assign NA
alternative	a character string specifying the alternative hypothesis, must be one of greater (default), less or two.sided.
na.action	a function (default na.fail), can also be na.omit or na.exclude - in these cases the weights list will be subsetting to remove NAs in the data. It may be necessary to set zero.policy to TRUE because this subsetting may create no-neighbour observations. Note that only weights lists created without using the glist argument to nb2listw may be subsetting. If na.pass is used, zero is substituted for NA values in calculating the spatial lag
spChk	should the data vector names be checked against the spatial objects for identity integrity, TRUE, or FALSE, default NULL to use get.spChkOption()

**Value**

A list with class htest containing the following components:

statistic	the value of the standard deviate of Lee's L.
p.value	the p-value of the test.
estimate	the value of the observed Lee's L, its expectation and variance under the method assumption.
alternative	a character string describing the alternative hypothesis.
method	a character string giving the assumption used for calculating the standard deviate.
data.name	a character string giving the name(s) of the data.

**Note**

See Lee (2004) for details on how the asymptotic expectation and variance of Lee's L is computed. In particular, check Lee (2004), table 1, page 1690.

This test may fail for large datasets as the computation of the asymptotic expectation and variance requires the use of dense matrices.

**Author(s)**

Roger Bivand and Virgilio GÃ³mez-Rubio <Virgilio.Gomez@uclm.es>

**References**

Lee (2004). A generalized significance testing method for global measures of spatial association: an extension of the Mantel test. Environment and Planning A 2004, volume 36, pages 1687 - 1703

**See Also**

[lee](#), [lee.mc](#), [listw2U](#)

**Examples**

```
data(oldcol)
col.W <- nb2listw(COL.nb, style="W")
crime <- COL.OLD$CRIME

lee.test(crime, crime, col.W, zero.policy=TRUE)

#Test with missing values
x<-crime
y<-crime
x[1:5]<-NA
y[3:7]<-NA

lee.test(x, y, col.W, zero.policy=TRUE, na.action=na.omit)
# lee.test(x, y, col.W, zero.policy=TRUE)#Stops with an error

data(boston, package="spData")
lw<-nb2listw(boston.soi)

x<-boston.c$CMEDV
y<-boston.c$CRIM

lee.test(x, y, lw, zero.policy=TRUE, alternative="less")

#Test with missing values
x[1:5]<-NA
y[3:7]<-NA

lee.test(x, y, lw, zero.policy=TRUE, alternative="less", na.action=na.omit)
```



---

listw2sn	<i>Spatial neighbour sparse representation</i>
----------	--

---

### Description

The function makes a "spatial neighbour" object representation (similar to the S-PLUS spatial statistics module representation of a "listw" spatial weights object. `sn2listw()` is the inverse function to `listw2sn()`, creating a "listw" object from a "spatial neighbour" object.

### Usage

```
listw2sn(listw)
sn2listw(sn)
```

### Arguments

listw	a listw object from for example <code>nb2listw</code>
sn	a <code>spatial.neighbour</code> object

### Value

`listw2sn()` returns a data frame with three columns, and with class `spatial.neighbour`:

from	region number id for the start of the link (S-PLUS row.id)
to	region number id for the end of the link (S-PLUS col.id)
weights	weight for this link

### Author(s)

Roger Bivand <Roger.Bivand@nhh.no>

### See Also

[nb2listw](#)

### Examples

```
columbus <- st_read(system.file("shapes/columbus.shp", package="spData")[1], quiet=TRUE)
col.gal.nb <- read.gal(system.file("weights/columbus.gal", package="spData")[1])
col.listw <- nb2listw(col.gal.nb)
col.listw$neighbours[[1]]
col.listw$weights[[1]]
col.sn <- listw2sn(col.listw)
str(col.sn)
```

---

lm.LMtests	<i>Lagrange Multiplier diagnostics for spatial dependence in linear models</i>
------------	--

---

### Description

The function reports the estimates of tests chosen among five statistics for testing for spatial dependence in linear models. The statistics are the simple LM test for error dependence (LMerr), the simple LM test for a missing spatially lagged dependent variable (LMlag), variants of these robust to the presence of the other (RLMerr, RLMlag - RLMerr tests for error dependence in the possible presence of a missing lagged dependent variable, RLMlag the other way round), and a portmanteau test (SARMA, in fact LMerr + RLMlag). Note: from spdep 0.3-32, the value of the weights matrix trace term is returned correctly for both underlying symmetric and asymmetric neighbour lists, before 0.3-32, the value was wrong for listw objects based on asymmetric neighbour lists, such as k-nearest neighbours (thanks to Luc Anselin for finding the bug).

### Usage

```
lm.LMtests(model, listw, zero.policy=NULL, test="LMerr", spChk=NULL, naSubset=TRUE)
## S3 method for class 'LMtestlist'
print(x, ...)
## S3 method for class 'LMtestlist'
summary(object, p.adjust.method="none", ...)
## S3 method for class 'LMtestlist.summary'
print(x, digits=max(3, getOption("digits") - 2), ...)
```

### Arguments

model	an object of class <code>lm</code> returned by <code>lm</code> , or optionally a vector of externally calculated residuals (run through <code>na.omit</code> if any NAs present) for use when only "LMerr" is chosen; weights and offsets should not be used in the <code>lm</code> object
listw	a <code>listw</code> object created for example by <code>nb2listw</code> , expected to be row-standardised (W-style)
zero.policy	default <code>NULL</code> , use global option value; if <code>TRUE</code> assign zero to the lagged value of zones without neighbours, if <code>FALSE</code> assign <code>NA</code>
test	a character vector of tests requested chosen from <code>LMerr</code> , <code>LMlag</code> , <code>RLMerr</code> , <code>RLMlag</code> , <code>SARMA</code> ; <code>test="all"</code> computes all the tests.
spChk	should the data vector names be checked against the spatial objects for identity integrity, <code>TRUE</code> , or <code>FALSE</code> , default <code>NULL</code> to use <code>getOption("spChkOption")</code>
naSubset	default <code>TRUE</code> to subset <code>listw</code> object for omitted observations in <code>model</code> object (this is a change from earlier behaviour, when the <code>model\$na.action</code> component was ignored, and the <code>listw</code> object had to be subsetted by hand)
x, object	object to be printed

p.adjust.method	a character string specifying the probability value adjustment (see <a href="#">p.adjust</a> ) for multiple tests, default "none"
digits	minimum number of significant digits to be used for most numbers
...	printing arguments to be passed through

### Details

The two types of dependence are for spatial lag  $\rho$  and spatial error  $\lambda$ :

$$\mathbf{y} = \mathbf{X}\beta + \rho\mathbf{W}_{(1)}\mathbf{y} + \mathbf{u},$$

$$\mathbf{u} = \lambda\mathbf{W}_{(2)}\mathbf{u} + \mathbf{e}$$

where  $\mathbf{e}$  is a well-behaved, uncorrelated error term. Tests for a missing spatially lagged dependent variable test that  $\rho = 0$ , tests for spatial autocorrelation of the error  $\mathbf{u}$  test whether  $\lambda = 0$ .  $\mathbf{W}$  is a spatial weights matrix; for the tests used here they are identical.

### Value

A list of class LMtestlist of htest objects, each with:

statistic	the value of the Lagrange Multiplier test.
parameter	number of degrees of freedom
p.value	the p-value of the test.
method	a character string giving the method used.
data.name	a character string giving the name(s) of the data.

### Author(s)

Roger Bivand <Roger.Bivand@nhh.no> and Andrew Bernat

### References

Anselin, L. 1988 Spatial econometrics: methods and models. (Dordrecht: Kluwer); Anselin, L., Bera, A. K., Florax, R. and Yoon, M. J. 1996 Simple diagnostic tests for spatial dependence. *Regional Science and Urban Economics*, 26, 77–104.

### See Also

[lm](#)

**Examples**

```

data(oldcol)
oldcrime.lm <- lm(CRIME ~ HOVAL + INC, data = COL.OLD)
summary(oldcrime.lm)
res <- lm.LMtests(oldcrime.lm, nb2listw(COL.nb), test=c("LMerr", "LMlag",
  "RLMerr", "RLMlag", "SARMA"))
summary(res)
lm.LMtests(oldcrime.lm, nb2listw(COL.nb))
lm.LMtests(residuals(oldcrime.lm), nb2listw(COL.nb))

```

---

lm.morantest

*Moran's I test for residual spatial autocorrelation*


---

**Description**

Moran's I test for spatial autocorrelation in residuals from an estimated linear model (lm()).

**Usage**

```

lm.morantest(model, listw, zero.policy=NULL, alternative = "greater",
  spChk=NULL, resfun=weighted.residuals, naSubset=TRUE)

```

**Arguments**

model	an object of class lm returned by lm; weights may be specified in the lm fit, but offsets should not be used
listw	a listw object created for example by nb2listw
zero.policy	default NULL, use global option value; if TRUE assign zero to the lagged value of zones without neighbours, if FALSE assign NA
alternative	a character string specifying the alternative hypothesis, must be one of "greater" (default), "less" or "two.sided".
spChk	should the data vector names be checked against the spatial objects for identity integrity, TRUE, or FALSE, default NULL to use get.spChkOption()
resfun	default: weighted.residuals; the function to be used to extract residuals from the lm object, may be residuals, weighted.residuals, rstandard, or rstudent
naSubset	default TRUE to subset listw object for omitted observations in model object (this is a change from earlier behaviour, when the model\$na.action component was ignored, and the listw object had to be subsetted by hand)

**Value**

A list with class htest containing the following components:

statistic	the value of the standard deviate of Moran's I.
p.value	the p-value of the test.

estimate	the value of the observed Moran's I, its expectation and variance under the method assumption.
alternative	a character string describing the alternative hypothesis.
method	a character string giving the method used.
data.name	a character string giving the name(s) of the data.

**Author(s)**

Roger Bivand <Roger.Bivand@nhh.no>

**References**

Cliff, A. D., Ord, J. K. 1981 Spatial processes, Pion, p. 203,

**See Also**

[lm.LMtests](#), [lm](#)

**Examples**

```
data(oldcol)
oldcrime1.lm <- lm(CRIME ~ 1, data = COL.OLD)
oldcrime.lm <- lm(CRIME ~ HOVAL + INC, data = COL.OLD)
lm.morantest(oldcrime.lm, nb2listw(COL.nb, style="W"))
lm.LMtests(oldcrime.lm, nb2listw(COL.nb, style="W"))
lm.morantest(oldcrime.lm, nb2listw(COL.nb, style="S"))
lm.morantest(oldcrime1.lm, nb2listw(COL.nb, style="W"))
moran.test(COL.OLD$CRIME, nb2listw(COL.nb, style="W"),
  randomisation=FALSE)
oldcrime.wlm <- lm(CRIME ~ HOVAL + INC, data = COL.OLD,
  weights = I(1/AREA_PL))
lm.morantest(oldcrime.wlm, nb2listw(COL.nb, style="W"),
  resfun=weighted.residuals)
lm.morantest(oldcrime.wlm, nb2listw(COL.nb, style="W"),
  resfun=rstudent)
```

---

lm.morantest.exact      *Exact global Moran's I test*

---

**Description**

The function implements Tiefelsdorf's exact global Moran's I test.

**Usage**

```
lm.morantest.exact(model, listw, zero.policy = NULL, alternative = "greater",
  spChk = NULL, resfun = weighted.residuals, zero.tol = 1e-07, Omega=NULL,
  save.M=NULL, save.U=NULL, useTP=FALSE, truncErr=1e-6, zeroTreat=0.1)
## S3 method for class 'moranex'
print(x, ...)
```

**Arguments**

<code>model</code>	an object of class <code>lm</code> returned by <code>lm</code> ; weights may be specified in the <code>lm</code> fit, but offsets should not be used
<code>listw</code>	a <code>listw</code> object created for example by <code>nb2listw</code>
<code>zero.policy</code>	default <code>NULL</code> , use global option value; if <code>TRUE</code> assign zero to the lagged value of zones without neighbours, if <code>FALSE</code> assign <code>NA</code>
<code>alternative</code>	a character string specifying the alternative hypothesis, must be one of <code>greater</code> (default), <code>less</code> or <code>two.sided</code> .
<code>spChk</code>	should the data vector names be checked against the spatial objects for identity integrity, <code>TRUE</code> , or <code>FALSE</code> , default <code>NULL</code> to use <code>get.spChkOption()</code>
<code>resfun</code>	default: <code>weighted.residuals</code> ; the function to be used to extract residuals from the <code>lm</code> object, may be <code>residuals</code> , <code>weighted.residuals</code> , <code>rstandard</code> , or <code>rstudent</code>
<code>zero.tol</code>	tolerance used to find eigenvalues close to absolute zero
<code>Omega</code>	A SAR process matrix may be passed in to test an alternative hypothesis, for example <code>Omega &lt;- invIrW(listw, rho=0.1)</code> ; <code>Omega &lt;- tcrossprod(Omega), chol()</code> is taken internally
<code>save.M</code>	return the full <code>M</code> matrix for use in <code>spdep:::exactMoranAlt</code>
<code>save.U</code>	return the full <code>U</code> matrix for use in <code>spdep:::exactMoranAlt</code>
<code>useTP</code>	default <code>FALSE</code> , if <code>TRUE</code> , use truncation point in integration rather than <code>upper=Inf</code> , see Tiefelsdorf (2000), eq. 6.7, p.69
<code>truncErr</code>	when <code>useTP=TRUE</code> , pass truncation error to truncation point function
<code>zeroTreat</code>	when <code>useTP=TRUE</code> , pass zero adjustment to truncation point function
<code>x</code>	a <code>moranex</code> object
<code>...</code>	arguments to be passed through

**Value**

A list of class `moranex` with the following components:

<code>statistic</code>	the value of the saddlepoint approximation of the standard deviate of global Moran's I.
<code>p.value</code>	the p-value of the test.
<code>estimate</code>	the value of the observed global Moran's I.
<code>method</code>	a character string giving the method used.
<code>alternative</code>	a character string describing the alternative hypothesis.
<code>gamma</code>	eigenvalues (excluding zero values)
<code>oType</code>	usually set to "E"
<code>data.name</code>	a character string giving the name(s) of the data.
<code>df</code>	degrees of freedom

**Author(s)**

Markus Reeder and Roger Bivand

## References

Roger Bivand, Werner G. Müller and Markus Reeder (2009) "Power calculations for global and local Moran's I." *Computational Statistics & Data Analysis* 53, 2859-2872.

## See Also

[lm.morantest.sad](#)

## Examples

```
eire <- st_read(system.file("shapes/eire.shp", package="spData")[1])
row.names(eire) <- as.character(eire$names)
st_crs(eire) <- "+proj=utm +zone=30 +ellps=airy +units=km"
eire.nb <- poly2nb(eire)
e.lm <- lm(OWNCONS ~ ROADACC, data=eire)
lm.morantest(e.lm, nb2listw(eire.nb))
lm.morantest.sad(e.lm, nb2listw(eire.nb))
lm.morantest.exact(e.lm, nb2listw(eire.nb))
lm.morantest.exact(e.lm, nb2listw(eire.nb), useTP=TRUE)
```

---

lm.morantest.sad

*Saddlepoint approximation of global Moran's I test*

---

## Description

The function implements Tiefelsdorf's application of the Saddlepoint approximation to global Moran's I's reference distribution.

## Usage

```
lm.morantest.sad(model, listw, zero.policy=NULL, alternative="greater",
  spChk=NULL, resfun=weighted.residuals, tol=.Machine$double.eps^0.5,
  maxiter=1000, tol.bounds=0.0001, zero.tol = 1e-07, Omega=NULL,
  save.M=NULL, save.U=NULL)
## S3 method for class 'moransad'
print(x, ...)
## S3 method for class 'moransad'
summary(object, ...)
```

## Arguments

**model** an object of class `lm` returned by `lm`; weights may be specified in the `lm` fit, but offsets should not be used

**listw** a `listw` object created for example by `nb2listw`

zero.policy	default NULL, use global option value; if TRUE assign zero to the lagged value of zones without neighbours, if FALSE assign NA
alternative	a character string specifying the alternative hypothesis, must be one of greater (default), less or two.sided.
spChk	should the data vector names be checked against the spatial objects for identity integrity, TRUE, or FALSE, default NULL to use get.spChkOption()
resfun	default: weighted.residuals; the function to be used to extract residuals from the lm object, may be residuals, weighted.residuals, rstandard, or rstudent
tol	the desired accuracy (convergence tolerance) for uniroot
maxiter	the maximum number of iterations for uniroot
tol.bounds	offset from bounds for uniroot
zero.tol	tolerance used to find eigenvalues close to absolute zero
Omega	A SAR process matrix may be passed in to test an alternative hypothesis, for example <code>Omega &lt;- invIrW(listw, rho=0.1)</code> ; <code>Omega &lt;- tcrossprod(Omega), chol()</code> is taken internally
save.M	return the full M matrix for use in <code>spdep:::exactMoranAlt</code>
save.U	return the full U matrix for use in <code>spdep:::exactMoranAlt</code>
x	object to be printed
object	object to be summarised
...	arguments to be passed through

### Details

The function involves finding the eigenvalues of an  $n$  by  $n$  matrix, and numerically finding the root for the Saddlepoint approximation, and should therefore only be used with care when  $n$  is large.

### Value

A list of class `moransad` with the following components:

statistic	the value of the saddlepoint approximation of the standard deviate of global Moran's I.
p.value	the p-value of the test.
estimate	the value of the observed global Moran's I.
alternative	a character string describing the alternative hypothesis.
method	a character string giving the method used.
data.name	a character string giving the name(s) of the data.
internal1	Saddlepoint $\omega$ , $r$ and $u$
internal2	$f.root$ , $iter$ and $estim.prec$ from <code>uniroot</code>
df	degrees of freedom
tau	eigenvalues (excluding zero values)



**Author(s)**

Roger Bivand <Roger.Bivand@nhh.no>

**References**

Tiefelsdorf, M. 2002 The Saddlepoint approximation of Moran's I and local Moran's Ii reference distributions and their numerical evaluation. *Geographical Analysis*, 34, pp. 187–206; Bivand RS, Wong DWS 2018 Comparing implementations of global and local indicators of spatial association. *TEST*, 27(3), 716–748 doi:10.1007/s117490180599x

**See Also**

[lm.morantest](#)

**Examples**

```
eire <- st_read(system.file("shapes/eire.shp", package="spData")[1])
row.names(eire) <- as.character(eire$names)
st_crs(eire) <- "+proj=utm +zone=30 +ellps=airy +units=km"
eire.nb <- poly2nb(eire)
e.lm <- lm(OWNCONS ~ ROADACC, data=eire)
lm.morantest(e.lm, nb2listw(eire.nb))
lm.morantest.sad(e.lm, nb2listw(eire.nb))
summary(lm.morantest.sad(e.lm, nb2listw(eire.nb)))
e.wlm <- lm(OWNCONS ~ ROADACC, data=eire, weights=RETSALE)
lm.morantest(e.wlm, nb2listw(eire.nb), resfun=rstudent)
lm.morantest.sad(e.wlm, nb2listw(eire.nb), resfun=rstudent)
```

---

localC

*Compute Local Geary statistic*

---

**Description**

The Local Geary is a local adaptation of Geary's C statistic of spatial autocorrelation. The Local Geary uses squared differences to measure dissimilarity unlike the Local Moran. Low values of the Local Geary indicate positive spatial autocorrelation and large refers to negative spatial autocorrelation.

Inference for the Local Geary is based on a permutation approach which compares the observed value to the reference distribution under spatial randomness. `localC_perm()` returns a pseudo p-value. This is not an analytical p-value and is based on the number of permutations and as such should be used with care.

**Usage**

```
localC(x, ..., zero.policy=NULL)

## Default S3 method:
localC(x, listw, ..., zero.policy=NULL)
```

```

## S3 method for class 'formula'
localC(formula, data, listw, ..., zero.policy=NULL)

## S3 method for class 'list'
localC(x, listw, ..., zero.policy=NULL)

## S3 method for class 'matrix'
localC(x, listw, ..., zero.policy=NULL)

## S3 method for class 'data.frame'
localC(x, listw, ..., zero.policy=NULL)

localC_perm(x, ..., zero.policy=NULL, iseed=NULL, no_repeat_in_row=FALSE)

## Default S3 method:
localC_perm(x, listw, nsim = 499, alternative = "two.sided", ...,
  zero.policy=NULL, iseed=NULL, no_repeat_in_row=FALSE)

## S3 method for class 'formula'
localC_perm(formula, data, listw, nsim = 499,
  alternative = "two.sided", ..., zero.policy=NULL, iseed=NULL,
  no_repeat_in_row=FALSE)

```

### Arguments

<code>x</code>	a numeric vector, numeric matrix, or list. See details for more.
<code>formula</code>	A one-sided formula determining which variables to be used.
<code>listw</code>	a <code>listw</code> object created for example by <code>nb2listw</code> .
<code>data</code>	Used when a formula is provided. A matrix or data frame containing the variables in the formula <code>formula</code> .
<code>nsim</code>	The number of simulations to be used for permutation test.
<code>alternative</code>	A character defining the alternative hypothesis. Must be one of "two.sided", "less" or "greater".
<code>...</code>	other arguments passed to methods.
<code>zero.policy</code>	default NULL, use global option value; if TRUE assign zero to the lagged value of zones without neighbours, if FALSE assign NA.
<code>iseed</code>	default NULL, used to set the seed for possible parallel RNGs
<code>no_repeat_in_row</code>	default FALSE, if TRUE, sample conditionally in each row without replacements to avoid duplicate values, <a href="https://github.com/r-spatial/spdep/issues/124">https://github.com/r-spatial/spdep/issues/124</a>

### Details

The Local Geary can be extended to a multivariate context. When `x` is a numeric vector, the univariate Local Geary will be calculated. To calculate the multivariate Local Moran provide either a

list or a matrix. When  $x$  is a list, each element must be a numeric vector of the same length and of the same length as the neighbours in `listw`. In the case that  $x$  is a matrix the number of rows must be the same as the length of the neighbours in `listw`.

While not required in the univariate context, the standardized Local Geary is calculated. The multivariate Local Geary is *always* standardized.

The univariate Local Geary is calculated as  $c_i = \sum_j w_{ij}(x_i - x_j)^2$  and the multivariate Local Geary is calculated as  $c_{k,i} = \sum_{v=1}^k c_{v,i}$  as described in Anselin (2019).

### Value

A numeric vector containing Local Geary statistic with attribute `pseudo-p` when `localC_perm()` is used. `pseudo-p` is an 8 column matrix containing

E.Ci	expectation of the Local Geary statistic based on permutation sample
Var.Ci	variance of Local Geary based on permutation sample
Z.Ci	standard deviate of Local Geary based on permutation sample
Pr()	p-value of Local Geary statistic using <code>pnorm()</code> using standard deviates based on permutation sample means and standard deviations
Pr() Sim	<code>rank()</code> and <code>punif()</code> of observed statistic rank for [0, 1] p-values using <code>alternative=</code>
Pr(folded) Sim	the simulation folded [0, 0.5] range ranked p-value (based on <a href="https://github.com/pysal/esda/blob/4a63e0b5df1e754b17b5f1205b8cadcbec5e061/esda/crand.py#L211-L213">https://github.com/pysal/esda/blob/4a63e0b5df1e754b17b5f1205b8cadcbec5e061/esda/crand.py#L211-L213</a> )
Skewness	the output of <code>e1071::skewness()</code> for the permutation samples underlying the standard deviates
Kurtosis	the output of <code>e1071::kurtosis()</code> for the permutation samples underlying the standard deviates

### Author(s)

Josiah Parry <josiah.parry@gmail.com> and Roger Bivand

### References

- Anselin, L. (1995), Local Indicators of Spatial Association—LISA. *Geographical Analysis*, 27: 93-115. doi:10.1111/j.15384632.1995.tb00338.x
- Anselin, L. (2019), A Local Indicator of Multivariate Spatial Association: Extending Geary's  $c$ . *Geogr Anal*, 51: 133-150. doi:10.1111/gean.12164

### Examples

```
orig <- spData::africa.rook.nb
listw <- nb2listw(orig)
x <- spData::afcon$totcon

(A <- localC(x, listw))
listw1 <- nb2listw(droplinks(sym.attr.nb(orig), 3, sym=TRUE), zero.policy=TRUE)
(A1 <- localC(x, listw1, zero.policy=FALSE))
```

```

(A2 <- localC(x, listw1, zero.policy=TRUE))
run <- FALSE
if (require(rgeoda, quietly=TRUE)) run <- TRUE
if (run) {
  W <- create_weights(as.numeric(length(x)))
  for (i in 1:length(listw$neighbours)) {
    set_neighbors_with_weights(W, i, listw$neighbours[[i]], listw$weights[[i]])
    update_weights(W)
  }
  set.seed(1)
  B <- local_geary(W, data.frame(x))
  all.equal(A, lisa_values(B))
}
if (run) {
  set.seed(1)
  C <- localC_perm(x, listw, nsim = 499, conditional=TRUE,
    alternative="two.sided")
  cor(ifelse(lisa_pvalues(B) < 0.5, lisa_pvalues(B), 1-lisa_pvalues(B)),
    attr(C, "pseudo-p")[,6])
}
# pseudo-p values probably wrongly folded https://github.com/GeoDaCenter/rgeoda/issues/28
## Not run:
tmap_ok <- FALSE
if (require(tmap, quietly=TRUE)) tmap_ok <- TRUE
if (run) {
  # doi: 10.1111/gean.12164
  guerry_path <- system.file("extdata", "Guerry.shp", package = "rgeoda")
  g <- st_read(guerry_path)[, 7:12]
  cor(st_drop_geometry(g)) # (Tab. 1)
  lw <- nb2listw(poly2nb(g))
  moran(g$Crm_prs, lw, n=nrow(g), S0=Szero(lw))$I
  moran(g$Crm_prp, lw, n=nrow(g), S0=Szero(lw))$I
  moran(g$Litercy, lw, n=nrow(g), S0=Szero(lw))$I
  moran(g$Donatns, lw, n=nrow(g), S0=Szero(lw))$I
  moran(g$Infants, lw, n=nrow(g), S0=Szero(lw))$I
  moran(g$Suicids, lw, n=nrow(g), S0=Szero(lw))$I
}
if (run) {
  o <- prcomp(st_drop_geometry(g), scale.=TRUE)
  cor(st_drop_geometry(g), o$x[,1:2])^2 # (Tab. 2)
}
if (run) {
  g$PC1 <- o$x[, "PC1"]
  brks <- c(min(g$PC1), natural_breaks(k=6, g["PC1"]), max(g$PC1))
  if (tmap_ok) tm_shape(g) + tm_fill("PC1", breaks=brks, midpoint=0) +
    tm_borders() # Fig. 1
  else pplot(g["PC1"], breaks=brks)
}
if (run) {
  g$PC2 <- -1*o$x[, "PC2"] # eigenvalue sign arbitrary
  brks <- c(min(g$PC2), natural_breaks(k=6, g["PC2"]), max(g$PC2))
  if (tmap_ok) tm_shape(g) + tm_fill("PC2", breaks=brks, midpoint=0) +
    tm_borders() # Fig. 2
}

```

```

    else plot(g["PC2"], breaks=brks)
  }
  if (run) {
    w <- queen_weights(g)
    lm_PC1 <- local_moran(w, g["PC1"], significance_cutoff=0.01,
      permutations=99999)
    g$lm_PC1 <- factor(lisa_clusters(lm_PC1), levels=0:4,
      labels=lisa_labels(lm_PC1)[1:5])
    is.na(g$lm_PC1) <- g$lm_PC1 == "Not significant"
    g$lm_PC1 <- droplevels(g$lm_PC1)
    if (tmap_ok) tm_shape(g) + tm_fill("lm_PC1", textNA="Insignificant",
      colorNA="gray95") + tm_borders() # Fig. 3
    else plot(g["lm_PC1"])
  }
  if (run) {
    set.seed(1)
    lm_PC1_spdep <- localmoran_perm(g$PC1, lw, nsim=9999)
    q <- attr(lm_PC1_spdep, "quadr")$pysal
    g$lm_PC1_spdep <- q
    is.na(g$lm_PC1_spdep) <- lm_PC1_spdep[,6] > 0.02 # note folded p-values
    g$lm_PC1_spdep <- droplevels(g$lm_PC1_spdep)
    if (tmap_ok) tm_shape(g) + tm_fill("lm_PC1_spdep", textNA="Insignificant",
      colorNA="gray95") + tm_borders() # rep. Fig. 3
    else plot(g["lm_PC1_spdep"])
  }
  if (run) {
    lg_PC1 <- local_g(w, g["PC1"], significance_cutoff=0.01,
      permutations=99999)
    g$lg_PC1 <- factor(lisa_clusters(lg_PC1), levels=0:2,
      labels=lisa_labels(lg_PC1)[0:3])
    is.na(g$lg_PC1) <- g$lg_PC1 == "Not significant"
    g$lg_PC1 <- droplevels(g$lg_PC1)
    if (tmap_ok) tm_shape(g) + tm_fill("lg_PC1", textNA="Insignificant",
      colorNA="gray95") + tm_borders() # Fig. 4 (wrong)
    else plot(g["lg_PC1"])
    g$lg_PC1a <- cut(g$PC1, c(-Inf, mean(g$PC1), Inf), labels=c("Low", "High"))
    is.na(g$lg_PC1a) <- lisa_pvalues(lg_PC1) >= 0.01
    g$lg_PC1a <- droplevels(g$lg_PC1a)
    if (tmap_ok) tm_shape(g) + tm_fill("lg_PC1", textNA="Insignificant",
      colorNA="gray95") + tm_borders() # Fig. 4 (guess)
    else plot(g["lg_PC1"])
  }
  if (run) {
    lc_PC1 <- local_geary(w, g["PC1"], significance_cutoff=0.01,
      permutations=99999)
    g$lc_PC1 <- factor(lisa_clusters(lc_PC1), levels=0:4,
      labels=lisa_labels(lc_PC1)[1:5])
    is.na(g$lc_PC1) <- g$lc_PC1 == "Not significant"
    g$lc_PC1 <- droplevels(g$lc_PC1)
    if (tmap_ok) tm_shape(g) + tm_fill("lc_PC1", textNA="Insignificant",
      colorNA="gray95") + tm_borders() # Fig. 5
    else plot(g["lc_PC1"])
  }
}

```

```

if (run) {
  set.seed(1)
  system.time(lc_PC1_spdep <- localC_perm(g$PC1, lw, nsim=9999,
    alternative="two.sided"))
}
if (run) {
  if (require(parallel, quietly=TRUE)) {
    ncpus <- detectCores(logical=FALSE)-1L
# test with single core
    if (ncpus > 1L) ncpus <- 1L
    cores <- get.coresOption()
    set.coresOption(ncpus)
    system.time(lmc_PC1_spdep1 <- localC_perm(g$PC1, lw, nsim=9999,
      alternative="two.sided", iseed=1))
    set.coresOption(cores)
  }
}
if (run) {
  g$lc_PC1_spdep <- attr(lc_PC1_spdep, "cluster")
  is.na(g$lc_PC1_spdep) <- attr(lc_PC1_spdep, "pseudo-p")[,6] > 0.01
  g$lc_PC1_spdep <- droplevels(g$lc_PC1_spdep)
  if (tmap_ok) tm_shape(g) + tm_fill("lc_PC1_spdep", textNA="Insignificant",
    colorNA="gray95") + tm_borders() # rep. Fig. 5
  else plot(g["lc_PC1_spdep"])
}
if (run) {
  g$both_PC1 <- interaction(g$lc_PC1, g$lm_PC1)
  g$both_PC1 <- droplevels(g$both_PC1)
  if (tmap_ok) tm_shape(g) + tm_fill("both_PC1", textNA="Insignificant",
    colorNA="gray95") + tm_borders() # Fig. 6
  else plot(g["both_PC1"])
}
if (run) {
  lc005_PC1 <- local_geary(w, g["PC1"], significance_cutoff=0.005,
    permutations=99999)
  g$lc005_PC1 <- factor(lisa_clusters(lc005_PC1), levels=0:4,
    labels=lisa_labels(lc005_PC1)[1:5])
  is.na(g$lc005_PC1) <- g$lc005_PC1 == "Not significant"
  g$lc005_PC1 <- droplevels(g$lc005_PC1)
  if (tmap_ok) tm_shape(g) + tm_fill("lc005_PC1", textNA="Insignificant",
    colorNA="gray95") + tm_borders() # Fig. 7
  else plot(g["lc005_PC1"])
}
if (run) {
  g$lc005_PC1_spdep <- attr(lc_PC1_spdep, "cluster")
  is.na(g$lc005_PC1_spdep) <- attr(lc_PC1_spdep, "pseudo-p")[,6] > 0.005
  g$lc005_PC1_spdep <- droplevels(g$lc005_PC1_spdep)
  if (tmap_ok) tm_shape(g) + tm_fill("lc005_PC1_spdep", textNA="Insignificant",
    colorNA="gray95") + tm_borders() # rep. Fig. 7
  else plot(g["lc005_PC1_spdep"])
}
if (run) {
  lc001_PC1 <- local_geary(w, g["PC1"], significance_cutoff=0.001,

```

```

    permutations=99999)
  g$lc001_PC1 <- factor(lisa_clusters(lc001_PC1), levels=0:4,
    labels=lisa_labels(lc001_PC1)[1:5])
  is.na(g$lc001_PC1) <- g$lc001_PC1 == "Not significant"
  g$lc001_PC1 <- droplevels(g$lc001_PC1)
  if (tmap_ok) tm_shape(g) + tm_fill("lc001_PC1", textNA="Insignificant",
    colorNA="gray95") + tm_borders() # Fig. 8
  else plot(g["lc001_PC1"])
if (run) {
  g$lc001_PC1_spdep <- attr(lc_PC1_spdep, "cluster")
  is.na(g$lc001_PC1_spdep) <- attr(lc_PC1_spdep, "pseudo-p")[,6] > 0.001
  g$lc001_PC1_spdep <- droplevels(g$lc001_PC1_spdep)
  if (tmap_ok) tm_shape(g) + tm_fill("lc001_PC1_spdep", textNA="Insignificant",
    colorNA="gray95") + tm_borders() # rep. Fig. 8
  else plot(g["lc001_PC1_spdep"])
}
}
if (run) {
  lc_PC2 <- local_geary(w, g["PC2"], significance_cutoff=0.01,
    permutations=99999)
  g$lc_PC2 <- factor(lisa_clusters(lc_PC2), levels=0:4,
    labels=lisa_labels(lc_PC2)[1:5])
  is.na(g$lc_PC2) <- g$lc_PC2 == "Not significant"
  g$lc_PC2 <- droplevels(g$lc_PC2)
  if (tmap_ok) tm_shape(g) + tm_fill("lc_PC2", textNA="Insignificant",
    colorNA="gray95") + tm_borders() # Fig. 9
  else plot(g["lc_PC2"])
}
if (run) {
  lmc_PC <- local_multigeary(w, g[c("PC1", "PC2")], significance_cutoff=0.00247,
    permutations=99999)
  g$lmc_PC <- factor(lisa_clusters(lmc_PC), levels=0:1,
    labels=lisa_labels(lmc_PC)[1:2])
  is.na(g$lmc_PC) <- g$lmc_PC == "Not significant"
  g$lmc_PC <- droplevels(g$lmc_PC)
  table(interaction((p.adjust(lisa_pvalues(lmc_PC), "fdr") < 0.01), g$lmc_PC))
}
if (run) {
  if (tmap_ok) tm_shape(g) + tm_fill("lmc_PC", textNA="Insignificant",
    colorNA="gray95") + tm_borders() # Fig. 10
  else plot(g["lmc_PC"])
}
if (run) {
  set.seed(1)
  lmc_PC_spdep <- localC_perm(g[c("PC1", "PC2")], lw, nsim=9999, alternative="two.sided")
  all.equal(lisa_values(lmc_PC), c(lmc_PC_spdep))
}
if (run) {
  cor(attr(lmc_PC_spdep, "pseudo-p")[,6], lisa_pvalues(lmc_PC))
}
if (run) {
  g$lmc_PC_spdep <- attr(lmc_PC_spdep, "cluster")
  is.na(g$lmc_PC_spdep) <- p.adjust(attr(lmc_PC_spdep, "pseudo-p")[,6], "fdr") > 0.01

```

```

g$lmc_PC_spdep <- droplevels(g$lmc_PC_spdep)
if (tmap_ok) tm_shape(g) + tm_fill("lmc_PC_spdep", textNA="Insignificant",
  colorNA="gray95") + tm_borders() # rep. Fig. 10
else plot(g["lmc_PC_spdep"])
}
if (run) {
  lmc_vars <- local_multigeary(w, st_drop_geometry(g)[, 1:6],
    significance_cutoff=0.00247, permutations=99999)
  g$lmc_vars <- factor(lisa_clusters(lmc_vars), levels=0:1,
    labels=lisa_labels(lmc_vars)[1:2])
  is.na(g$lmc_vars) <- g$lmc_vars == "Not significant"
  g$lmc_vars <- droplevels(g$lmc_vars)
  table(interaction((p.adjust(lisa_pvalues(lmc_vars), "fdr") < 0.01),
    g$lmc_vars))
}
if (run) {
  if (tmap_ok) tm_shape(g) + tm_fill("lmc_vars", textNA="Insignificant",
    colorNA="gray95") + tm_borders() # Fig. 11
  else plot(g["lmc_vars"])
}
if (run) {
  set.seed(1)
  system.time(lmc_vars_spdep <- localC_perm(st_drop_geometry(g)[, 1:6], lw,
    nsim=9999, alternative="two.sided"))
}
if (run) {
  all.equal(lisa_values(lmc_vars), c(lmc_vars_spdep))
}
if (run) {
  cor(attr(lmc_vars_spdep, "pseudo-p")[,6], lisa_pvalues(lmc_vars))
}
if (run) {
  if (require(parallel, quietly=TRUE)) {
    ncpus <- detectCores(logical=FALSE)-1L
# test with single core
    if (ncpus > 1L) ncpus <- 1L
    cores <- get.coresOption()
    set.coresOption(ncpus)
    system.time(lmc_vars_spdep1 <- localC_perm(st_drop_geometry(g)[, 1:6], lw,
      nsim=9999, alternative="two.sided", iseed=1))
    set.coresOption(cores)
  }
}
if (run) {
  all.equal(lisa_values(lmc_vars), c(lmc_vars_spdep1))
}
if (run) {
  cor(attr(lmc_vars_spdep1, "pseudo-p")[,6], lisa_pvalues(lmc_vars))
}
if (run) {
  g$lmc_vars_spdep <- attr(lmc_vars_spdep1, "cluster")
  is.na(g$lmc_vars_spdep) <- p.adjust(attr(lmc_vars_spdep1, "pseudo-p")[,6], "fdr") > 0.01
  g$lmc_vars_spdep <- droplevels(g$lmc_vars_spdep)
}

```



```

    if (tmap_ok) tm_shape(g) + tm_fill("lmc_vars_spdep", textNA="Insignificant",
      colorNA="gray95") + tm_borders() # rep. Fig. 11
    else plot(g["lmc_vars_spdep"])
  }

## End(Not run)
## Not run:
library(reticulate)
use_python("/usr/bin/python", required = TRUE)
gp <- import("geopandas")
ps <- import("libpysal")
W <- listw2mat(listw)
w <- ps$weights$full2W(W, rownames(W))
w$transform <- "R"
esda <- import("esda")
lM <- esda$Moran_Local(x, w)
all.equal(unname(localmoran(x, listw, mlvar=FALSE)[,1]), c(lM$Is))
# confirm x and w the same
lC <- esda$Geary_Local(connectivity=w)$fit(scale(x))
# np$std missing ddof=1
n <- length(x)
D0 <- spdep::geary.intern((x - mean(x)) / sqrt(var(x)*(n-1)/n), listw, n=n)
# lC components probably wrongly ordered https://github.com/pysal/esda/issues/192
o <- match(round(D0, 6), round(lC$localG, 6))
all.equal(c(lC$localG)[o], D0)
# simulation order not retained
lC$p_sim[o]
attr(C, "pseudo-p")[,6]

## End(Not run)

```

---

localG

*G and Gstar local spatial statistics*


---

## Description

The local spatial statistic  $G$  is calculated for each zone based on the spatial weights object used. The value returned is a  $Z$ -value, and may be used as a diagnostic tool. High positive values indicate the possibility of a local cluster of high values of the variable being analysed, very low relative values a similar cluster of low values. For inference, a Bonferroni-type test is suggested in the references, where tables of critical values may be found (see also details below).

## Usage

```

localG(x, listw, zero.policy=NULL, spChk=NULL, GeoDa=FALSE, alternative = "two.sided",
  return_internals=TRUE)
localG_perm(x, listw, nsim=499, zero.policy=NULL, spChk=NULL,
  alternative = "two.sided", iseed=NULL, fix_i_in_Gstar_permutations=TRUE,
  no_repeat_in_row=FALSE)

```

**Arguments**

<code>x</code>	a numeric vector the same length as the neighbours list in <code>listw</code>
<code>listw</code>	a <code>listw</code> object created for example by <code>nb2listw</code>
<code>zero.policy</code>	default NULL, use global option value; if TRUE assign zero to the lagged value of zones without neighbours, if FALSE assign NA
<code>spChk</code>	should the data vector names be checked against the spatial objects for identity integrity, TRUE, or FALSE, default NULL to use <code>get.spChkOption()</code>
<code>GeoDa</code>	default FALSE, if TRUE, drop <code>x</code> values for no-neighbour and self-neighbour only observations from all summations
<code>nsim</code>	default 499, number of conditional permutation simulations
<code>alternative</code>	a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less".
<code>return_internals</code>	default TRUE, unused
<code>iseed</code>	default NULL, used to set the seed for possible parallel RNGs
<code>fix_i_in_Gstar_permutations</code>	default TRUE (fix <code>x</code> at self in permutations for local G-star), set FALSE to use pre-1.2-8 behaviour
<code>no_repeat_in_row</code>	default FALSE, if TRUE, sample conditionally in each row without replacements to avoid duplicate values, <a href="https://github.com/r-spatial/spdep/issues/124">https://github.com/r-spatial/spdep/issues/124</a>

**Details**

If the neighbours member of `listw` has a "self.included" attribute set to TRUE, the Gstar variant, including the self-weight  $w_{ii} > 0$ , is calculated and returned. The returned vector will have a "gstari" attribute set to TRUE. Self-weights must be included by using the `include.self` function before converting the neighbour list to a spatial weights list with `nb2listw` as shown below in the example.

The critical values of the statistic under assumptions given in the references for the 95th percentile are for  $n=1$ : 1.645,  $n=50$ : 3.083,  $n=100$ : 3.289,  $n=1000$ : 3.886.

**Value**

A vector of G or Gstar standard deviate values, with attributes "gstari" set to TRUE or FALSE, "call" set to the function call, and class "localG". For conditional permutation, the returned value is the same as for `localG()`, and the simulated standard deviate is returned as column "StdDev.Gi" in `attr(, "internals")`.

**Note**

Conditional permutations added for comparative purposes; permutations are over the whole data vector omitting the observation itself, and from 1.2-8 fixing the observation itself as its own neighbour for local G-star.

**Author(s)**

Roger Bivand <Roger.Bivand@nhh.no>

**References**

Ord, J. K. and Getis, A. 1995 Local spatial autocorrelation statistics: distributional issues and an application. *Geographical Analysis*, 27, 286–306; Getis, A. and Ord, J. K. 1996 Local spatial statistics: an overview. In P. Longley and M. Batty (eds) *Spatial analysis: modelling in a GIS environment* (Cambridge: Geoinformation International), 261–277; Bivand RS, Wong DWS 2018 Comparing implementations of global and local indicators of spatial association. *TEST*, 27(3), 716–748 doi:[10.1007/s117490180599x](https://doi.org/10.1007/s117490180599x)

**Examples**

```
data(getisord, package="spData")
# spData 0.3.2 changes x, y, xyz object names to go_x, go_y, go_xyz to
# avoid putting these objects into the global environment via lazy loading
if (exists("go_xyz") && packageVersion("spData") >= "0.3.2") {
  xyz <- go_xyz
  x <- go_x
  y <- go_y
}
xycoords <- cbind(xyz$x, xyz$y)
nb30 <- dnearneigh(xycoords, 0, 30)
G30 <- localG(xyz$val, nb2listw(nb30, style="B"))
G30[length(xyz$val)-136]
set.seed(1)
G30_sim <- localG_perm(xyz$val, nb2listw(nb30, style="B"))
G30_sim[length(xyz$val)-136]
nb60 <- dnearneigh(xycoords, 0, 60)
G60 <- localG(xyz$val, nb2listw(nb60, style="B"))
G60[length(xyz$val)-136]
nb90 <- dnearneigh(xycoords, 0, 90)
G90 <- localG(xyz$val, nb2listw(nb90, style="B"))
G90[length(xyz$val)-136]
nb120 <- dnearneigh(xycoords, 0, 120)
G120 <- localG(xyz$val, nb2listw(nb120, style="B"))
G120[length(xyz$val)-136]
nb150 <- dnearneigh(xycoords, 0, 150)
G150 <- localG(xyz$val, nb2listw(nb150, style="B"))
G150[length(xyz$val)-136]
brks <- seq(-5,5,1)
cm.col <- cm.colors(length(brks)-1)
image(x, y, t(matrix(G30, nrow=16, ncol=16, byrow=TRUE)),
      breaks=brks, col=cm.col, asp=1)
text(xyz$x, xyz$y, round(G30, digits=1), cex=0.7)
polygon(c(195,225,225,195), c(195,195,225,225), lwd=2)
title(main=expression(paste("Values of the ", G[i], " statistic")))
G30s <- localG(xyz$val, nb2listw(include.self(nb30),
  style="B"))
cat("value according to Getis and Ord's eq. 14.2, p. 263 (1996)\n")
```

```

G30s[length(xyz$val)-136]
cat(paste("value given by Getis and Ord (1996), p. 267",
  "(division by n-1 rather than n \n in variance)\n"))
G30s[length(xyz$val)-136] *
  (sqrt(sum(scale(xyz$val, scale=FALSE)^2)/length(xyz$val)) /
  sqrt(var(xyz$val)))
image(x, y, t(matrix(G30s, nrow=16, ncol=16, byrow=TRUE)),
  breaks=brks, col=cm.col, asp=1)
text(xyz$x, xyz$y, round(G30s, digits=1), cex=0.7)
polygon(c(195,225,225,195), c(195,195,225,225), lwd=2)
title(main=expression(paste("Values of the ", G[i]^"*", " statistic")))

```

localGS

*A local hotspot statistic for analysing multiscale datasets***Description**

The function implements the  $GS_i$  test statistic for local hotspots on specific pairwise evaluated distance bands, as proposed by Westerholt et al. (2015). Like the hotspot estimator  $G_i^*$ , the  $GS_i$  statistic is given as z-scores that can be evaluated accordingly. The idea of the method is to identify hotspots in datasets that comprise several, difficult-to-separate processes operating at different scales. This is often the case in complex user-generated datasets such as those from Twitter feeds. For example, a football match could be reflected in tweets from pubs, homes, and the stadium vicinity. These exemplified phenomena represent different processes that may be detected at different geometric scales. The  $GS_i$  method enables this identification by specifying a geometric scale band and strictly calculating all statistical quantities such as mean and variance solely from respective relevant observations that interact on the range of the adjusted scale band. In addition, in each neighbourhood not only the relationships to the respective central unit, but all scale-relevant relationships are considered. In this way, hotspots can be detected on specific scale ranges independently of other scales. The statistic is given as:

$$GS_i = \frac{\sum_{j;k < j} w_{ij} w_{ik} \phi_{jk} a_{jk} - \frac{W_i}{\Phi} \sum_{j;k < j} \phi_{jk} a_{jk}}{\sqrt{\frac{W_i}{\Phi} \sum_{j;k < j} \phi_{jk} a_{jk}^2 + \frac{W_i (W_i - 1)}{\Phi (\Phi - 1)} \left( \Gamma^2 - \sum_{j;k < j} (\phi_{jk} a_{jk})^2 \right) - \left( \frac{W_i}{\Phi} \sum_{j;k < j} \phi_{jk} a_{jk} \right)^2}}$$

with

$$a_{jk} = x_j + x_k, \quad W_i = \sum_{j;k < j} w_{ij} w_{ik} \phi_{jk}, \quad \Phi = \sum_{j;k < j} \phi_{jk}, \quad \text{and} \quad \Gamma = \sum_{j;k < j} \phi_{jk} a_{jk}.$$

**Usage**

```
localGS(x, listw, dmin, dmax, attr, longlat = NULL)
```

**Arguments**

<code>x</code>	a <code>sf</code> or <code>sp</code> object
<code>listw</code>	a <code>listw</code> object
<code>dmin</code>	a lower distance bound (greater than or equal)
<code>dmax</code>	an upper distance bound (less than or equal)
<code>attr</code>	the name of the attribute of interest
<code>longlat</code>	default <code>NULL</code> ; <code>TRUE</code> if point coordinates are longitude-latitude decimal degrees, in which case distances are measured in kilometres; if <code>x</code> is a <code>SpatialPoints</code> object, the value is taken from the object itself, and overrides this argument if not <code>NULL</code> ; distances are measured in map units if <code>FALSE</code> or <code>NULL</code>

**Details**

Only pairs of observations with a shared distance (in map units) on the interval  $[dmin, dmax]$  that are within a maximum radius of `dmax` around a corresponding output observation are considered. Thereby, also the mean values and variance terms estimated within the measure are adjusted to the scale range under consideration. For application examples of the method see Westerholt et al. (2015) (applied to tweets) and Sonea & Westerholt (2021) (applied in an access to banking scenario).

**Value**

A vector of  $GS_i$  values that are given as z-scores.

**Author(s)**

René Westerholt <rene.westerholt@tu-dortmund.de>

**References**

Westerholt, R., Resch, B. & Zipf, A. 2015. A local scale-sensitive indicator of spatial autocorrelation for assessing high-and low-value clusters in multiscale datasets. *International Journal of Geographical Information Science*, 29(5), 868–887, doi:10.1080/13658816.2014.1002499.

Sonea, A. and Westerholt, R. (2021): Geographic and temporal access to basic banking services in Wales. *Applied Spatial Analysis and Policy*, 14 (4), 879–905, doi:10.1007/s12061021093863.

**See Also**

[localG](#)

**Examples**

```
boston.tr <- sf::st_read(system.file("shapes/boston_tracts.shp", package="spData"))[1]
boston.tr_utm <- st_transform(boston.tr, 32619) #26786

boston_listw1 <- nb2listwdist(dnearneigh(st_centroid(boston.tr_utm), 1, 2000),
  boston.tr_utm, type = "dpd", alpha = 2, zero.policy = TRUE, dmax = 9500)
```

```
boston_listw2 <- nb2listwdist(dnearneigh(st_centroid(boston.tr_utm), 5000, 9500),
  boston.tr_utm, type = "dpd", alpha = 2, zero.policy = TRUE, dmax = 9500)

boston_RM_gsi_1 <- localGS(boston.tr_utm, boston_listw1, 1, 2000, "RM", FALSE)
boston_RM_gsi_2 <- localGS(boston.tr_utm, boston_listw2, 2000, 9500, "RM", FALSE)
```

---

 localmoran

*Local Moran's I statistic*


---

### Description

The local spatial statistic Moran's I is calculated for each zone based on the spatial weights object used. The values returned include a Z-value, and may be used as a diagnostic tool. The statistic is:

$$I_i = \frac{(x_i - \bar{x})}{\sum_{k=1}^n (x_k - \bar{x})^2 / (n-1)} \sum_{j=1}^n w_{ij} (x_j - \bar{x})$$

, and its expectation and variance were given in Anselin (1995), but those from Sokal et al. (1998) are implemented here.

### Usage

```
localmoran(x, listw, zero.policy=NULL, na.action=na.fail, conditional=TRUE,
  alternative = "two.sided", mlvar=TRUE,
  spChk=NULL, adjust.x=FALSE)
localmoran_perm(x, listw, nsim=499, zero.policy=NULL, na.action=na.fail,
  alternative = "two.sided", mlvar=TRUE,
  spChk=NULL, adjust.x=FALSE, sample_Ei=TRUE, iseed=NULL,
  no_repeat_in_row=FALSE)
```

### Arguments

x	a numeric vector the same length as the neighbours list in listw
listw	a listw object created for example by nb2listw
zero.policy	default NULL, use global option value; if TRUE assign zero to the lagged value of zones without neighbours, if FALSE assign NA
na.action	a function (default na.fail), can also be na.omit or na.exclude - in these cases the weights list will be subsetted to remove NAs in the data. It may be necessary to set zero.policy to TRUE because this subsetting may create no-neighbour observations. Note that only weights lists created without using the glist argument to nb2listw may be subsetted. If na.pass is used, zero is substituted for NA values in calculating the spatial lag. (Note that na.exclude will only work properly starting from R 1.9.0, na.omit and na.exclude assign the wrong classes in 1.8.*)

conditional	default TRUE: expectation and variance are calculated using the conditional randomization null (Sokal 1998 Eqs. A7 & A8). Elaboration of these changes available in Sauer et al. (2021). If FALSE: expectation and variance are calculated using the total randomization null (Sokal 1998 Eqs. A3 & A4).
alternative	a character string specifying the alternative hypothesis, must be one of greater, less or two.sided (default).
mlvar	default TRUE: values of local Moran's I are reported using the variance of the variable of interest (sum of squared deviances over n), but can be reported as the sample variance, dividing by (n-1) instead; both are used in other implementations.
spChk	should the data vector names be checked against the spatial objects for identity integrity, TRUE, or FALSE, default NULL to use <code>get.spChkOption()</code>
adjust.x	default FALSE, if TRUE, x values of observations with no neighbours are omitted in the mean of x
nsim	default 499, number of conditional permutation simulations
sample_Ei	default TRUE; if conditional permutation, use the sample <code>\$E_i</code> values, or the analytical values, leaving only variances calculated by simulation.
iseed	default NULL, used to set the seed for possible parallel RNGs
no_repeat_in_row	default FALSE, if TRUE, sample conditionally in each row without replacements to avoid duplicate values, <a href="https://github.com/r-spatial/spdep/issues/124">https://github.com/r-spatial/spdep/issues/124</a>

## Details

The values of local Moran's I are divided by the variance (or sample variance) of the variable of interest to accord with Table 1, p. 103, and formula (12), p. 99, in Anselin (1995), rather than his formula (7), p. 98. The variance of the local Moran statistic is taken from Sokal et al. (1998) p. 334, equations 4 & 5 or equations 7 & 8 located depending on user specification. By default, the implementation divides by n, not (n-1) in calculating the variance and higher moments. Conditional code contributed by Jeff Sauer and Levi Wolf.

## Value

Ii	local moran statistic
E.Ii	expectation of local moran statistic; for <code>localmoran_perm</code> the permutation sample means
Var.Ii	variance of local moran statistic; for <code>localmoran_perm</code> the permutation sample standard deviations
Z.Ii	standard deviate of local moran statistic; for <code>localmoran_perm</code> based on permutation sample means and standard deviations
Pr()	p-value of local moran statistic using <code>pnorm()</code> ; for <code>localmoran_perm</code> using standard deviatse based on permutation sample means and standard deviations
Pr() Sim	For <code>localmoran_perm</code> , <code>rank()</code> and <code>punif()</code> of observed statistic rank for [0, 1] p-values using <code>alternative=</code>

Pr(folded) Sim	the simulation folded [0, 0.5] range ranked p-value (based on <a href="https://github.com/pysal/esda/blob/4a63e0b5df1e754b17b5f1205b8cadbecc5e061/esda/crand.py#L211-L213">https://github.com/pysal/esda/blob/4a63e0b5df1e754b17b5f1205b8cadbecc5e061/esda/crand.py#L211-L213</a> )
Skewness	For localmoran_perm, the output of <code>e1071::skewness()</code> for the permutation samples underlying the standard deviates
Kurtosis	For localmoran_perm, the output of <code>e1071::kurtosis()</code> for the permutation samples underlying the standard deviates

In addition, an attribute data frame "quadr" with mean and median quadrant columns, and a column splitting on the demeaned variable and lagged demeaned variable at zero.

### Note

Conditional permutations added for comparative purposes; permutations are over the whole data vector omitting the observation itself. For p-value adjustment, use `p.adjust()` or `p.adjustSP()` on the output vector.

### Author(s)

Roger Bivand <Roger.Bivand@nhh.no>

### References

- Anselin, L. 1995. Local indicators of spatial association, *Geographical Analysis*, 27, 93–115; Getis, A. and Ord, J. K. 1996 Local spatial statistics: an overview. In P. Longley and M. Batty (eds) *Spatial analysis: modelling in a GIS environment* (Cambridge: Geoinformation International), 261–277; Sokal, R. R, Oden, N. L. and Thomson, B. A. 1998. Local Spatial Autocorrelation in a Biological Model. *Geographical Analysis*, 30. 331–354; Bivand RS, Wong DWS 2018 Comparing implementations of global and local indicators of spatial association. *TEST*, 27(3), 716–748 [doi:10.1007/s117490180599x](https://doi.org/10.1007/s117490180599x); Sauer, J., Oshan, T. M., Rey, S., & Wolf, L. J. 2021. The Importance of Null Hypotheses: Understanding Differences in Local Moran's under Heteroskedasticity. *Geographical Analysis*. [doi:10.1111/gean.12304](https://doi.org/10.1111/gean.12304)
- Bivand, R. (2022), R Packages for Analyzing Spatial Data: A Comparative Case Study with Areal Data. *Geographical Analysis*, 54(3), 488-518. [doi:10.1111/gean.12319](https://doi.org/10.1111/gean.12319)

### See Also

[localG](#)

### Examples

```
data(afcon, package="spData")
oid <- order(afcon$id)
resI <- localmoran(afcon$totcon, nb2listw(paper.nb))
printCoefmat(data.frame(resI[oid,], row.names=afcon$name[oid]),
  check.names=FALSE)
hist(resI[,5])
mean(resI[,1])
sum(resI[,1])/Szero(nb2listw(paper.nb))
moran.test(afcon$totcon, nb2listw(paper.nb))
```



```

# note equality for mean() only when the sum of weights equals
# the number of observations (thanks to Juergen Symanzik)
resI <- localmoran(afcon$totcon, nb2listw(paper.nb))
printCoefmat(data.frame(resI[oid,], row.names=afcon$name[oid]),
  check.names=FALSE)
hist(p.adjust(resI[,5], method="bonferroni"))
totcon <-afcon$totcon
is.na(totcon) <- sample(1:length(totcon), 5)
totcon
resI.na <- localmoran(totcon, nb2listw(paper.nb), na.action=na.exclude,
  zero.policy=TRUE)
if (class(attr(resI.na, "na.action")) == "exclude") {
  print(data.frame(resI.na[oid,], row.names=afcon$name[oid]), digits=2)
} else print(resI.na, digits=2)
resG <- localG(afcon$totcon, nb2listw(include.self(paper.nb)))
print(data.frame(resG[oid,], row.names=afcon$name[oid]), digits=2)
set.seed(1)
resI_p <- localmoran_perm(afcon$totcon, nb2listw(paper.nb))
printCoefmat(data.frame(resI_p[oid,], row.names=afcon$name[oid]),
  check.names=FALSE)

```

---

localmoran.exact

*Exact local Moran's Ii tests*


---

## Description

localmoran.exact provides exact local Moran's Ii tests under the null hypothesis, while localmoran.exact.alt provides exact local Moran's Ii tests under the alternative hypothesis. In this case, the model may be a fitted model derived from a model fitted by `spatialreg::errorsarlm`, with the covariance matrix can be passed through the `Omega=` argument.

## Usage

```

localmoran.exact(model, select, nb, glist = NULL, style = "W",
  zero.policy = NULL, alternative = "two.sided", spChk = NULL,
  resfun = weighted.residuals, save.Vi = FALSE, useTP=FALSE, truncErr=1e-6,
  zeroTreat=0.1)
localmoran.exact.alt(model, select, nb, glist = NULL, style = "W",
  zero.policy = NULL, alternative = "two.sided", spChk = NULL,
  resfun = weighted.residuals, Omega = NULL, save.Vi = FALSE,
  save.M = FALSE, useTP=FALSE, truncErr=1e-6, zeroTreat=0.1)
## S3 method for class 'localmoranex'
print(x, ...)
## S3 method for class 'localmoranex'
as.data.frame(x, row.names=NULL, optional=FALSE, ...)

```

**Arguments**

model	an object of class <code>lm</code> returned by <code>lm</code> (assuming no global spatial autocorrelation), or an object of class <code>sarlm</code> returned by a spatial simultaneous autoregressive model fit (assuming global spatial autocorrelation represented by the model spatial coefficient); weights may be specified in the <code>lm</code> fit, but offsets should not be used
select	an integer vector of the id. numbers of zones to be tested; if missing, all zones
nb	a list of neighbours of class <code>nb</code>
glist	a list of general weights corresponding to neighbours
style	can take values W, B, C, and S
zero.policy	default NULL, use global option value; if TRUE assign zero to the lagged value of zones without neighbours, if FALSE assign NA
alternative	a character string specifying the alternative hypothesis, must be one of greater (default), less or two.sided.
spChk	should the data vector names be checked against the spatial objects for identity integrity, TRUE, or FALSE, default NULL to use <code>get.spChkOption()</code>
resfun	default: <code>weighted.residuals</code> ; the function to be used to extract residuals from the <code>lm</code> object, may be <code>residuals</code> , <code>weighted.residuals</code> , <code>rstandard</code> , or <code>rstudent</code>
Omega	A SAR process matrix may be passed in to test an alternative hypothesis, for example <code>Omega &lt;- invIrW(listw, rho=0.1)</code> ; <code>Omega &lt;- tcrossprod(Omega), chol()</code> is taken internally
save.Vi	if TRUE, return the star-shaped weights lists for each zone tested
save.M	if TRUE, save a list of left and right M products
useTP	default FALSE, if TRUE, use truncation point in integration rather than <code>upper=Inf</code> , see Tiefelsdorf (2000), eq. 6.7, p.69
truncErr	when <code>useTP=TRUE</code> , pass truncation error to truncation point function
zeroTreat	when <code>useTP=TRUE</code> , pass zero adjustment to truncation point function
x	object to be printed
row.names	ignored argument to <code>as.data.frame.localmoranex</code> ; row names assigned from <code>localmoranex</code> object
optional	ignored argument to <code>as.data.frame.localmoranex</code> ; row names assigned from <code>localmoranex</code> object
...	arguments to be passed through

**Value**

A list with class `localmoranex` containing "select" lists, each with class `moranex` with the following components:

statistic	the value of the exact standard deviate of global Moran's I.
p.value	the p-value of the test.
estimate	the value of the observed local Moran's I <sub>i</sub> .

method	a character string giving the method used.
alternative	a character string describing the alternative hypothesis.
gamma	eigenvalues (two extreme values for null, vector for alternative)
oType	usually set to "E", but set to "N" if the integration leads to an out of domain value for qnorm, when the Normal assumption is substituted. This only occurs when the output p-value would be very close to zero
data.name	a character string giving the name(s) of the data.
df	degrees of freedom
i	zone tested
Vi	zone tested

When the alternative is being tested, a list of left and right M products in attribute M.

### Author(s)

Markus Reeder and Roger Bivand

### References

Bivand RS, Müller W, Reeder M (2009) Power calculations for global and local Moran's I. *Comput Stat Data Anal* 53:2859–2872; Bivand RS, Wong DWS 2018 Comparing implementations of global and local indicators of spatial association. *TEST*, 27(3), 716–748 [doi:10.1007/s117490180599x](https://doi.org/10.1007/s117490180599x)

### See Also

[lm.morantest.exact](#), [localmoran.sad](#)

### Examples

```
eire <- st_read(system.file("shapes/eire.shp", package="spData"))[1]
row.names(eire) <- as.character(eire$names)
st_crs(eire) <- "+proj=utm +zone=30 +ellps=airy +units=km"
eire.nb <- poly2nb(eire)
e.lm <- lm(OWNCONS ~ ROADACC, data=eire)
localmoran.sad(e.lm, nb=eire.nb)
localmoran.exact(e.lm, nb=eire.nb)
localmoran.exact(e.lm, nb=eire.nb, useTP=TRUE)
run <- FALSE
if (requireNamespace("spatialreg", quietly=TRUE)) run <- TRUE
if (run) {
  e.errorsar <- spatialreg::errorsarlm(OWNCONS ~ ROADACC, data=eire,
    listw=nb2listw(eire.nb))
  lm.target <- lm(e.errorsar$tary ~ e.errorsar$tarX - 1)
  localmoran.exact.alt(lm.target, nb=eire.nb)
}
if (run) {
  Omega <- spatialreg::invIrW(nb2listw(eire.nb), rho=e.errorsar$lambda)
  Omega1 <- tcrossprod(Omega)
  localmoran.exact.alt(lm.target, nb=eire.nb, Omega=Omega1)
```

```

}
if (run) {
localmoran.exact.alt(lm.target, nb=eire.nb, Omega=Omega1, useTP=TRUE)
}

```

---

localmoran.sad

*Saddlepoint approximation of local Moran's Ii tests*


---

## Description

The function implements Tiefelsdorf's application of the Saddlepoint approximation to local Moran's Ii's reference distribution. If the model object is of class "lm", global independence is assumed; if of class "sarlm", global dependence is assumed to be represented by the spatial parameter of that model. Tests are reported separately for each zone selected, and may be summarised using `summary.localmoransad`. Values of local Moran's Ii agree with those from `localmoran()`, but in that function, the standard deviate - here the Saddlepoint approximation - is based on the randomisation assumption.

## Usage

```

localmoran.sad(model, select, nb, glist=NULL, style="W",
zero.policy=NULL, alternative="two.sided", spChk=NULL,
resfun=weighted.residuals, save.Vi=FALSE,
tol = .Machine$double.eps^0.5, maxiter = 1000, tol.bounds=0.0001,
save.M=FALSE, Omega = NULL)

```

```

## S3 method for class 'localmoransad'
print(x, ...)
## S3 method for class 'localmoransad'
summary(object, ...)
## S3 method for class 'summary.localmoransad'
print(x, ...)
listw2star(listw, ireg, style, n, D, a, zero.policy=NULL)

```

## Arguments

model	an object of class <code>lm</code> returned by <code>lm</code> (assuming no global spatial autocorrelation), or an object of class <code>sarlm</code> returned by a spatial simultaneous autoregressive model fit (assuming global spatial autocorrelation represented by the model spatial coefficient); weights may be specified in the <code>lm</code> fit, but offsets should not be used
select	an integer vector of the id. numbers of zones to be tested; if missing, all zones
nb	a list of neighbours of class <code>nb</code>
glist	a list of general weights corresponding to neighbours
style	can take values W, B, C, and S

zero.policy	default NULL, use global option value; if TRUE assign zero to the lagged value of zones without neighbours, if FALSE assign NA
alternative	a character string specifying the alternative hypothesis, must be one of greater (default), less or two.sided.
spChk	should the data vector names be checked against the spatial objects for identity integrity, TRUE, or FALSE, default NULL to use get.spChkOption()
resfun	default: weighted.residuals; the function to be used to extract residuals from the lm object, may be residuals, weighted.residuals, rstandard, or rstudent
save.Vi	if TRUE, return the star-shaped weights lists for each zone tested
tol	the desired accuracy (convergence tolerance) for uniroot
maxiter	the maximum number of iterations for uniroot
tol.bounds	offset from bounds for uniroot
save.M	if TRUE, save a list of left and right M products in a list for the conditional tests, or a list of the regression model matrix components
Omega	A SAR process matrix may be passed in to test an alternative hypothesis, for example <code>Omega &lt;- invIrW(listw, rho=0.1)</code> ; <code>Omega &lt;- tcrossprod(Omega), chol()</code> is taken internally
x	object to be printed
object	object to be summarised
...	arguments to be passed through
listw	a listw object created for example by nb2listw
ireg	a zone number
n	internal value depending on listw and style
D	internal value depending on listw and style
a	internal value depending on listw and style

## Details

The function implements the analytical eigenvalue calculation together with trace shortcuts given or suggested in Tiefelsdorf (2002), partly following remarks by J. Keith Ord, and uses the Saddlepoint analytical solution from Tiefelsdorf's SPSS code.

If a histogram of the probability values of the saddlepoint estimate for the assumption of global independence is not approximately flat, the assumption is probably unjustified, and re-estimation with global dependence is recommended.

No  $n$  by  $n$  matrices are needed at any point for the test assuming no global dependence, the star-shaped weights matrices being handled as listw lists. When the test is made on residuals from a spatial regression, taking a global process into account.  $n$  by  $n$  matrices are necessary, and memory constraints may be reached for large lattices.

**Value**

A list with class `localmoransad` containing "select" lists, each with class `moransad` with the following components:

<code>statistic</code>	the value of the saddlepoint approximation of the standard deviate of local Moran's Ii.
<code>p.value</code>	the p-value of the test.
<code>estimate</code>	the value of the observed local Moran's Ii.
<code>alternative</code>	a character string describing the alternative hypothesis.
<code>method</code>	a character string giving the method used.
<code>data.name</code>	a character string giving the name(s) of the data.
<code>internal1</code>	Saddlepoint omega, r and u
<code>df</code>	degrees of freedom
<code>tau</code>	maximum and minimum analytical eigenvalues
<code>i</code>	zone tested

**Author(s)**

Roger Bivand <Roger.Bivand@nhh.no>

**References**

Tiefelsdorf, M. 2002 The Saddlepoint approximation of Moran's I and local Moran's Ii reference distributions and their numerical evaluation. *Geographical Analysis*, 34, pp. 187–206.

**See Also**

[localmoransad](#), [lm.morantest](#), [lm.morantest.sad](#), [errorsarlm](#)

**Examples**

```
eire <- st_read(system.file("shapes/eire.shp", package="spData"))[1]
row.names(eire) <- as.character(eire$names)
st_crs(eire) <- "+proj=utm +zone=30 +ellps=airy +units=km"
eire.nb <- poly2nb(eire)
lw <- nb2listw(eire.nb)
e.lm <- lm(OWNCONS ~ ROADACC, data=eire)
e.locmor <- summary(localmoransad(e.lm, nb=eire.nb))
e.locmor
mean(e.locmor[,1])
sum(e.locmor[,1])/Szero(lw)
lm.morantest(e.lm, lw)
# note equality for mean() only when the sum of weights equals
# the number of observations (thanks to Juergen Symanzik)
hist(e.locmor[, "Pr. (Sad)"])
e.wlm <- lm(OWNCONS ~ ROADACC, data=eire, weights=RETSALE)
e.locmorw1 <- summary(localmoransad(e.wlm, nb=eire.nb, resfun=weighted.residuals))
e.locmorw1
```

```
e.locmorw2 <- summary(localmoran.sad(e.wlm, nb=eire.nb, resfun=rstudent))
e.locmorw2
run <- FALSE
if (requireNamespace("spatialreg", quietly=TRUE)) run <- TRUE
if (run) {
e.errorsar <- spatialreg::errorsarlm(OWNCONS ~ ROADACC, data=eire,
  listw=lw)
if (packageVersion("spatialreg") < "1.1.7")
  spatialreg::print.sarlm(e.errorsar)
else
  print(e.errorsar)
}
if (run) {
lm.target <- lm(e.errorsar$stary ~ e.errorsar$starX - 1)
Omega <- tcrossprod(spatialreg::invIrW(lw, rho=e.errorsar$lambda))
e.clocmor <- summary(localmoran.sad(lm.target, nb=eire.nb, Omega=Omega))
e.clocmor
}
if (run) {
hist(e.clocmor[, "Pr. (Sad)"])
}
}
```

---

localmoran\_bv

*Compute the Local Bivariate Moran's I Statistic*


---

### Description

Given two continuous numeric variables, calculate the bivariate Local Moran's I.

### Usage

```
localmoran_bv(x, y, listw, nsim = 199, scale = TRUE, alternative="two.sided",
  iseed=1L, no_repeat_in_row=FALSE)
```

### Arguments

x	a numeric vector of same length as y.
y	a numeric vector of same length as x.
listw	a listw object for example as created by nb2listw().
nsim	the number of simulations to run.
scale	default TRUE.
alternative	a character string specifying the alternative hypothesis, must be one of "greater" (default), "two.sided", or "less".
iseed	default NULL, used to set the seed for possible parallel RNGs.
no_repeat_in_row	default FALSE, if TRUE, sample conditionally in each row without replacements to avoid duplicate values, <a href="https://github.com/r-spatial/spdep/issues/124">https://github.com/r-spatial/spdep/issues/124</a>

**Details**

The Bivariate Local Moran, like its global counterpart, evaluates the value of  $x$  at observation  $i$  with its spatial neighbors' value of  $y$ . The value of  $I_i^B$  is  $x_i * W_{yi}$ . Or, in simpler words, the local bivariate Moran is the result of multiplying  $x$  by the spatial lag of  $y$ . Formally it is defined as

$$I_i^B = cx_i \sum_j w_{ij} y_j$$

**Value**

a data.frame containing two columns `Ib` and `p_sim` containing the local bivariate Moran's  $I$  and simulated p-values respectively.

**Author(s)**

Josiah Parry <josiah.parry@gmail.com>

**References**

Anselin, Luc, Ibnu Syabri, and Oleg Smirnov. 2002. "Visualizing Multivariate Spatial Correlation with Dynamically Linked Windows." In *New Tools for Spatial Data Analysis: Proceedings of the Specialist Meeting*, edited by Luc Anselin and Sergio Rey. University of California, Santa Barbara: Center for Spatially Integrated Social Science (CSISS).

**Examples**

```
# load columbus data
columbus <- st_read(system.file("shapes/columbus.shp", package="spData"))
nb <- poly2nb(columbus)
listw <- nb2listw(nb)
set.seed(1)
(res <- localmoran_bv(columbus$CRIME, columbus$INC, listw, nsim = 499))
```

---

local\_joincount\_bv      *Calculate the local bivariate join count*

---

**Description**

The bivariate join count (BJC) evaluates event occurrences in predefined regions and tests if the co-occurrence of events deviates from complete spatial randomness.

**Usage**

```
local_joincount_bv(
  x,
  z,
  listw,
  nsim = 199,
  alternative = "two.sided"
)
```



**Arguments**

x	a binary variable either numeric or logical
z	a binary variable either numeric or logical with the same length as x
listw	a listw object containing binary weights created, for example, with <code>nb2listw(nb, style = "B")</code>
nsim	the number of conditional permutation simulations
alternative	default "greater". One of "less" or "greater".

**Details**

There are two cases that are evaluated in the bivariate join count. The first being in-situ colocation (CLC) where  $x_i = 1$  and  $z_i = 1$ . The second is the general form of the bivariate join count (BJC) that is used when there is no in-situ colocation.

The BJC case "is useful when x and z cannot occur in the same location, such as when x and z correspond to two different values of a single categorical variable" or "when x and z can co-locate, but do not" (Anselin and Li, 2019). Whereas the CLC case is useful in evaluating simultaneous occurrences of events.

The local bivariate join count statistic requires a binary weights list which can be generated with `nb2listw(nb, style = "B")`.

P-values are only reported for those regions that match the CLC or BJC criteria. Others will not have an associated p-value.

P-values are estimated using a conditional permutation approach. This creates a reference distribution from which the observed statistic is compared.

**Value**

a data.frame with two columns `join_count` and `p_sim` and number of rows equal to the length of arguments x.

**Author(s)**

Josiah Parry <josiah.parry@gmail.com>

**References**

Anselin, L., & Li, X. (2019). Operational Local Join Count Statistics for Cluster Detection. *Journal of geographical systems*, 21(2), 189–210. doi:10.1007/s1010901900299x

**Examples**

```
data("oldcol")
listw <- nb2listw(COL.nb, style = "B")
# Colocation case
x <- COL.OLD[["CP"]]
z <- COL.OLD[["EW"]]
set.seed(1)
res <- local_joincount_bv(x, z, listw)
```

```

na.omit(res)
# no colocation case
z <- 1 - x
set.seed(1)
res <- local_joincount_bv(x, z, listw)
na.omit(res)

```

---

local\_joincount\_uni    *Calculate the local univariate join count*

---

### Description

The univariate local join count statistic is used to identify clusters of rarely occurring binary variables. The binary variable of interest should occur less than half of the time.

### Usage

```

local_joincount_uni(
  fx,
  chosen,
  listw,
  alternative = "two.sided",
  nsim = 199,
  iseed = NULL,
  no_repeat_in_row=FALSE
)

```

### Arguments

fx	a binary variable either numeric or logical
chosen	a scalar character containing the level of fx that should be considered the observed value (1).
listw	a listw object containing binary weights created, for example, with <code>nbwlistw(nb, style = "B")</code>
alternative	default "greater". One of "less" or "greater".
nsim	the number of conditional permutation simulations
iseed	default NULL, used to set the seed for possible parallel RNGs
no_repeat_in_row	default FALSE, if TRUE, sample conditionally in each row without replacements to avoid duplicate values, <a href="https://github.com/r-spatial/spdep/issues/124">https://github.com/r-spatial/spdep/issues/124</a>

**Details**

The local join count statistic requires a binary weights list which can be generated with `nb2listw(nb, style = "B")`. Additionally, ensure that the binary variable of interest is rarely occurring in no more than half of observations.

P-values are estimated using a conditional permutation approach. This creates a reference distribution from which the observed statistic is compared. For more see [Geoda Glossary](#).

**Value**

a data.frame with two columns `BB` and `Pr()` and number of rows equal to the length of `x`.

**Author(s)**

Josiah Parry <josiah.parry@gmail.com>

**References**

Anselin, L., & Li, X. (2019). Operational Local Join Count Statistics for Cluster Detection. *Journal of geographical systems*, 21(2), 189–210. doi:10.1007/s1010901900299x

**Examples**

```
data(oldcol)
fx <- as.factor(ifelse(COL.OLD$CRIME < 35, "low-crime", "high-crime"))
listw <- nb2listw(COL.nb, style = "B")
set.seed(1)
(res <- local_joincount_uni(fx, chosen = "high-crime", listw))
```

**Description**

Local spatial heteroscedasticity is calculated for each location based on the spatial weights object used. The statistic is:

$$H_i = \frac{\sum_j^n w_{ij} \cdot |e_j|^a}{h_1 \cdot \sum_j^n w_{ij}}$$

with

$$e_j = x_j - \bar{x}_j$$

and

$$\bar{x}_j = \frac{\sum_k^n w_{jk} \cdot x_k}{\sum_k^n w_{jk}}$$

Its expectation and variance are given in Ord & Getis (2012). The exponent *a* allows for investigating different types of mean dispersal.

**Usage**

```
LOSH(x, listw, a=2, var_hi=TRUE, zero.policy=NULL, na.action=na.fail, spChk=NULL)
```

**Arguments**

<code>x</code>	a numeric vector of the same length as the neighbours list in <code>listw</code>
<code>listw</code>	a <code>listw</code> object created for example by <code>nb2listw</code>
<code>a</code>	the exponent applied to the local residuals; the default value of 2 leads to a measure of heterogeneity in the spatial variance
<code>var_hi</code>	default TRUE, the moments and the test statistics are calculated for each location; if FALSE, only the plain LOSH measures, $\bar{x}_i$ and $e_i$ are calculated
<code>zero.policy</code>	default NULL, use global option value; if TRUE assign zero to the lagged value of zones without neighbours, if FALSE assign NA
<code>na.action</code>	a function (default <code>na.fail</code> ), can also be <code>na.omit</code> or <code>na.exclude</code> - in these cases the weights list will be subsetted to remove NAs in the data. It may be necessary to set <code>zero.policy</code> to TRUE because this subsetting may create no-neighbour observations. Note that only weights lists created without using the <code>glist</code> argument to <code>nb2listw</code> may be subsetted. If <code>na.pass</code> is used, zero is substituted for NA values in calculating the spatial lag. (Note that <code>na.exclude</code> will only work properly starting from R 1.9.0, <code>na.omit</code> and <code>na.exclude</code> assign the wrong classes in 1.8.*)
<code>spChk</code>	should the data vector names be checked against the spatial objects for identity integrity, TRUE, or FALSE, default NULL to use <code>get.spChkOption()</code>

**Details**

In addition to the LOSH measure, the values returned include local spatially weighted mean values  $\bar{x}_i$  and local residuals  $e_i$  estimated about these means. These values facilitate the interpretation of LOSH values. Further, if specified through `var_hi`, the statistical moments and the test statistics as proposed by Ord & Getis (2012) are also calculated and returned.

**Value**

<code>Hi</code>	LOSH statistic
<code>E.Hi</code>	(optional) expectation of LOSH
<code>Var.Hi</code>	(optional) variance of LOSH
<code>Z.Hi</code>	(optional) the approximately Chi-square distributed test statistics
<code>x_bar_i</code>	local spatially weighted mean values
<code>ei</code>	residuals about local spatially weighted mean values

**Author(s)**

René Westerholt <rene.westerholt@tu-dortmund.de>

## References

Ord, J. K., & Getis, A. 2012. Local spatial heteroscedasticity (LOSH), *The Annals of Regional Science*, 48 (2), 529–539.

## See Also

[LOSH.cs](#), [LOSH.mc](#)

## Examples

```
data(boston, package="spData")
resLOSH <- LOSH(boston.c$NOX, nb2listw(boston.soi))
hist(resLOSH[, "Hi"])
mean(resLOSH[, "Hi"])
```

---

LOSH.cs

*Chi-square based test for local spatial heteroscedasticity*

---

## Description

The function implements the chi-square based test statistic for local spatial heteroscedasticity (LOSH) as proposed by Ord & Getis (2012).

## Usage

```
LOSH.cs(x, listw, zero.policy = NULL, na.action = na.fail,
        p.adjust.method = "none", spChk = NULL)
```

## Arguments

<code>x</code>	a numeric vector of the same length as the neighbours list in <code>listw</code>
<code>listw</code>	a <code>listw</code> object created for example by <code>nb2listw</code>
<code>zero.policy</code>	default <code>NULL</code> , use global option value; if <code>TRUE</code> assign zero to the lagged value of zones without neighbours, if <code>FALSE</code> assign <code>NA</code>
<code>na.action</code>	a function (default <code>na.fail</code> ), can also be <code>na.omit</code> or <code>na.exclude</code> - in these cases the weights list will be subsetted to remove <code>NA</code> s in the data. It may be necessary to set <code>zero.policy</code> to <code>TRUE</code> because this subsetting may create no-neighbour observations. Note that only weights lists created without using the <code>glist</code> argument to <code>nb2listw</code> may be subsetted. If <code>na.pass</code> is used, zero is substituted for <code>NA</code> values in calculating the spatial lag. (Note that <code>na.exclude</code> will only work properly starting from R 1.9.0, <code>na.omit</code> and <code>na.exclude</code> assign the wrong classes in 1.8.*)
<code>p.adjust.method</code>	a character string specifying the probability value adjustment for multiple tests, default <code>"none"</code> ; see <a href="#">p.adjustSP</a> . Note that the number of multiple tests for each region is only taken as the number of neighbours + 1 for each region, rather than the total number of regions.

spChk should the data vector names be checked against the spatial objects for identity integrity, TRUE, or FALSE, default NULL to use get.spChkOption()

### Details

The test uses  $a = 2$  (see [LOSH](#)) because chi-square based inference is not applicable with other exponents. The function makes use of [LOSH](#) in its calculations.

### Value

Hi	LOSH statistic
E.Hi	expectation of LOSH
Var.Hi	variance of LOSH
Z.Hi	the approximately chi-square distributed test statistics
x_bar_i	local spatially weighted mean values
e_i	residuals about local spatially weighted mean values
Pr()	p-values for Hi obtained from a non-central Chi-square distribution with $2/Var.Hi$ degrees of freedom

### Author(s)

René Westerholt <rene.westerholt@tu-dortmund.de>

### References

Ord, J. K., & Getis, A. 2012. Local spatial heteroscedasticity (LOSH), The Annals of Regional Science, 48 (2), 529–539.

### See Also

[LOSH](#), [LOSH.mc](#)

### Examples

```
data(boston, package="spData")
resLOSH <- LOSH.cs(boston.c$NOX, nb2listw(boston.soi))
hist(resLOSH[, "Hi"])
mean(resLOSH[, "Hi"])
```

LOSH.mc

*Bootstrapping-based test for local spatial heteroscedasticity***Description**

The function draws inferences about local spatial heteroscedasticity (LOSH) by means of the randomisation-based Monte-Carlo bootstrap proposed by Xu et al. (2014).

**Usage**

```
LOSH.mc(x, listw, a = 2, nsim = 99, zero.policy = NULL, na.action = na.fail,
        spChk = NULL, adjust.n = TRUE, p.adjust.method = "none")
```

**Arguments**

<code>x</code>	a numeric vector of the same length as the neighbours list in <code>listw</code>
<code>listw</code>	a <code>listw</code> object created for example by <code>nb2listw</code>
<code>a</code>	the exponent applied to the local residuals; the default value of 2 leads to a measure of heterogeneity in the spatial variance
<code>nsim</code>	the number of randomisations used in the bootstrap
<code>zero.policy</code>	default <code>NULL</code> , use global option value; if <code>TRUE</code> assign zero to the lagged value of zones without neighbours, if <code>FALSE</code> assign <code>NA</code>
<code>na.action</code>	a function (default <code>na.fail</code> ), can also be <code>na.omit</code> or <code>na.exclude</code> - in these cases the weights list will be subsetted to remove NAs in the data. It may be necessary to set <code>zero.policy</code> to <code>TRUE</code> because this subsetting may create no-neighbour observations. Note that only weights lists created without using the <code>glist</code> argument to <code>nb2listw</code> may be subsetted. If <code>na.pass</code> is used, zero is substituted for <code>NA</code> values in calculating the spatial lag. (Note that <code>na.exclude</code> will only work properly starting from R 1.9.0, <code>na.omit</code> and <code>na.exclude</code> assign the wrong classes in 1.8.*)
<code>spChk</code>	should the data vector names be checked against the spatial objects for identity integrity, <code>TRUE</code> , or <code>FALSE</code> , default <code>NULL</code> to use <code>get.spChkOption()</code>
<code>adjust.n</code>	default <code>TRUE</code> , if <code>FALSE</code> the number of observations is not adjusted for no-neighbour observations, if <code>TRUE</code> , the number of observations is adjusted
<code>p.adjust.method</code>	a character string specifying the probability value adjustment for multiple tests, default <code>"none"</code> ; see <code>p.adjustSP</code> . Note that the number of multiple tests for each region is only taken as the number of neighbours + 1 for each region, rather than the total number of regions.

**Details**

The test calculates LOSH (see [LOSH](#)) and estimates pseudo p-values from a conditional bootstrap. Thereby, the *i*-th value in each location is held fixed, whereas all other values are permuted `nsim` times over all other spatial units.

**Value**

Hi	LOSH statistic
E.Hi	expectation of LOSH
Var.Hi	variance of LOSH
Z.Hi	the approximately chi-square distributed test statistics
x_bar_i	local spatially weighted mean values
ei	residuals about local spatially weighted mean values
Pr()	p-values for Hi obtained from a conditional bootstrap distribution

**Author(s)**

René Westerholt <rene.westerholt@tu-dortmund.de>

**References**

Ord, J. K., & Getis, A. 2012. Local spatial heteroscedasticity (LOSH), *The Annals of Regional Science*, 48 (2), 529–539; Xu, M., Mei, C. L., & Yan, N. 2014. A note on the null distribution of the local spatial heteroscedasticity (LOSH) statistic. *The Annals of Regional Science*, 52 (3), 697–710.

**See Also**

[LOSH](#), [LOSH.mc](#)

**Examples**

```
data(columbus, package="spData")
resLOSH_mc <- LOSH.mc(columbus$CRIME, nb2listw(col.gal.nb), 2, 100)
summary(resLOSH_mc)
resLOSH_cs <- LOSH.cs(columbus$CRIME, nb2listw(col.gal.nb))
summary(resLOSH_cs)
plot(resLOSH_mc[, "Pr()"], resLOSH_cs[, "Pr()"])
```

---

mat2listw

*Convert a square spatial weights matrix to a weights list object*

---

**Description**

The function converts a square spatial weights matrix, optionally a sparse matrix to a weights list object, optionally adding region IDs from the row names of the matrix, as a sequence of numbers 1:nrow(x), or as given as an argument. The style can be imposed by rebuilding the weights list object internally.

**Usage**

```
mat2listw(x, row.names = NULL, style=NULL)
```



**Arguments**

x	A square non-negative matrix with no NAs representing spatial weights; may be a matrix of class "sparseMatrix"
row.names	row names to use for region IDs
style	default NULL, missing, set to "M" and warning given; if not "M", passed to <a href="#">nb2listw</a> to re-build the object

**Value**

A listw object with the following members:

style	"M", meaning matrix style, underlying style unknown, or assigned style argument in rebuilt object
neighbours	the derived neighbours list
weights	the weights for the neighbours derived from the matrix

**Author(s)**

Roger Bivand <Roger.Bivand@nhh.no>

**See Also**

[nb2listw](#), [nb2mat](#)

**Examples**

```
columbus <- st_read(system.file("shapes/columbus.shp", package="spData")[1], quiet=TRUE)
col005 <- dnearneigh(st_coordinates(st_centroid(st_geometry(columbus),
  of_largest_polygon=TRUE)), 0, 0.5, as.character(columbus$NEIGNO))
summary(col005)
col005.w.mat <- nb2mat(col005, zero.policy=TRUE)
col005.w.b <- mat2listw(col005.w.mat)
summary(col005.w.b$neighbours)
diffnb(col005, col005.w.b$neighbours)
col005.w.mat.3T <- kronecker(diag(3), col005.w.mat)
col005.w.b.3T <- mat2listw(col005.w.mat.3T, style="W")
summary(col005.w.b.3T$neighbours)
run <- FALSE
if (require("spatialreg", quiet=TRUE)) run <- TRUE
if (run) {
W <- as(nb2listw(col005, style="W", zero.policy=TRUE), "CsparseMatrix")
col005.spM <- mat2listw(W)
summary(col005.spM$neighbours)
}
if (run) {
diffnb(col005, col005.spM$neighbours)
}
if (run && require("Matrix", quiet=TRUE)) {
IW <- kronecker(Diagonal(3), W)
col005.spM.3T <- mat2listw(as(IW, "CsparseMatrix"), style="W")
```

```
summary(col005.spM.3T$neighbours)
}
```

---

 moran

*Compute Moran's I*


---

### Description

A simple function to compute Moran's I, called by `moran.test` and `moran.mc`;

$$I = \frac{n}{\sum_{i=1}^n \sum_{j=1}^n w_{ij}} \frac{\sum_{i=1}^n \sum_{j=1}^n w_{ij} (x_i - \bar{x})(x_j - \bar{x})}{\sum_{i=1}^n (x_i - \bar{x})^2}$$

### Usage

```
moran(x, listw, n, S0, zero.policy=NULL, NAOK=FALSE)
```

### Arguments

<code>x</code>	a numeric vector the same length as the neighbours list in <code>listw</code>
<code>listw</code>	a <code>listw</code> object created for example by <code>nb2listw</code>
<code>n</code>	number of zones
<code>S0</code>	global sum of weights
<code>zero.policy</code>	default <code>NULL</code> , use global option value; if <code>TRUE</code> assign zero to the lagged value of zones without neighbours, if <code>FALSE</code> assign <code>NA</code>
<code>NAOK</code>	if <code>'TRUE'</code> then any <code>'NA'</code> or <code>'NaN'</code> or <code>'Inf'</code> values in <code>x</code> are passed on to the foreign function. If <code>'FALSE'</code> , the presence of <code>'NA'</code> or <code>'NaN'</code> or <code>'Inf'</code> values is regarded as an error.

### Value

a list of	
<code>I</code>	Moran's I
<code>K</code>	sample kurtosis of <code>x</code>

### Author(s)

Roger Bivand <Roger.Bivand@nhh.no>

### References

Cliff, A. D., Ord, J. K. 1981 Spatial processes, Pion, p. 17.

### See Also

[moran.test](#), [moran.mc](#)

**Examples**

```

data(oldcol)
col.W <- nb2listw(COL.nb, style="W")
crime <- COL.OLD$CRIME
str(moran(crime, col.W, length(COL.nb), Szero(col.W)))
is.na(crime) <- sample(1:length(crime), 10)
str(moran(crime, col.W, length(COL.nb), Szero(col.W), NAOK=TRUE))

```

moran.mc

*Permutation test for Moran's I statistic***Description**

A permutation test for Moran's I statistic calculated by using `nsim` random permutations of `x` for the given spatial weighting scheme, to establish the rank of the observed statistic in relation to the `nsim` simulated values.

**Usage**

```

moran.mc(x, listw, nsim, zero.policy=NULL, alternative="greater",
na.action=na.fail, spChk=NULL, return_boot=FALSE, adjust.n=TRUE)

```

**Arguments**

<code>x</code>	a numeric vector the same length as the neighbours list in <code>listw</code>
<code>listw</code>	a <code>listw</code> object created for example by <code>nb2listw</code>
<code>nsim</code>	number of permutations
<code>zero.policy</code>	default <code>NULL</code> , use global option value; if <code>TRUE</code> assign zero to the lagged value of zones without neighbours, if <code>FALSE</code> assign <code>NA</code>
<code>alternative</code>	a character string specifying the alternative hypothesis, must be one of "greater" (default), "two.sided", or "less".
<code>na.action</code>	a function (default <code>na.fail</code> ), can also be <code>na.omit</code> or <code>na.exclude</code> - in these cases the weights list will be subsetted to remove NAs in the data. It may be necessary to set <code>zero.policy</code> to <code>TRUE</code> because this subsetting may create no-neighbour observations. Note that only weights lists created without using the <code>glist</code> argument to <code>nb2listw</code> may be subsetted. <code>na.pass</code> is not permitted because it is meaningless in a permutation test.
<code>spChk</code>	should the data vector names be checked against the spatial objects for identity integrity, <code>TRUE</code> , or <code>FALSE</code> , default <code>NULL</code> to use <code>get.spChkOption()</code>
<code>return_boot</code>	return an object of class <code>boot</code> from the equivalent permutation bootstrap rather than an object of class <code>htest</code>
<code>adjust.n</code>	default <code>TRUE</code> , if <code>FALSE</code> the number of observations is not adjusted for no-neighbour observations, if <code>TRUE</code> , the number of observations is adjusted

**Value**

A list with class `htest` and `mc.sim` containing the following components:

<code>statistic</code>	the value of the observed Moran's I.
<code>parameter</code>	the rank of the observed Moran's I.
<code>p.value</code>	the pseudo p-value of the test.
<code>alternative</code>	a character string describing the alternative hypothesis.
<code>method</code>	a character string giving the method used.
<code>data.name</code>	a character string giving the name(s) of the data, and the number of simulations.
<code>res</code>	<code>nsim</code> simulated values of statistic, final value is observed statistic

**Author(s)**

Roger Bivand <Roger.Bivand@nhh.no>

**References**

Cliff, A. D., Ord, J. K. 1981 Spatial processes, Pion, p. 63-5.

**See Also**

[moran](#), [moran.test](#)

**Examples**

```
data(oldcol)
colw <- nb2listw(COL.nb, style="W")
nsim <- 99
set.seed(1234)
sim1 <- moran.mc(COL.OLD$CRIME, listw=colw, nsim=nsim)
sim1
mean(sim1$res[1:nsim])
var(sim1$res[1:nsim])
summary(sim1$res[1:nsim])
colold.lags <- nblag(COL.nb, 3)
set.seed(1234)
sim2 <- moran.mc(COL.OLD$CRIME, nb2listw(colold.lags[[2]],
  style="W"), nsim=nsim)
summary(sim2$res[1:nsim])
sim3 <- moran.mc(COL.OLD$CRIME, nb2listw(colold.lags[[3]],
  style="W"), nsim=nsim)
summary(sim3$res[1:nsim])
```

---

moran.plot	<i>Moran scatterplot</i>
------------	--------------------------

---

### Description

A plot of spatial data against its spatially lagged values, augmented by reporting the summary of influence measures for the linear relationship between the data and the lag. If zero policy is TRUE, such observations are also marked if they occur.

### Usage

```
moran.plot(x, listw, zero.policy=NULL, spChk=NULL, labels=NULL,
           xlab=NULL, ylab=NULL, quiet=NULL, plot=TRUE, return_df=TRUE, ...)
```

### Arguments

x	a numeric vector the same length as the neighbours list in listw
listw	a listw object created for example by nb2listw
zero.policy	default NULL, use global option value; if TRUE assign zero to the lagged value of zones without neighbours, if FALSE assign NA
spChk	should the data vector names be checked against the spatial objects for identity integrity, TRUE, or FALSE, default NULL to use get.spChkOption()
labels	character labels for points with high influence measures, if set to FALSE, no labels are plotted for points with large influence
xlab	label for x axis
ylab	label for x axis
quiet	default NULL, use !verbose global option value; if TRUE, output of summary of influence object suppressed
plot	default TRUE, if false, plotting is suppressed
return_df	default TRUE, invisibly return a data.frame object; if FALSE invisibly return an influence measures object
...	further graphical parameters as in par(...)

### Value

The function returns a data.frame object with coordinates and influence measures if return\_df is TRUE, or an influence object from influence.measures.

### Author(s)

Roger Bivand <Roger.Bivand@nhh.no>

## References

Anselin, L. 1996. The Moran scatterplot as an ESDA tool to assess local instability in spatial association. pp. 111–125 in M. M. Fischer, H. J. Scholten and D. Unwin (eds) Spatial analytical perspectives on GIS, London, Taylor and Francis; Anselin, L. 1995. Local indicators of spatial association, *Geographical Analysis*, 27, 93–115

## See Also

[localmoran](#), [influence.measures](#)

## Examples

```
data(afcon, package="spData")
mp <- moran.plot(afcon$totcon, nb2listw(paper.nb),
  labels=as.character(afcon$name), pch=19)
moran.plot(scale(afcon$totcon), nb2listw(paper.nb),
  labels=as.character(afcon$name), xlim=c(-2, 4), ylim=c(-2,4), pch=19)
if (require(ggplot2, quietly=TRUE)) {
  xname <- attr(mp, "xname")
  ggplot(mp, aes(x=x, y=wx)) + geom_point(shape=1) +
    geom_smooth(formula=y ~ x, method="lm") +
    geom_hline(yintercept=mean(mp$wx), lty=2) +
    geom_vline(xintercept=mean(mp$x), lty=2) + theme_minimal() +
    geom_point(data=mp[mp$is_inf,], aes(x=x, y=wx), shape=9) +
    geom_text(data=mp[mp$is_inf,], aes(x=x, y=wx, label=labels, vjust=1.5)) +
    xlab(xname) + ylab(paste0("Spatially lagged ", xname))
}
```

---

moran.test

*Moran's I test for spatial autocorrelation*

---

## Description

Moran's test for spatial autocorrelation using a spatial weights matrix in weights list form. The assumptions underlying the test are sensitive to the form of the graph of neighbour relationships and other factors, and results may be checked against those of `moran.mc` permutations.

## Usage

```
moran.test(x, listw, randomisation=TRUE, zero.policy=NULL,
  alternative="greater", rank = FALSE, na.action=na.fail, spChk=NULL,
  adjust.n=TRUE, drop.EI2=FALSE)
```

## Arguments

`x` a numeric vector the same length as the neighbours list in `listw`  
`listw` a `listw` object created for example by `nb2listw`

randomisation	variance of I calculated under the assumption of randomisation, if FALSE normality
zero.policy	default NULL, use global option value; if TRUE assign zero to the lagged value of zones without neighbours, if FALSE assign NA
alternative	a character string specifying the alternative hypothesis, must be one of greater (default), less or two.sided.
rank	logical value - default FALSE for continuous variables, if TRUE, uses the adaptation of Moran's I for ranks suggested by Cliff and Ord (1981, p. 46)
na.action	a function (default na.fail), can also be na.omit or na.exclude - in these cases the weights list will be subsetted to remove NAs in the data. It may be necessary to set zero.policy to TRUE because this subsetting may create no-neighbour observations. Note that only weights lists created without using the glist argument to nb2listw may be subsetted. If na.pass is used, zero is substituted for NA values in calculating the spatial lag
spChk	should the data vector names be checked against the spatial objects for identity integrity, TRUE, or FALSE, default NULL to use get.spChkOption()
adjust.n	default TRUE, if FALSE the number of observations is not adjusted for no-neighbour observations, if TRUE, the number of observations is adjusted
drop.EI2	default FALSE, if TRUE, emulate CrimeStat <= 4.02

### Value

A list with class `htest` containing the following components:

statistic	the value of the standard deviate of Moran's I.
p.value	the p-value of the test.
estimate	the value of the observed Moran's I, its expectation and variance under the method assumption.
alternative	a character string describing the alternative hypothesis.
method	a character string giving the assumption used for calculating the standard deviate.
data.name	a character string giving the name(s) of the data.

### Note

$\text{Var}(I)$  is taken from Cliff and Ord (1969, p. 28), and Goodchild's CATMOG 47 (1986), see also Upton & Fingleton (1985) p. 171; it agrees with SpaceStat, see Tutorial workbook Chapter 22;  $VI$  is the second crude moment minus the square of the first crude moment. The derivation of the test (Cliff and Ord, 1981, p. 18) assumes that the weights matrix is symmetric. For inherently non-symmetric matrices, such as  $k$ -nearest neighbour matrices, `listw2U()` can be used to make the matrix symmetric.

### Author(s)

Roger Bivand <Roger.Bivand@nhh.no>

## References

Cliff, A. D., Ord, J. K. 1981 Spatial processes, Pion, p. 21; Bivand RS, Wong DWS 2018 Comparing implementations of global and local indicators of spatial association. TEST, 27(3), 716–748 [doi:10.1007/s117490180599x](https://doi.org/10.1007/s117490180599x)

## See Also

[moran](#), [moran.mc](#), [listw2U](#)

## Examples

```
data(oldcol)
coords.OLD <- cbind(COL.OLD$X, COL.OLD$Y)
moran.test(COL.OLD$CRIME, nb2listw(COL.nb, style="W"))
moran.test(COL.OLD$CRIME, nb2listw(COL.nb, style="B"))
moran.test(COL.OLD$CRIME, nb2listw(COL.nb, style="C"))
moran.test(COL.OLD$CRIME, nb2listw(COL.nb, style="S"))
moran.test(COL.OLD$CRIME, nb2listw(COL.nb, style="W"),
  randomisation=FALSE)
colold.lags <- nblag(COL.nb, 3)
moran.test(COL.OLD$CRIME, nb2listw(colold.lags[[2]],
  style="W"))
moran.test(COL.OLD$CRIME, nb2listw(colold.lags[[3]],
  style="W"))
print(is.symmetric.nb(COL.nb))
COL.k4.nb <- knn2nb(knearneigh(coords.OLD, 4))
print(is.symmetric.nb(COL.k4.nb))
moran.test(COL.OLD$CRIME, nb2listw(COL.k4.nb, style="W"))
moran.test(COL.OLD$CRIME, nb2listw(COL.k4.nb, style="W"),
  randomisation=FALSE)
cat("Note: non-symmetric weights matrix, use listw2U()")
moran.test(COL.OLD$CRIME, listw2U(nb2listw(COL.k4.nb,
  style="W")))
moran.test(COL.OLD$CRIME, listw2U(nb2listw(COL.k4.nb,
  style="W")), randomisation=FALSE)
ranks <- rank(COL.OLD$CRIME)
names(ranks) <- rownames(COL.OLD)
moran.test(ranks, nb2listw(COL.nb, style="W"), rank=TRUE)
crime <- COL.OLD$CRIME
is.na(crime) <- sample(1:length(crime), 10)
res <- try(moran.test(crime, nb2listw(COL.nb, style="W"),
  na.action=na.fail))
res
moran.test(crime, nb2listw(COL.nb, style="W"), zero.policy=TRUE,
  na.action=na.omit)
moran.test(crime, nb2listw(COL.nb, style="W"), zero.policy=TRUE,
  na.action=na.exclude)
moran.test(crime, nb2listw(COL.nb, style="W"), na.action=na.pass)
```



---

`moran_bv`*Compute the Global Bivariate Moran's I*

---

### Description

Given two continuous numeric variables, calculate the bivariate Moran's I. See details for more.

### Usage

```
moran_bv(x, y, listw, nsim = 499, scale = TRUE)
```

### Arguments

<code>x</code>	a numeric vector of same length as <code>y</code> .
<code>y</code>	a numeric vector of same length as <code>x</code> .
<code>listw</code>	a listw object for example as created by <code>nb2listw()</code> .
<code>nsim</code>	the number of simulations to run.
<code>scale</code>	default TRUE.

### Details

The Global Bivariate Moran is defined as

$$I_B = \frac{\sum_i (\sum_j w_{ij} y_j \times x_i)}{\sum_i x_i^2}$$

It is important to note that this is a measure of autocorrelation of X with the spatial lag of Y. As such, the resultant measure may overestimate the amount of spatial autocorrelation which may be a product of the inherent correlation of X and Y. The output object is of class "boot", so that plots and confidence intervals are available using appropriate methods.

### Value

An object of class "boot", with the observed statistic in component `t0`.

### Author(s)

Josiah Parry <josiah.parry@gmail.com>

### References

Wartenberg, D. (1985), Multivariate Spatial Correlation: A Method for Exploratory Geographical Analysis. *Geographical Analysis*, 17: 263-283. doi:10.1111/j.15384632.1985.tb00849.x

## Examples

```

data(boston, package = "spData")
x <- boston.c$CRIM
y <- boston.c$NOX
listw <- nb2listw(boston.soi)
set.seed(1)
res_xy <- moran_bv(x, y, listw, nsim=499)
res_xy$t0
boot::boot.ci(res_xy, conf=c(0.99, 0.95, 0.9), type="basic")
plot(res_xy)
set.seed(1)
lee_xy <- lee.mc(x, y, listw, nsim=499, return_boot=TRUE)
lee_xy$t0
boot::boot.ci(lee_xy, conf=c(0.99, 0.95, 0.9), type="basic")
plot(lee_xy)
set.seed(1)
res_yx <- moran_bv(y, x, listw, nsim=499)
res_yx$t0
boot::boot.ci(res_yx, conf=c(0.99, 0.95, 0.9), type="basic")
plot(res_yx)
set.seed(1)
lee_yx <- lee.mc(y, x, listw, nsim=499, return_boot=TRUE)
lee_yx$t0
boot::boot.ci(lee_yx, conf=c(0.99, 0.95, 0.9), type="basic")
plot(lee_yx)

```

---

mstree

*Find the minimal spanning tree*


---

## Description

The minimal spanning tree is a connected graph with  $n$  nodes and  $n-1$  edges. This is a smaller class of possible partitions of a graph by pruning edges with high dissimilarity. If one edge is removed, the graph is partitioned in two unconnected subgraphs. This function implements the algorithm due to Prim (1987).

## Usage

```
mstree(nbw, ini = NULL)
```

## Arguments

nbw	An object of listw class returned by <code>nb2listw</code> function. See this help for details.
ini	The initial node in the minimal spanning tree.

**Details**

The minimum spanning tree algorithm.

Input a connected graph.

Begin a empty set of nodes.

Add an arbitrary node in this set.

While are nodes not in the set, find a minimum cost edge connecting a node in the set and a node out of the set and add this node in the set.

The set of edges is a minimum spanning tree.

**Value**

A matrix with n-1 rows and tree columns. Each row is two nodes and the cost, i. e. the edge and its cost.

**Author(s)**

Renato M. Assuncao and Elias T. Krainski

**References**

R. C. Prim (1957) Shortest connection networks and some generalisations. In: Bell System Technical Journal, 36, pp. 1389-1401

**Examples**

```
### loading data
bh <- st_read(system.file("etc/shapes/bhcv.shp",
  package="spdep")[1], quiet=TRUE)
st_crs(bh) <- "OGC:CRS84"
### data padronized
dpad <- data.frame(scale(as.data.frame(bh)[,5:8]))

### neighborhood list
bh.nb <- poly2nb(bh)

### calculating costs
lcosts <- nbcosts(bh.nb, dpad)

### making listw
nb.w <- nb2listw(bh.nb, lcosts, style="B")

### find a minimum spanning tree
system.time(mst.bh <- mstree(nb.w,5))
dim(mst.bh)
head(mst.bh)
tail(mst.bh)
### the mstree plot
par(mar=c(0,0,0,0))
plot(st_geometry(bh), border=gray(.5))
```

```
plot(mst.bh, st_coordinates(st_centroid(bh)), col=2,  
     cex.lab=.6, cex.circles=0.035, fg="blue", add=TRUE)
```

---

nb.set.operations      *Set operations on neighborhood objects*

---

## Description

Set operations on neighbors list objects

## Usage

```
intersect.nb(nb.obj1,nb.obj2)  
union.nb(nb.obj1,nb.obj2)  
setdiff.nb(nb.obj1,nb.obj2)  
complement.nb(nb.obj)
```

## Arguments

nb.obj	a neighbor list created from any of the neighborhood list funtions
nb.obj1	a neighbor list created from any of the neighborhood list funtions
nb.obj2	a neighbor list created from any of the neighborhood list funtions

## Details

These functions perform set operations on each element of a neighborlist. The arguments must be neighbor lists created from the same coordinates, and the region.id attributes must be identical.

## Value

nb.obj	A new neighborlist created from the set operations on the input neighbor list(s)
--------	--

## Author(s)

Nicholas Lewin-Koh <nikko@hailmail.net>

## See Also

[intersect.nb](#), [union.nb](#), [setdiff.nb](#)

## Examples

```
columbus <- st_read(system.file("shapes/columbus.shp", package="spData")[1], quiet=TRUE)
col.gal.nb <- read.gal(system.file("weights/columbus.gal", package="spData")[1])
coords <- st_coordinates(st_centroid(columbus))
col.tri.nb <- tri2nb(coords)
oldpar <- par(mfrow=c(1,2))
if (require("dbscan", quietly=TRUE)) {
  col.soi.nb <- graph2nb(soi.graph(col.tri.nb, coords))
  plot(st_geometry(columbus), border="grey")
  plot(col.soi.nb, coords, add=TRUE)
  title(main="Sphere of Influence Graph", cex.main=0.7)
  plot(st_geometry(columbus), border="grey")
  plot(complement.nb(col.soi.nb), coords, add=TRUE)
  title(main="Complement of Sphere of Influence Graph", cex.main=0.7)
}
par(mfrow=c(2,2))
col2 <- droplinks(col.gal.nb, 21)
plot(intersect.nb(col.gal.nb, col2), coords)
title(main="Intersect", cex.main=0.7)
plot(union.nb(col.gal.nb, col2), coords)
title(main="Union", cex.main=0.7)
plot(setdiff.nb(col.gal.nb, col2), coords)
title(main="Set diff", cex.main=0.7)
par(oldpar)
```

---

 nb2blocknb

*Block up neighbour list for location-less observations*


---

## Description

The function blocks up a neighbour list for known spatial locations to create a new neighbour list for multiple location-less observations known to belong to the spatial locations, using the identification tags of the locations as the key.

## Usage

```
nb2blocknb(nb=NULL, ID, row.names = NULL)
```

## Arguments

nb	an object of class nb with a list of integer vectors containing neighbour region number ids; if null, an nb object with no neighbours is created the length of <code>unique(as.character(ID))</code>
ID	identification tags of the locations for the location-less observations; <code>sort(unique(as.character(ID)))</code> must be identical to <code>sort(as.character(attr(nb, "region.id")))</code> ; same length as row.names if provided.
row.names	character vector of observation ids to be added to the neighbours list as attribute <code>region.id</code> , default <code>seq(1, nrow(x))</code> ; same length as ID if provided.

## Details

Assume that there is a list of unique locations, then a neighbour list can build for that, to create an input neighbour list. This needs to be "unfolded", so that observations belonging to each unique location are observation neighbours, and observations belonging to the location neighbours of the unique location in question are also observation neighbours, finally removing the observation itself (because it should not be its own neighbour). This scenario also arises when say only post codes are available, and some post codes contain multiple observations, where all that is known is that they belong to a specific post code, not where they are located within it (given that the post code locations are known).

## Value

The function returns an object of class nb with a list of integer vectors containing neighbour observation number ids.

## Author(s)

Roger Bivand <Roger.Bivand@nhh.no>

## See Also

[knn2nb](#), [dnearest](#), [cell2nb](#), [tri2nb](#), [poly2nb](#)

## Examples

```
## Not run:
data(boston, package="spData")
summary(as.vector(table(boston.c$TOWN)))
townaggr <- aggregate(boston.utm, list(town=boston.c$TOWN), mean)
block.rel <- graph2nb(relativeneigh(as.matrix(townaggr[,2:3])),
  as.character(townaggr[,1]), sym=TRUE)
block.rel
print(is.symmetric.nb(block.rel))
plot(block.rel, as.matrix(townaggr[,2:3]))
points(boston.utm, pch=18, col="lightgreen")
block.nb <- nb2blocknb(block.rel, as.character(boston.c$TOWN))
block.nb
print(is.symmetric.nb(block.nb))
plot(block.nb, boston.utm)
points(boston.utm, pch=18, col="lightgreen")
n.comp.nb(block.nb)$nc
moran.test(boston.c$CMEDV, nb2listw(boston.soi))
moran.test(boston.c$CMEDV, nb2listw(block.nb))
block.nb <- nb2blocknb(NULL, as.character(boston.c$TOWN))
block.nb
print(is.symmetric.nb(block.nb))
plot(block.nb, boston.utm)
n.comp.nb(block.nb)$nc
moran.test(boston.c$CMEDV, nb2listw(block.nb, zero.policy=TRUE), zero.policy=TRUE)

## End(Not run)
```

---

nb2INLA	<i>Output spatial neighbours for INLA</i>
---------	---

---

**Description**

Output spatial neighbours for INLA

**Usage**

```
nb2INLA(file, nb)
```

**Arguments**

file	file where adjacency matrix will be stored
nb	an object of class nb

**Value**

Nothing is returned but a file will be created with the representation of the adjacency matrix as required by INLA for its spatial models.

**Author(s)**

Virgilio Gomez-Rubio

**References**

<http://www.r-inla.org>

**Examples**

```
col.gal.nb <- read.gal(system.file("weights/columbus.gal", package="spData"))[1]
td <- tempdir()
x <- nb2INLA(paste(td, "columbus-INLA.adj", sep="/"), col.gal.nb)
readLines(paste(td, "columbus-INLA.adj", sep="/"), n=10)
```

---

 nb2lines

*Use vector files for import and export of weights*


---

### Description

Use vector files for import and export of weights, storing spatial entity coordinates in the arcs, and the entity indices in the data frame.

### Usage

```
nb2lines(nb, wts, coords, proj4string=NULL, as_sf=FALSE)
listw2lines(listw, coords, proj4string=NULL, as_sf=FALSE)
df2sn(df, i="i", i_ID="i_ID", j="j", wt="wt")
```

### Arguments

nb	a neighbour object of class nb
wts	list of general weights corresponding to neighbours
coords	matrix of region point coordinates, a <code>Spatial</code> object (points or polygons), or an <code>sfc</code> object (points or polygons)
proj4string	default <code>NULL</code> ; if <code>coords</code> is a <code>Spatial</code> or <code>sf</code> object, this value will be used, otherwise the value will be converted appropriately
as_sf	output object in <code>Spatial</code> or <code>sf</code> format, default <code>FALSE</code> , set to <code>TRUE</code> if <code>coords</code> is an <code>sfc</code> object and <code>FALSE</code> if a <code>Spatial</code> object
listw	a <code>listw</code> object of spatial weights
df	a data frame read from a shapefile, derived from the output of <code>nb2lines</code>
i	character name of column in <code>df</code> with from entity index
i_ID	character name of column in <code>df</code> with from entity region ID
j	character name of column in <code>df</code> with to entity index
wt	character name of column in <code>df</code> with weights

### Details

The neighbour and weights objects may be retrieved by converting the specified columns of the data slot of the `SpatialLinesDataFrame` object into a `spatial.neighbour` object, which is then converted into a weights list object.

### Value

`nb2lines` and `listw2lines` return a `SpatialLinesDataFrame` object or an `sf` object; the data frame contains with the from and to indices of the neighbour links and their weights. `df2sn` converts the data retrieved from reading the data from `df` back into a `spatial.neighbour` object.



**Note**

Original idea due to Gidske Leknes Andersen, Department of Biology, University of Bergen, Norway

**Author(s)**

Roger Bivand <Roger.Bivand@nhh.no>

**See Also**

[sn2listw](#)

**Examples**

```
columbus <- st_read(system.file("shapes/columbus.shp", package="spData")[1], quiet=TRUE)
col.gal.nb <- read.gal(system.file("weights/columbus.gal", package="spData")[1])
res <- listw2lines(nb2listw(col.gal.nb), st_geometry(columbus))
summary(res)
tf <- paste0(tempfile(), ".gpkg")
st_write(res, dsn=tf, driver="GPKG")
inMap <- st_read(tf)
summary(inMap)
diffnb(sn2listw(df2sn(as.data.frame(inMap)))$neighbours, col.gal.nb)
res1 <- listw2lines(nb2listw(col.gal.nb), as(columbus, "Spatial"))
summary(res1)
```

---

nb2listw

*Spatial weights for neighbours lists*


---

**Description**

The nb2listw function supplements a neighbours list with spatial weights for the chosen coding scheme. The can.be.simmed helper function checks whether a spatial weights object is similar to symmetric and can be so transformed to yield real eigenvalues or for Cholesky decomposition. The helper function listw2U() constructs a weights list object corresponding to the sparse matrix  $\frac{1}{2}(\mathbf{W} + \mathbf{W}')$ .

**Usage**

```
nb2listw(neighbours, glist=NULL, style="W", zero.policy=NULL)
listw2U(listw)
```

**Arguments**

neighbours	an object of class nb
glist	list of general weights corresponding to neighbours
style	style can take values "W", "B", "C", "U", "minmax" and "S"

zero.policy	default NULL, use global option value; if FALSE stop with error for any empty neighbour sets, if TRUE permit the weights list to be formed with zero-length weights vectors
listw	a listw object created for example by nb2listw

### Details

Starting from a binary neighbours list, in which regions are either listed as neighbours or are absent (thus not in the set of neighbours for some definition), the function adds a weights list with values given by the coding scheme style chosen. B is the basic binary coding, W is row standardised (sums over all links to n), C is globally standardised (sums over all links to n), U is equal to C divided by the number of neighbours (sums over all links to unity), while S is the variance-stabilizing coding scheme proposed by Tiefelsdorf et al. 1999, p. 167-168 (sums over all links to n).

If zero policy is set to TRUE, weights vectors of zero length are inserted for regions without neighbour in the neighbours list. These will in turn generate lag values of zero, equivalent to the sum of products of the zero row  $t(\text{rep}(0, \text{length}(\text{neighbours}))) \%*\% x$ , for arbitrary numerical vector  $x$  of length  $\text{length}(\text{neighbours})$ . The spatially lagged value of  $x$  for the zero-neighbour region will then be zero, which may (or may not) be a sensible choice.

If the sum of the glist vector for one or more observations is zero, a warning message is issued. The consequence for later operations will be the same as if no-neighbour observations were present and the zero.policy argument set to true.

The “minmax” style is based on Kelejian and Prucha (2010), and divides the weights by the minimum of the maximum row sums and maximum column sums of the input weights. It is similar to the C and U styles; it is also available in Stata.

### Value

A listw object with the following members:

style	one of W, B, C, U, S, minmax as above
neighbours	the input neighbours list
weights	the weights for the neighbours and chosen style, with attributes set to report the type of relationships (binary or general, if general the form of the glist argument), and style as above

### Author(s)

Roger Bivand <Roger.Bivand@nhh.no>

### References

Tiefelsdorf, M., Griffith, D. A., Boots, B. 1999 A variance-stabilizing coding scheme for spatial link matrices, *Environment and Planning A*, 31, pp. 165–180; Kelejian, H. H., and I. R. Prucha. 2010. Specification and estimation of spatial autoregressive models with autoregressive and heteroskedastic disturbances. *Journal of Econometrics*, 157: pp. 53–67.

### See Also

[summary.nb](#), [read.gal](#)

## Examples

```

columbus <- st_read(system.file("shapes/columbus.shp", package="spData")[1], quiet=TRUE)
col.gal.nb <- read.gal(system.file("weights/columbus.gal", package="spData")[1])
coords <- st_coordinates(st_centroid(columbus))
cards <- card(col.gal.nb)
col.w <- nb2listw(col.gal.nb)
plot(cards, unlist(lapply(col.w$weights, sum)),xlim=c(0,10),
ylim=c(0,10), xlab="number of links", ylab="row sums of weights")
col.b <- nb2listw(col.gal.nb, style="B")
points(cards, unlist(lapply(col.b$weights, sum)), col="red")
col.c <- nb2listw(col.gal.nb, style="C")
points(cards, unlist(lapply(col.c$weights, sum)), col="green")
col.u <- nb2listw(col.gal.nb, style="U")
points(cards, unlist(lapply(col.u$weights, sum)), col="orange")
col.s <- nb2listw(col.gal.nb, style="S")
points(cards, unlist(lapply(col.s$weights, sum)), col="blue")
legend(x=c(0, 1), y=c(7, 9), legend=c("W", "B", "C", "U", "S"), bty="n",
col=c("black", "red", "green", "orange", "blue"), pch=rep(1,5), cex=0.8,
y.intersp=2.5)
summary(nb2listw(col.gal.nb, style="minmax"))
dlist <- nbdistw(col.gal.nb, coords)
dlist <- lapply(dlist, function(x) 1/x)
col.w.d <- nb2listw(col.gal.nb, glist=dlist)
summary(unlist(col.w$weights))
summary(unlist(col.w.d$weights))
# introducing other conditions into weights - only earlier sales count
# see http://sal.uiuc.edu/pipermail/openspace/2005-October/000610.html
data(baltimore, package="spData")
set.seed(211)
dates <- sample(1:500, nrow(baltimore), replace=TRUE)
nb_15nn <- knn2nb(knearneigh(cbind(baltimore$X, baltimore$Y), k=15))
glist <- vector(mode="list", length=length(nb_15nn))
for (i in seq(along=nb_15nn))
  glist[[i]] <- ifelse(dates[i] > dates[nb_15nn[[i]]], 1, 0)
listw_15nn_dates <- nb2listw(nb_15nn, glist=glist, style="B")
which(lag(listw_15nn_dates, baltimore$PRICE) == 0.0)
which(sapply(glist, sum) == 0)
ex <- which(sapply(glist, sum) == 0)[1]
dates[ex]
dates[nb_15nn[[ex]]]

```

---

 nb2listwdist

*Distance-based spatial weights for neighbours lists*


---

## Description

The `nb2listwdist` function supplements a neighbours list with spatial weights for the chosen types of distance modelling and coding scheme. While the offered coding schemes parallel those of the `nb2listw` function, three distance-based types of weights are available: inverse distance weighting

(IDW), double-power distance weights, and exponential distance decay. The `can.be.simm` helper function checks whether a spatial weights object is similar to symmetric and can be so transformed to yield real eigenvalues or for Cholesky decomposition.

### Usage

```
nb2listwdist(neighbours, x, type="idw", style="raw",
             alpha = 1, dmax = NULL, longlat = NULL, zero.policy=NULL)
```

### Arguments

<code>neighbours</code>	an object of class <code>nb</code>
<code>x</code>	an <code>sp sf</code> , or <code>sfc</code> object
<code>type</code>	default "idw"; the intended type of distance modelling, can take values "idw", "exp", and "dpd"
<code>style</code>	default "raw"; style can take values "raw", "W", "B", "C", "U", "minmax", and "S"
<code>alpha</code>	default 0; a parameter for controlling the distance modelling, see "Details"
<code>dmax</code>	default NULL, maximum distance threshold that is required for type "dpd" but optional for all other types
<code>longlat</code>	default NULL; TRUE if point coordinates are longitude-latitude decimal degrees, in which case distances are measured in metres; if <code>x</code> is a <code>SpatialPoints</code> object, the value is taken from the object itself, and overrides this argument if not NULL; distances are measured in map units if FALSE or NULL
<code>zero.policy</code>	default NULL; use global option value; if FALSE stop with error for any empty neighbour sets, if TRUE permit the weights list to be formed with zero-length weights vectors

### Details

Starting from a binary neighbours list, in which regions are either listed as neighbours or are absent (thus not in the set of neighbours for some definition), the function adds a distance-based weights list. Three types of distance weight calculations based on pairwise distances  $d_{ij}$  are possible, all of which are controlled by parameter "alpha" ( $\alpha$  below):

$$\text{idw: } w_{ij} = d_{ij}^{-\alpha},$$

$$\text{exp: } w_{ij} = \exp(-\alpha \cdot d_{ij}),$$

$$\text{dpd: } w_{ij} = [1 - (d_{ij}/d_{\max})^\alpha]^\alpha,$$

the latter of which leads to  $w_{ij} = 0$  for all  $d_{ij} > d_{\max}$ . Note that IDW weights show extreme behaviour close to 0 and can take on the value infinity. In such cases, the infinite values are replaced by the largest finite weight present in the weights list.

The default coding scheme is "raw", which outputs the raw distance-based weights without applying any kind of normalisation. In addition, the same coding scheme styles that are also available in the `nb2listw` function can be chosen. B is the basic binary coding, W is row standardised (sums over all links to  $n$ ), C is globally standardised (sums over all links to  $n$ ), U is equal to C divided by

the number of neighbours (sums over all links to unity), while S is the variance-stabilising coding scheme proposed by Tiefelsdorf et al. 1999, p. 167-168 (sums over all links to n). The “minmax” style is based on Kelejian and Prucha (2010), and divides the weights by the minimum of the maximum row sums and maximum column sums of the input weights. It is similar to the C and U styles; it is also available in Stata.

If zero.policy is set to TRUE, weights vectors of zero length are inserted for regions without neighbour in the neighbours list. These will in turn generate lag values of zero, equivalent to the sum of products of the zero row  $t(\text{rep}(0, \text{length}=\text{length}(\text{neighbours}))) \%*\% x$ , for arbitrary numerical vector  $x$  of length  $\text{length}(\text{neighbours})$ . The spatially lagged value of  $x$  for the zero-neighbour region will then be zero, which may (or may not) be a sensible choice.

### Value

A listw object with the following members:

style	one of W, B, C, U, S, minmax as above
type	one of idw, exp, dpd as above
neighbours	the input neighbours list
weights	the weights for the neighbours and chosen style, with attributes set to report the type of relationships (binary or general, if general the form of the glist argument), and style as above

### Author(s)

Rene Westerholt <rene.westerholt@tu-dortmund.de>

### References

Tiefelsdorf, M., Griffith, D. A., Boots, B. 1999 A variance-stabilizing coding scheme for spatial link matrices, *Environment and Planning A*, 31, pp. 165–180; Kelejian, H. H., and I. R. Prucha. 2010. Specification and estimation of spatial autoregressive models with autoregressive and heteroskedastic disturbances. *Journal of Econometrics*, 157: pp. 53–67.

### See Also

[nb2listw](#), [summary.nb](#)

### Examples

```
# World examples
data(world, package="spData")
# neighbours on distance interval [0, 1000] kilometres
# suppressWarnings(st_crs(world) <- "+proj=longlat") # for older PROJ
pts <- st_centroid(st_transform(world, 3857))
nb_world <- dnearneigh(pts, 0, 1000000)
# Moran's I (life expectancy) with IDW with alpha = 2, no coding scheme
world_weights <- nb2listwdist(nb_world, as(pts, "Spatial"), type = "idw",
  alpha = 2, zero.policy = TRUE)
moran.test(world$lifeExp, world_weights, zero.policy = TRUE, na.action = na.pass)
## Not run:
```

```

# Moran's I (life expectancy) with IDW with alpha = 2, no coding scheme
world_weights <- nb2listwdist(nb_world, pts, type = "idw",
  alpha = 2, zero.policy = TRUE)
moran.test(world$lifeExp, world_weights, zero.policy = TRUE, na.action = na.pass)
# Moran's I (life expectancy), DPD, alpha = 2, dmax = 1000 km, no coding scheme
world_weights <- nb2listwdist(nb_world, pts, type = "dpd",
  dmax = 1000000, alpha = 2, zero.policy = TRUE)
moran.test(world$lifeExp, world_weights, zero.policy = TRUE, na.action = na.pass)
# Boston examples
data(boston, package="spData")
boston_coords <- data.frame(x = boston.utm[,1], y = boston.utm[,2])
boston.geoms <- st_as_sf(boston_coords, coords = c("x", "y"), remove = FALSE)
nb_boston <- dnearneigh(boston.geoms, 0, 3)
# Moran's I (crime) with exp weights with alpha = 2, no coding scheme
boston_weights <- nb2listwdist(nb_boston, boston.geoms, type = "exp", alpha = 2,
  style="raw", zero.policy = TRUE)
moran.test(boston.c$CRIM, boston_weights, zero.policy = TRUE, na.action = na.pass)
# Moran's I (crime) with idw weights with alpha = 2, coding scheme = W
boston_weights <- nb2listwdist(nb_boston, boston.geoms, type = "idw", alpha = 2,
  style="W", zero.policy = TRUE)
moran.test(boston.c$CRIM, boston_weights, zero.policy = TRUE, na.action = na.pass)

## End(Not run)

```

---

 nb2mat

*Spatial weights matrices for neighbours lists*


---

## Description

The function generates a weights matrix for a neighbours list with spatial weights for the chosen coding scheme.

## Usage

```

nb2mat(neighbours, glist=NULL, style="W", zero.policy=NULL)
listw2mat(listw)

```

## Arguments

neighbours	an object of class nb
glist	list of general weights corresponding to neighbours
style	style can take values W, B, C, and S
zero.policy	default NULL, use global option value; if FALSE stop with error for any empty neighbour sets, if TRUE permit the weights list to be formed with zero-length weights vectors
listw	a listw object from for example nb2listw

**Details**

Starting from a binary neighbours list, in which regions are either listed as neighbours or are absent (thus not in the set of neighbours for some definition), the function creates an n by n weights matrix with values given by the coding scheme style chosen. B is the basic binary coding, W is row standardised, C is globally standardised, while S is the variance-stabilizing coding scheme proposed by Tiefelsdorf et al. 1999, p. 167-168.

The function leaves matrix rows as zero for any regions with zero neighbours fore zero.policy TRUE. These will in turn generate lag values of zero, equivalent to the sum of products of the zero row  $t(\text{rep}(0, \text{length}=\text{length}(\text{neighbours}))) \%*\% x$ , for arbitrary numerical vector  $x$  of length  $\text{length}(\text{neighbours})$ . The spatially lagged value of  $x$  for the zero-neighbour region will then be zero, which may (or may not) be a sensible choice.

**Value**

An n by n matrix, where  $n=\text{length}(\text{neighbours})$

**Author(s)**

Roger Bivand <Roger.Bivand@nhh.no>

**References**

Tiefelsdorf, M., Griffith, D. A., Boots, B. 1999 A variance-stabilizing coding scheme for spatial link matrices, *Environment and Planning A*, 31, pp. 165-180.

**See Also**

[nb2listw](#)

**Examples**

```
columbus <- st_read(system.file("shapes/columbus.shp", package="spData"))[1], quiet=TRUE)
col005 <- dnearneigh(st_coordinates(st_centroid(st_geometry(columbus),
  of_largest_polygon=TRUE)), 0, 0.5, as.character(columbus$NEIGNO))
summary(col005)
col005.w.mat <- nb2mat(col005, style="B", zero.policy=TRUE)
table(round(rowSums(col005.w.mat)))
```

---

nb2WB

*Output spatial weights for WinBUGS*

---

**Description**

Output spatial weights for WinBUGS

**Usage**

```
nb2WB(nb)
listw2WB(listw)
```

**Arguments**

`nb` an object of class `nb`  
`listw` a `listw` object from for example `nb2listw`

**Value**

A list suitable for converging using `dput` for WinBUGS

**Author(s)**

Virgilio Gomez-Rubio

**References**

<http://www.mrc-bsu.cam.ac.uk/bugs/winbugs/geobugs12manual.pdf>

**See Also**

[dput](#)

**Examples**

```
col.gal.nb <- read.gal(system.file("weights/columbus.gal", package="spData")[1])
x <- nb2WB(col.gal.nb)
dput(x, control=NULL)
x <- listw2WB(nb2listw(col.gal.nb))
dput(x, control=NULL)
```

---

nbcosts

*Compute cost of edges*

---

**Description**

The cost of each edge is the distance between it nodes. This function compute this distance using a `data.frame` with observations vector in each node.

**Usage**

```
nbcost(data, id, id.neigh, method = c("euclidean", "maximum",
  "manhattan", "canberra", "binary", "minkowski", "mahalanobis"),
  p = 2, cov, inverted = FALSE)
nbcosts(nb, data, method = c("euclidean", "maximum",
  "manhattan", "canberra", "binary", "minkowski", "mahalanobis"),
  p = 2, cov, inverted = FALSE)
```



**Arguments**

nb	An object of nb class. See <a href="#">poly2nb</a> for details.
data	A matrix with observations in the nodes.
id	Node index to compute the cost
id.neigh	Index of neighbours nodes of node id
method	Character or function to declare distance method. If method is character, method must be "mahalanobis" or "euclidean", "maximum", "manhattan", "canberra", "binary" or "minkowisk". If method is one of "euclidean", "maximum", "manhattan", "canberra", "binary" or "minkowisk", see <a href="#">dist</a> for details, because this function as used to compute the distance. If method="mahalanobis", the mahalanobis distance is computed between neighbour areas. If method is a function, this function is used to compute the distance.
p	The power of the Minkowski distance.
cov	The covariance matrix used to compute the mahalanobis distance.
inverted	logical. If 'TRUE', 'cov' is supposed to contain the inverse of the covariance matrix.

**Value**

A object of nbdist class. See [nbdists](#) for details.

**Note**

The neighbours must be a connected graph.

**Author(s)**

Elias T. Krainski and Renato M. Assuncao

**See Also**

See Also as [nbdists](#), [nb2listw](#)

---

nbdists

*Spatial link distance measures*


---

**Description**

Given a list of spatial neighbour links (a neighbours list of object type nb), the function returns the Euclidean distances along the links in a list of the same form as the neighbours list. If longlat = TRUE, Great Circle distances are used.

**Usage**

```
nbdists(nb, coords, longlat = NULL)
```

**Arguments**

nb	an object of class nb
coords	matrix of point coordinates, an object inheriting from SpatialPoints or an "sf" or "sfc" object; if the "sf" or "sfc" object geometries are in geographical coordinates ( <code>sf::st_is_longlat(x) == TRUE</code> and <code>sf::sf_use_s2() == TRUE</code> ), <b>s2</b> will be used to find distances <a href="https://github.com/r-spatial/s2/issues/125">https://github.com/r-spatial/s2/issues/125</a>
longlat	TRUE if point coordinates are longitude-latitude decimal degrees, in which case distances are measured in kilometers; if coords is a SpatialPoints object, the value is taken from the object itself

**Value**

A list with class nbdist

**Author(s)**

Roger Bivand <Roger.Bivand@nhh.no>

**See Also**

[summary.nb](#), [nb2listw](#)

**Examples**

```
columbus <- st_read(system.file("shapes/columbus.shp", package="spData")[1], quiet=TRUE)
col.gal.nb <- read.gal(system.file("weights/columbus.gal", package="spData")[1])
coords <- st_coordinates(st_centroid(columbus))
dlist <- nbdist(col.gal.nb, coords)
dlist <- lapply(dlist, function(x) 1/x)
stem(unlist(dlist))
```

---

nblag

*Higher order neighbours lists*


---

**Description**

The function creates higher order neighbour lists, where higher order neighbours are only lags links from each other on the graph described by the input neighbours list. It will refuse to lag neighbours lists with the attribute self.included set to TRUE. `nblag_cumul` cumulates neighbour lists to a single neighbour list ("nb" object).

**Usage**

```
nblag(neighbours, maxlag)
nblag_cumul(nblags)
```

**Arguments**

neighbours	input neighbours list of class nb
maxlag	the maximum lag to be constructed
nblags	a list of neighbour lists as output by nblag

**Value**

returns a list of lagged neighbours lists each with class nb

**Author(s)**

Roger Bivand <Roger.Bivand@nhh.no> and Giovanni Millo

**See Also**

[summary.nb](#)

**Examples**

```
columbus <- st_read(system.file("shapes/columbus.shp", package="spData")[1], quiet=TRUE)
col.gal.nb <- read.gal(system.file("weights/columbus.gal", package="spData")[1])
coords <- st_coordinates(st_centroid(columbus))
summary(col.gal.nb, coords)
col.lags <- nblag(col.gal.nb, 2)
print(col.lags)
summary(col.lags[[2]], coords)
plot(st_geometry(columbus), border="grey")
plot(col.gal.nb, coords, add=TRUE)
title(main="GAL order 1 (black) and 2 (red) links")
plot(col.lags[[2]], coords, add=TRUE, col="red", lty=2)
cuml <- nblag_cumul(col.lags)
cuml
run <- FALSE
if (require(igraph, quietly=TRUE) && require(spatialreg, quietly=TRUE)) run <- TRUE
if (run) {
W <- as(nb2listw(col.gal.nb), "CsparseMatrix")
G <- graph.adjacency(W, mode="directed", weight="W")
D <- diameter(G)
nbs <- nblag(col.gal.nb, maxlag=D)
n <- length(col.gal.nb)
lmat <- lapply(nbs, nb2mat, style="B", zero.policy=TRUE)
mat <- matrix(0, n, n)
for (i in seq(along=lmat)) mat = mat + i*lmat[[i]]
G2 <- shortest.paths(G)
print(all.equal(G2, mat, check.attributes=FALSE))
}
```

oldcol

*Columbus OH spatial analysis data set - old numbering***Description**

The COL.OLD data frame has 49 rows and 22 columns. The observations are ordered and numbered as in the original analyses of the data set in the SpaceStat documentation and in Anselin, L. 1988 Spatial econometrics: methods and models, Dordrecht: Kluwer. Unit of analysis: 49 neighbourhoods in Columbus, OH, 1980 data. In addition the data set includes COL.nb, the neighbours list as used in Anselin (1988).

**Usage**

```
data(oldcol)
```

**Format**

This data frame contains the following columns:

**AREA\_PL** computed by ArcView (agrees with areas of polygons in the “columbus” data set)  
**PERIMETER** computed by ArcView  
**COLUMBUS.** internal polygon ID (ignore)  
**COLUMBUS.I** another internal polygon ID (ignore)  
**POLYID** yet another polygon ID  
**NEIG** neighborhood id value (1-49); conforms to id value used in Spatial Econometrics book.  
**HOVAL** housing value (in \$1,000)  
**INC** household income (in \$1,000)  
**CRIME** residential burglaries and vehicle thefts per thousand households in the neighborhood  
**OPEN** open space in neighborhood  
**PLUMB** percentage housing units without plumbin  
**DISCBD** distance to CBD  
**X** x coordinate (in arbitrary digitizing units, not polygon coordinates)  
**Y** y coordinate (in arbitrary digitizing units, not polygon coordinates)  
**AREA\_SS** neighborhood area (computed by SpaceStat)  
**NSA** north-south dummy (North=1)  
**NSB** north-south dummy (North=1)  
**EW** east-west dummy (East=1)  
**CP** core-periphery dummy (Core=1)  
**THOUS** constant=1,000  
**NEIGNO** NEIG+1,000, alternative neighborhood id value  
**PERIM** polygon perimeter (computed by SpaceStat)

**Details**

The row names of COL.OLD and the region.id attribute of COL.nb are set to columbus\$NEIGNO.

**Note**

All source data files prepared by Luc Anselin, Spatial Analysis Laboratory, Department of Agricultural and Consumer Economics, University of Illinois, Urbana-Champaign, <https://spatial.uchicago.edu/sample-data>.

**Source**

Anselin, Luc. 1988. Spatial econometrics: methods and models. Dordrecht: Kluwer Academic, Table 12.1 p. 189.

---

p.adjustSP	<i>Adjust local association measures' p-values</i>
------------	--

---

**Description**

Make an adjustment to local association measures' p-values based on the number of neighbours (+1) of each region, rather than the total number of regions.

**Usage**

```
p.adjustSP(p, nb, method = "none")
```

**Arguments**

p	vector of p-values
nb	a list of neighbours of class nb
method	correction method as defined in <a href="#">p.adjust</a> : "The adjustment methods include the Bonferroni correction ("bonferroni") in which the p-values are multiplied by the number of comparisons. Four less conservative corrections are also included by Holm (1979) ('holm'), Hochberg (1988) ('hochberg'), Hommel (1988) ('hommel') and Benjamini & Hochberg (1995) ('fdr'), respectively. A pass-through option ('none') is also included."

**Value**

A vector of corrected p-values using only the number of neighbours + 1.

**Author(s)**

Danlin Yu and Roger Bivand <Roger.Bivand@nhh.no>

**See Also**

[p.adjust](#), [localG](#), [localmoran](#)

**Examples**

```

data(afcon, package="spData")
oid <- order(afcon$id)
resG <- as.vector(localG(afcon$totcon, nb2listw(include.self(paper.nb))))
non <- format.pval(pnorm(2*(abs(resG)), lower.tail=FALSE), 2)
bon <- format.pval(p.adjustSP(pnorm(2*(abs(resG)), lower.tail=FALSE),
  paper.nb, "bonferroni"), 2)
tot <- format.pval(p.adjust(pnorm(2*(abs(resG)), lower.tail=FALSE),
  "bonferroni", n=length(resG)), 2)
data.frame(resG, non, bon, tot, row.names=afcon$name)[oid,]

```

---

plot.mst

*Plot the Minimum Spanning Tree*


---

**Description**

This function plots a MST, the nodes are circles and the edges are segments.

**Usage**

```

## S3 method for class 'mst'
plot(x, coords, label.areas = NULL,
     cex.circles = 1, cex.labels = 1, add=FALSE, ...)

```

**Arguments**

x	Object of mst class.
coords	A two column matrix with the coordinates of nodes.
label.areas	A vector with the labels of nodes
cex.circles	The length of circles to plot.
cex.labels	The length of nodes labels plotted.
add	default FALSE, create new plot
...	Further arguments passed to plotting functions.

**Author(s)**

Elias T. Krainski and Renato M. Assuncao

**See Also**

See Also as [skater](#) and [mstree](#)

**Examples**

```

### see example in mstree function documentation

```

---

plot.nb	<i>Plot a neighbours list</i>
---------	-------------------------------

---

### Description

A function to plot a neighbours list given point coordinates to represent the region in two dimensions; `plot.listw` is a wrapper that passes its neighbours component to `plot.nb`.

### Usage

```
## S3 method for class 'nb'
plot(x, coords, col="black", points=TRUE, add=FALSE, arrows=FALSE,
     length=0.1, xlim=NULL, ylim=NULL, ...)
## S3 method for class 'listw'
plot(x, coords, col="black", points=TRUE, add=FALSE, arrows=FALSE,
     length=0.1, xlim=NULL, ylim=NULL, ...)
```

### Arguments

<code>x</code>	an object of class <code>nb</code> or (for <code>plot.listw</code> ) class <code>listw</code>
<code>coords</code>	matrix of region point coordinates, a <code>Spatial</code> object (points or polygons), or an <code>sfc</code> object (points or polygons)
<code>col</code>	plotting colour
<code>points</code>	(logical) add points to plot
<code>add</code>	(logical) add to existing plot
<code>arrows</code>	(logical) draw arrowheads for asymmetric neighbours
<code>length</code>	length in plot inches of arrow heads drawn for asymmetric neighbours lists
<code>xlim, ylim</code>	plot window bounds
<code>...</code>	further graphical parameters as in <code>par(...)</code>

### Author(s)

Roger Bivand <Roger.Bivand@nhh.no>

### See Also

[summary.nb](#)

### Examples

```
columbus <- st_read(system.file("shapes/columbus.shp", package="spData")[1], quiet=TRUE)
col.gal.nb <- read.gal(system.file("weights/columbus.gal", package="spData")[1])
plot(col.gal.nb, st_geometry(columbus))
title(main="GAL order 1 links with first nearest neighbours in red", cex.main=0.6)
plot(col.gal.nb, as(columbus, "Spatial"))
title(main="GAL order 1 links with first nearest neighbours in red", cex.main=0.6)
```

```

coords <- st_centroid(st_geometry(columbus), of_largest_polygon=TRUE)
col.knn <- knearneigh(coords, k=1)
plot(knn2nb(col.knn), coords, add=TRUE, col="red", length=0.08)

```

---

plot.skater

*Plot the object of skater class*


---

### Description

This function displays the results of the skater function. The subgraphs are plotted with different colours.

### Usage

```

## S3 method for class 'skater'
plot(x, coords, label.areas = NULL,
     groups.colors, cex.circles = 1, cex.labels = 1, ...)

```

### Arguments

x	An object of skater class.
coords	A matrix of two columns with coordinates of nodes.
label.areas	A vector of labels of nodes.
groups.colors	A vector with colors of groups ou sub-graphs.
cex.circles	The length of circles with represent the nodes.
cex.labels	The length of labels of nodes.
...	Further arguments passed to plotting funcitons.

### Author(s)

Elias T. Krainski and Renato M. Assuncao

### See Also

See Also as [skater](#) and [mstree](#)

### Examples

```

### see example in the skater function documentation

```



poly2nb

*Construct neighbours list from polygon list***Description**

The function builds a neighbours list based on regions with contiguous boundaries, that is sharing one or more boundary point. The current function is in part interpreted and may run slowly for many regions or detailed boundaries, but from 0.2-16 should not fail because of lack of memory when single polygons are built of very many border coordinates.

**Usage**

```
poly2nb(pl, row.names = NULL, snap=sqrt(.Machine$double.eps),
        queen=TRUE, useC=TRUE, foundInBox=NULL)
```

**Arguments**

pl	list of polygons of class extending <code>SpatialPolygons</code> , or an <code>sf</code> or <code>sfc</code> object containing non-empty (multi-)polygon objects
row.names	character vector of region ids to be added to the neighbours list as attribute <code>region.id</code> , default <code>seq(1, nrow(x))</code> ; if pl has row.names, they are used instead of the default sequence.
snap	boundary points less than snap distance apart are considered to indicate contiguity; used both to find candidate and actual neighbours for planar geometries, but only actual neighbours for spherical geometries, as spherical spatial indexing itself injects some fuzzyness.
queen	if TRUE, a single shared boundary point meets the contiguity condition, if FALSE, more than one shared point is required; note that more than one shared boundary point does not necessarily mean a shared boundary line
useC	default TRUE, doing the work loop in C, may be set to false to revert to R code calling two C functions in an <code>n*k</code> work loop, where <code>k</code> is the average number of candidate neighbours
foundInBox	default NULL using R code or <code>st_intersects()</code> to generate candidate neighbours (using <code>snap=</code> if the geometries are not spherical); if not NULL (for legacy purposes) a list of length <code>(n-1)</code> with integer vectors of candidate neighbours ( <code>j &gt; i</code> ) (as created by the <code>poly_findInBoxGEOS</code> function in <b>rgeos</b> for clean polygons)

**Value**

A neighbours list with class `nb`. See [card](#) for details of “nb” objects.

**Note**

From 0.5-8, the function includes faster bounding box indexing and other improvements contributed by Micah Altman. If a cluster is provided using `set.ClusterOption`, it will be used for finding candidate bounding box overlaps for exact testing for contiguity.

Until 1.1-7, `sf` polygons included both start and end points, so could erroneously report queen neighbourhood where only rook was present, see <https://github.com/r-spatial/spdep/issues/50>.

From 1.1-9 with `sf` 1.0-0, `s2` is used in bounding box indexing internally when `p1` is in geographical coordinates. Because the topology engine of `s2` differs from the use of GEOS for planar coordinates by `sf`, some output differences may be expected. Since treating spherical geometries as planar is also questionable, it is not clear whether spherical contiguous polygon neighbours should simply follow neighbours found by treating the geometries as planar <https://github.com/r-spatial/s2/issues/125#issuecomment-864403372>. However, current advice is not necessarily to use `s2` for finding contiguity neighbours, or at least to check output.

**Author(s)**

Roger Bivand <Roger.Bivand@nhh.no> with contributions from Micah Altman

**See Also**

[summary.nb](#), [card](#)

**Examples**

```
columbus <- st_read(system.file("shapes/columbus.shp", package="spData")[1], quiet=TRUE)
col.gal.nb <- read.gal(system.file("weights/columbus.gal", package="spData")[1])
coords <- st_coordinates(st_centroid(st_geometry(columbus)))
xx <- poly2nb(as(columbus, "Spatial"))
dxx <- diffnb(xx, col.gal.nb)
plot(st_geometry(columbus), border="grey")
plot(col.gal.nb, coords, add=TRUE)
plot(dxx, coords, add=TRUE, col="red")
title(main=paste("Differences (red) in Columbus GAL weights (black)",
  "and polygon generated queen weights", sep="\n"), cex.main=0.6)
# poly2nb with sf sfc_MULTIPOLYGON objects
sf_xx <- poly2nb(columbus)
diffnb(sf_xx, xx)
sfc_xx <- poly2nb(st_geometry(columbus))
diffnb(sfc_xx, xx)
xxx <- poly2nb(as(columbus, "Spatial"), queen=FALSE)
dxxx <- diffnb(xxx, col.gal.nb)
plot(st_geometry(columbus), border = "grey")
plot(col.gal.nb, coords, add = TRUE)
plot(dxxx, coords, add = TRUE, col = "red")
title(main=paste("Differences (red) in Columbus GAL weights (black)",
  "and polygon generated rook weights", sep="\n"), cex.main=0.6)
cards <- card(xx)
maxconts <- which(cards == max(cards))
if(length(maxconts) > 1) maxconts <- maxconts[1]
```

```

fg <- rep("grey", length(cards))
fg[maxconts] <- "red"
fg[xx[[maxconts]]] <- "green"
plot(st_geometry(columbus), col=fg)
title(main="Region with largest number of contiguities", cex.main=0.6)
nc.sids <- st_read(system.file("shapes/sids.shp", package="spData")[1], quiet=TRUE)
system.time(xxb <- poly2nb(nc.sids))
system.time(xxb <- poly2nb(as(nc.sids, "Spatial")))
plot(st_geometry(nc.sids))
plot(xxb, st_coordinates(st_centroid(nc.sids)), add=TRUE, col="blue")
sq <- st_polygon(list(rbind(c(0,0), c(1,0), c(1,1), c(0,1), c(0,0))))
sq2 <- sq + c(0,1)
sq3 <- sq + c(1,0)
sq4 <- sq + c(1,1)
gm <- st_sfc(list(sq, sq2, sq3, sq4))
df <- st_as_sf(gm, id=1:4)
plot(st_geometry(df))
text(st_coordinates(st_centroid(gm)), as.character(df$id))
unclass(poly2nb(df, queen = FALSE))

```

---

probmap

*Probability mapping for rates*


---

## Description

The function returns a data frame of rates for counts in populations at risk with crude rates, expected counts of cases, relative risks, and Poisson probabilities.

## Usage

```
probmap(n, x, row.names=NULL, alternative="less")
```

## Arguments

n	a numeric vector of counts of cases
x	a numeric vector of populations at risk
row.names	row names passed through to output data frame
alternative	default "less", may be set to "greater"

## Details

The function returns a data frame, from which rates may be mapped after class intervals have been chosen. The class intervals used in the examples are mostly taken from the referenced source.

**Value**

raw	raw (crude) rates
expCount	expected counts of cases assuming global rate
relRisk	relative risks: ratio of observed and expected counts of cases multiplied by 100
pmap	Poisson probability map values: probability of getting a more “extreme” count than actually observed - one-tailed, default alternative observed “less” than expected

**Author(s)**

Roger Bivand <Roger.Bivand@nhh.no>

**References**

Bailey T, Gatrell A (1995) Interactive Spatial Data Analysis, Harlow: Longman, pp. 300–303.

**See Also**

[EBest](#), [EBlocal](#), [ppois](#)

**Examples**

```
auckland <- st_read(system.file("shapes/auckland.shp", package="spData")[1], quiet=TRUE)
res <- probmap(auckland$M77_85, 9*auckland$Und5_81)
rt <- sum(auckland$M77_85)/sum(9*auckland$Und5_81)
ppois_pmap <- numeric(length(auckland$Und5_81))
for (i in seq(along=ppois_pmap)) {
  ppois_pmap[i] <- poisson.test(auckland$M77_85[i], r=rt,
    T=(9*auckland$Und5_81[i]), alternative="less")$p.value
  all.equal(ppois_pmap, res$pmap)
}
res$id <- 1:nrow(res)
auckland$id <- res$id <- 1:nrow(res)
auckland_res <- merge(auckland, res, by="id")
plot(auckland_res[, "raw"], main="Crude (raw) estimates")
plot(auckland_res[, "relRisk"], main="Standardised mortality ratios")
plot(auckland_res[, "pmap"], main="Poisson probabilities",
  breaks=c(0, 0.05, 0.1, 0.5, 0.9, 0.95, 1))
```

---

prunecost

*Compute cost of prune each edge*

---

**Description**

If any edge are dropped, the MST are pruned. This generate a two subgraphs. So, it makes a tree graphs and tree dissimilarity values are computed, one for each graph. The dissimilarity is the sum over squared differences between the observations in the nodes and mean vector of observations in the graph. The dissimilarity of original graph and the sum of dissimilarity of subgraphs are returned.

**Usage**

```
prunecost(edges, data, method = c("euclidean", "maximum", "manhattan",
  "canberra", "binary", "minkowski", "mahalanobis"),
  p = 2, cov, inverted = FALSE)
```

**Arguments**

edges	A matrix with 2 columns with each row is one edge
data	A data.frame with observations in the nodes.
method	Character or function to declare distance method. If method is character, method must be "mahalanobis" or "euclidean", "maximum", "manhattan", "canberra", "binary" or "minkowisk". If method is one of "euclidean", "maximum", "manhattan", "canberra", "binary" or "minkowisk", see <a href="#">dist</a> for details, because this function as used to compute the distance. If method="mahalanobis", the mahalanobis distance is computed between neighbour areas. If method is a function, this function is used to compute the distance.
p	The power of the Minkowski distance.
cov	The covariance matrix used to compute the mahalanobis distance.
inverted	logical. If 'TRUE', 'cov' is supposed to contain the inverse of the covariance matrix.

**Value**

A vector with the differences between the dissimilarity of all nodes and the dissimilarity sum of all subgraphs obtained by pruning one edge each time.

**Author(s)**

Elias T. Krainski and Renato M. Assuncao

**See Also**

See Also as [prunemst](#)

**Examples**

```
d <- data.frame(a=-2:2, b=runif(5))
e <- matrix(c(1,2, 2,3, 3,4, 4,5), ncol=2, byrow=TRUE)

sum(sweep(d, 2, colMeans(d))^2)

prunecost(e, d)
```

---

prunemst	<i>Prune a Minimum Spanning Tree</i>
----------	--------------------------------------

---

### Description

This function deletes a first edge and makes two subsets of edges. Each subset is a Minimum Spanning Tree.

### Usage

```
prunemst(edges, only.nodes = TRUE)
```

### Arguments

edges	A matrix with two columns with each row is one edge
only.nodes	If only.nodes=FALSE, return a edges and nodes of each MST resulted. If only.nodes=TRUE, return a two sets of nodes. Default is TRUE

### Value

A list of length two. If only.nodes=TRUE each element is a vector of nodes. If only.nodes=FALSE each element is a list with nodes and edges.

### Author(s)

Elias T. Krainski and Renato M. Assuncao

### See Also

See Also as [mstree](#)

### Examples

```
e <- matrix(c(2,3, 1,2, 3,4, 4,5), ncol=2, byrow=TRUE)
e
prunemst(e)
prunemst(e, only.nodes=FALSE)
```

---

read.gal	<i>Read a GAL lattice file into a neighbours list</i>
----------	---

---

### Description

The function `read.gal()` reads a GAL lattice file into a neighbours list for spatial analysis. It will read old and new style (GeoDa) GAL files. The function `read.geoda` is a helper file for reading comma separated value data files, calling `read.csv()`.

### Usage

```
read.gal(file, region.id=NULL, override.id=FALSE)
read.geoda(file, row.names=NULL, skip=0)
```

### Arguments

<code>file</code>	name of file with GAL lattice data
<code>region.id</code>	region IDs in specified order to coerse neighbours list order and numbering to that of the <code>region.id</code>
<code>override.id</code>	override any given (or NULL) <code>region.id</code> , collecting <code>region.id</code> numbering and order from the GAL file.
<code>row.names</code>	as in <code>row.names</code> in <code>read.csv()</code> , typically a character string naming the column of the file to be used
<code>skip</code>	skip number of lines, as in <code>read.csv()</code>

### Details

Luc Anselin (2003): Spatial Analysis Laboratory, Department of Agricultural and Consumer Economics, University of Illinois, Urbana-Champaign, now dead link: <http://www.csiss.org/gispopsci/workshops/2011/PSU/read>  
 Luc Anselin (2003) *GeoDa 0.9 User's Guide*, pp. 80–81, Spatial Analysis Laboratory, Department of Agricultural and Consumer Economics, University of Illinois, Urbana-Champaign, <http://geodacenter.github.io/docs/geoda093.pdf>; GAL - Geographical Algorithms Library, University of Newcastle

### Value

The function `read.gal()` returns an object of class `nb` with a list of integer vectors containing neighbour region number ids. The function `read.geoda` returns a data frame, and issues a warning if the returned object has only one column.

### Note

Example data originally downloaded from now dead link: <http://sal.agecon.uiuc.edu/weights/zips/us48.zip>

### Author(s)

Roger Bivand <[Roger.Bivand@nhh.no](mailto:Roger.Bivand@nhh.no)>

**See Also**[summary.nb](#)**Examples**

```

us48.fipsno <- read.geoda(system.file("etc/weights/us48.txt",
  package="spdep")[1])
us48.q <- read.gal(system.file("etc/weights/us48_q.GAL", package="spdep")[1],
  us48.fipsno$Fipsno)
us48.r <- read.gal(system.file("etc/weights/us48_rk.GAL", package="spdep")[1],
  us48.fipsno$Fipsno)
data(state)
if (as.numeric(paste(version$major, version$minor, sep="")) < 19) {
  m50.48 <- match(us48.fipsno$"State.name", state.name)
} else {
  m50.48 <- match(us48.fipsno$"State_name", state.name)
}
plot(us48.q, as.matrix(as.data.frame(state.center))[m50.48,])
plot(diffnb(us48.r, us48.q),
  as.matrix(as.data.frame(state.center))[m50.48,], add=TRUE, col="red")
title(main="Differences between rook and queen criteria imported neighbours lists")

```

read.gwt2nb

*Read and write spatial neighbour files***Description**

The "gwt" functions read and write GeoDa GWT files (the example file baltk4.GWT was downloaded from the site given in the reference), and the "dat" functions read and write Matlab sparse matrix files as used by James LeSage's Spatial Econometrics Toolbox (the example file wmat.dat was downloaded from the site given in the reference). The body of the files after any headers should have three columns separated by white space, and the third column must be numeric in the locale of the reading platform (correct decimal separator).

**Usage**

```

read.gwt2nb(file, region.id=NULL)
write.sn2gwt(sn, file, shpfile=NULL, ind=NULL, useInd=FALSE, legacy=FALSE)
read.dat2listw(file)
write.sn2dat(sn, file)

```

**Arguments**

file	name of file with weights data
region.id	region IDs
sn	a spatial.neighbour object
shpfile	character string: if not given Shapefile name taken from GWT file for this dataset



ind	character string: region id indicator field name
useInd	default FALSE, if TRUE, write region.id attribute ID key tags to output file (use in OpenGeoDa will depend on the shapefile having the field named in the ind argument matching the exported tags)
legacy	default FALSE; if TRUE, header has single field with number of observations only

### Details

Attempts to honour the region.id argument given when reading GWT files. If the region IDs given in region.id= do not match the origins or destinations in the GWT file, an error will be thrown reporting Error: !anyNA(reg\*dij) is not TRUE where '\*' may be 'o' for origins or 'd' for destinations.

### Value

read.gwt2nb returns a neighbour "nb" object with the generalised weights stored as a list element called "dlist" of the "GeoDa" attribute.

### Author(s)

Roger Bivand <Roger.Bivand@nhh.no>

### References

Luc Anselin (2003) *GeoDa 0.9 User's Guide*, pp. 80–81, Spatial Analysis Laboratory, Department of Agricultural and Consumer Economics, University of Illinois, Urbana-Champaign, <http://geodacenter.github.io/docs/geoda093.pdf>; also <http://spatial-econometrics.com/data/contents.html>

### See Also

[read.gal](#)

### Examples

```
data(baltimore, package="spData")
STATION <- baltimore$STATION
gwt1 <- read.gwt2nb(system.file("weights/baltk4.GWT", package="spData")[1],
  STATION)
cat(paste("Neighbours list symmetry;", is.symmetric.nb(gwt1, FALSE, TRUE),
  "\n"))
listw1 <- nb2listw(gwt1, style="B", glist=attr(gwt1, "GeoDa")$dlist)
tmpGWT <- tempfile()
write.sn2gwt(listw2sn(listw1), tmpGWT)
gwt2 <- read.gwt2nb(tmpGWT, STATION)
cat(paste("Neighbours list symmetry;", is.symmetric.nb(gwt2, FALSE, TRUE),
  "\n"))
diffnb(gwt1, gwt2)
data(oldcol)
```

```

tmpMAT <- tempfile()
COL.W <- nb2listw(COL.nb)
write.sn2dat(listw2sn(COL.W), tmpMAT)
listwmat1 <- read.dat2listw(tmpMAT)
diffnb(listwmat1$neighbours, COL.nb, verbose=TRUE)
listwmat2 <- read.dat2listw(system.file("etc/weights/wmat.dat",
  package="spdep")[1])
diffnb(listwmat1$neighbours, listwmat2$neighbours, verbose=TRUE)

```

---

Rotation

*Rotate a set of point by a certain angle*

---

### Description

Rotate a set of XY coordinates by an angle (in radians)

### Usage

```
Rotation(xy, angle)
```

### Arguments

xy	A 2-columns matrix or data frame containing a set of X and Y coordinates.
angle	Numeric. A scalar giving the angle at which the points should be rotated. The angle is in radians.

### Value

A 2-columns matrix of the same size as xy giving the rotated coordinates.

### Author(s)

F. Guillaume Blanchet

### Examples

```

set.seed(1)
### Create a set of coordinates
coords <- cbind(runif(20), runif(20))

### Create a series of angles
rad <- seq(0, pi, l=20)

opar <- par(mfrow=c(5,4), mar=c(3,3,1,1))
for(i in rad){
  coords.rot <- Rotation(coords, i)
  plot(coords.rot, xlab="", ylab="")
}
par(opar)

```

```
### Rotate the coordinates by an angle of 90 degrees
coords.90 <- Rotation(coords, 90*pi/180)
coords.90

plot(coords, xlim=range(rbind(coords.90,coords)[,1]),
      ylim=range(rbind(coords.90,coords)[,2]), asp=1)
points(coords.90, pch=19)
```

---

set.mcOption	<i>Options for parallel support</i>
--------------	-------------------------------------

---

## Description

Provides support for the use of parallel computation in the parallel package.

## Usage

```
set.mcOption(value)
get.mcOption()
set.coresOption(value)
get.coresOption()
set.ClusterOption(cl)
get.ClusterOption()
```

## Arguments

value	valid replacement value
cl	a cluster object created by makeCluster in <b>parallel</b>

## Details

Options in the spdep package are held in an environment local to the package namespace and not exported. Option values are set and retrieved with pairs of access functions, get and set. The mc option is set by default to FALSE on Windows systems, as they cannot fork the R session; by default it is TRUE on other systems, but may be set FALSE. If mc is FALSE, the Cluster option is used: if mc is FALSE and the Cluster option is NULL no parallel computing is done, or the Cluster option is passed a “cluster” object created by the parallel or snow package for access without being passed as an argument. The cores option is set to NULL by default, and can be used to store the number of cores to use as an integer. If cores is NULL, facilities from the parallel package will not be used.

## Value

The option access functions return their current settings, the assignment functions usually return the previous value of the option.

**Note**

An extended example is shown in the documentation of [aple.mc](#), including treatment of seeding of RNG for multicore/cluster.

**Author(s)**

Roger Bivand <Roger.Bivand@nhh.no>

**Examples**

```

ls(envir=spdep:::spdepOptions)
if (require(parallel, quietly=TRUE)) {
  nc <- detectCores(logical=FALSE)-1L
  nc
  # set nc to 1L here
  if (nc > 1L) nc <- 1L
  #nc <- ifelse(nc > 2L, 2L, nc)
  coresOpt <- get.coresOption()
  coresOpt
  if (!is.na(nc)) {
    invisible(set.coresOption(nc))
    print(exists("moran.mc"))
    if (.Platform$OS.type == "windows") {
      # forking not permitted on Windows - start cluster
      print(get.mcOption())
      cl <- makeCluster(get.coresOption())
      print(clusterEvalQ(cl, exists("moran.mc")))
      set.ClusterOption(cl)
      clusterEvalQ(get.ClusterOption(), library(spdep))
      print(clusterEvalQ(cl, exists("moran.mc")))
      clusterEvalQ(get.ClusterOption(), detach(package:spdep))
      set.ClusterOption(NULL)
      print(clusterEvalQ(cl, exists("moran.mc")))
      stopCluster(cl)
    } else {
      mcOpt <- get.mcOption()
      print(mcOpt)
      print(mclapply(1:get.coresOption(), function(i) exists("moran.mc"),
        mc.cores=get.coresOption()))
      invisible(set.mcOption(FALSE))
      cl <- makeCluster(nc)
      print(clusterEvalQ(cl, exists("moran.mc")))
      set.ClusterOption(cl)
      clusterEvalQ(get.ClusterOption(), library(spdep))
      print(clusterEvalQ(cl, exists("moran.mc")))
      clusterEvalQ(get.ClusterOption(), detach(package:spdep))
      set.ClusterOption(NULL)
      print(clusterEvalQ(cl, exists("moran.mc")))
      stopCluster(cl)
      invisible(set.mcOption(mcOpt))
    }
  }
invisible(set.coresOption(coresOpt))

```

```

    }
  }

```

---

set.spChkOption	<i>Control checking of spatial object IDs</i>
-----------------	---

---

### Description

Provides support for checking the mutual integrity of spatial neighbour weights and spatial data; similar mechanisms are used for passing global verbose and zero.policy options, and for providing access to a running cluster for embarrassingly parallel tasks.

### Usage

```

set.spChkOption(check)
get.spChkOption()
chkIDs(x, listw)
spNamedVec(var, data)
set.VerboseOption(check)
get.VerboseOption()
set.ZeroPolicyOption(check)
get.ZeroPolicyOption()
set.listw_is_CsparseMatrix_Option(check)
get.listw_is_CsparseMatrix_Option()

```

### Arguments

check	a logical value, TRUE or FALSE
x	a vector the same length, or a two-dimensional array, or data frame with the same number of rows as the neighbours list in listw
listw	a listw object or nb object inheriting from "nb"
var	a character string or integer value for the column to be selected
data	a two-dimensional array or data frame containing var

### Details

Analysis functions will have an spChk argument by default set to NULL, and will call get.spChkOption() to get the global spatial option for whether to check or not — this is initialised to FALSE, and consequently should not break anything. It can be changed to TRUE using set.spChkOption(TRUE), or the spChk argument can be assigned in analysis functions. spNamedVec() is provided to ensure that rownames are passed on to single columns taken from two-dimensional arrays and data frames.

### Value

set.spChkOption() returns the old logical value, get.spChkOption() returns the current logical value, and chkIDs() returns a logical value for the test lack of difference. spNamedVec() returns the selected column with the names set to the row names of the object from which it has been extracted.

**Note**

The motivation for this mechanism is provided by the observation that spatial objects on a map and their attribute data values need to be linked uniquely, to avoid spurious results. The reordering between the legacy Columbus data set used the earlier publications and that available for download from the Spacestat website is just one example of a common problem.

**Author(s)**

Roger Bivand <Roger.Bivand@nhh.no>

**Examples**

```
data(oldcol)
rownames(COL.OLD)
data(columbus, package="spData")
rownames(columbus)
get.spChkOption()
oldChk <- set.spChkOption(TRUE)
get.spChkOption()
chkIDs(COL.OLD, nb2listw(COL.nb))
chkIDs(columbus, nb2listw(col.gal.nb))
chkIDs(columbus, nb2listw(COL.nb))
tmp <- try(moran.test(spNamedVec("CRIME", COL.OLD), nb2listw(COL.nb)))
print(tmp)
tmp <- try(moran.test(spNamedVec("CRIME", columbus), nb2listw(col.gal.nb)))
print(tmp)
tmp <- try(moran.test(spNamedVec("CRIME", columbus), nb2listw(COL.nb)))
print(tmp)
set.spChkOption(FALSE)
get.spChkOption()
moran.test(spNamedVec("CRIME", columbus), nb2listw(COL.nb))
tmp <- try(moran.test(spNamedVec("CRIME", columbus), nb2listw(COL.nb),
  spChk=TRUE), silent=TRUE)
print(tmp)
set.spChkOption(oldChk)
get.spChkOption()
```

**Description**

This function implements a SKATER procedure for spatial clustering analysis. This procedure essentially begins with an edges set, a data set and a number of cuts. The output is an object of 'skater' class and is valid for input again.

**Usage**

```
skater(edges, data, ncuts, crit, vec.crit, method = c("euclidean",
  "maximum", "manhattan", "canberra", "binary", "minkowski",
  "mahalanobis"), p = 2, cov, inverted = FALSE)
```

**Arguments**

edges	A matrix with 2 columns with each row is an edge
data	A data.frame with data observed over nodes.
ncuts	The number of cuts
crit	A scalar or two dimensional vector with criteria for groups. Examples: limits of group size or limits of population size. If scalar, is the minimum criteria for groups.
vec.crit	A vector for evaluating criteria.
method	Character or function to declare distance method. If method is character, method must be "mahalanobis" or "euclidean", "maximum", "manhattan", "canberra", "binary" or "minkowski". If method is one of "euclidean", "maximum", "manhattan", "canberra", "binary" or "minkowski", see <a href="#">dist</a> for details, because this function as used to compute the distance. If method="mahalanobis", the mahalanobis distance is computed between neighbour areas. If method is a function, this function is used to compute the distance.
p	The power of the Minkowski distance.
cov	The covariance matrix used to compute the mahalanobis distance.
inverted	logical. If 'TRUE', 'cov' is supposed to contain the inverse of the covariance matrix.

**Value**

A object of skater class with:

groups	A vector with length equal the number of nodes. Each position identifies the group of node
edges.groups	A list of length equal the number of groups with each element is a set of edges
not.prune	A vector identifying the groups with are not candidates to partition.
candidates	A vector identifying the groups with are candidates to partition.
ssto	The total dissimilarity in each step of edge removal.

**Author(s)**

Renato M. Assuncao and Elias T. Krainski

## References

Assuncao, R.M., Lage J.P., and Reis, E.A. (2002). Analise de conglomerados espaciais via arvore geradora minima. *Revista Brasileira de Estatistica*, 62, 1-23.

Assuncao, R. M, Neves, M. C., Camara, G. and Freitas, C. da C. (2006). Efficient regionalization techniques for socio-economic geographical units using minimum spanning trees. *International Journal of Geographical Information Science* Vol. 20, No. 7, August 2006, 797-811

## See Also

See Also as [mstree](#)

## Examples

```
### loading data
bh <- st_read(system.file("etc/shapes/bhcv.shp",
  package="spdep")[1], quiet=TRUE)
st_crs(bh) <- "OGC:CRS84"
### data standardized
dpad <- data.frame(scale(as.data.frame(bh)[,5:8]))

### neighborhood list
bh.nb <- poly2nb(bh)

### calculating costs
lcosts <- nbcosts(bh.nb, dpad)

### making listw
nb.w <- nb2listw(bh.nb, lcosts, style="B")

### find a minimum spanning tree
mst.bh <- mstree(nb.w,5)

### the mstree plot
par(mar=c(0,0,0,0))
plot(st_geometry(bh), border=gray(.5))
pts <- st_coordinates(st_centroid(bh))
plot(mst.bh, pts, col=2,
  cex.lab=.6, cex.circles=0.035, fg="blue", add=TRUE)
### three groups with no restriction
res1 <- skater(mst.bh[,1:2], dpad, 2)

### groups size
table(res1$groups)

### the skater plot
opar <- par(mar=c(0,0,0,0))
plot(res1, pts, cex.circles=0.035, cex.lab=.7)

### the skater plot, using other colors
plot(res1, pts, cex.circles=0.035, cex.lab=.7,
  groups.colors=heat.colors(length(res1$ed)))
```



```
### the Spatial Polygons plot
plot(st_geometry(bh), col=heat.colors(length(res1$edg))[res1$groups])

par(opar)
### EXPERT OPTIONS

### more one partition
res1b <- skater(res1, dpad, 1)

### length groups frequency
table(res1$groups)

table(res1b$groups)

### thee groups with minimum population
res2 <- skater(mst.bh[,1:2], dpad, 2, 200000, bh$Pop)
table(res2$groups)

### thee groups with minimum number of areas
res3 <- skater(mst.bh[,1:2], dpad, 2, 3, rep(1,nrow(bh)))
table(res3$groups)

### thee groups with minimum and maximum number of areas
res4 <- skater(mst.bh[,1:2], dpad, 2, c(20,50), rep(1,nrow(bh)))
table(res4$groups)

### if I want to get groups with 20 to 40 elements
res5 <- skater(mst.bh[,1:2], dpad, 2,
  c(20,40), rep(1,nrow(bh))) ## DON'T MAKE DIVISIONS
table(res5$groups)

### In this MST don't have groups with this restrictions
### In this case, first I do one division
### with the minimum criteria
res5a <- skater(mst.bh[,1:2], dpad, 1, 20, rep(1,nrow(bh)))
table(res5a$groups)

### and do more one division with the full criteria
res5b <- skater(res5a, dpad, 1, c(20, 40), rep(1,nrow(bh)))
table(res5b$groups)

### and do more one division with the full criteria
res5c <- skater(res5b, dpad, 1, c(20, 40), rep(1,nrow(bh)))
table(res5c$groups)

### It don't have another division with this criteria
res5d <- skater(res5c, dpad, 1, c(20, 40), rep(1,nrow(bh)))
table(res5d$groups)

## Not run:
data(boston, package="spData")
bh.nb <- boston.soi
```

```

dpad <- data.frame(scale(boston.c[,c(7:10)]))
### calculating costs
system.time(lcosts <- nbcosts(bh.nb, dpad))
### making listw
nb.w <- nb2listw(bh.nb, lcosts, style="B")
### find a minimum spanning tree
mst.bh <- mstree(nb.w,5)
### three groups with no restriction
system.time(res1 <- skater(mst.bh[,1:2], dpad, 2))
library(parallel)
nc <- detectCores(logical=FALSE)-1L
# set nc to 1L here
if (nc > 1L) nc <- 1L
coresOpt <- get.coresOption()
invisible(set.coresOption(nc))
if(!get.mcOption()) {
# no-op, "snow" parallel calculation not available
  cl <- makeCluster(get.coresOption())
  set.ClusterOption(cl)
}
### calculating costs
system.time(plcosts <- nbcosts(bh.nb, dpad))
all.equal(lcosts, plcosts, check.attributes=FALSE)
### making listw
pnb.w <- nb2listw(bh.nb, plcosts, style="B")
### find a minimum spanning tree
pmst.bh <- mstree(pnb.w,5)
### three groups with no restriction
system.time(pres1 <- skater(pmst.bh[,1:2], dpad, 2))
if(!get.mcOption()) {
  set.ClusterOption(NULL)
  stopCluster(cl)
}
all.equal(res1, pres1, check.attributes=FALSE)
invisible(set.coresOption(coresOpt))

## End(Not run)

```

---

sp.correlogram

*Spatial correlogram*


---

### Description

Spatial correlograms for Moran's I and the autocorrelation coefficient, with print and plot helper functions.

### Usage

```

sp.correlogram(neighbours, var, order = 1, method = "corr",
  style = "W", randomisation = TRUE, zero.policy = NULL, spChk=NULL)

```

```
## S3 method for class 'spcor'
plot(x, main, ylab, ylim, ...)
## S3 method for class 'spcor'
print(x, p.adj.method="none", ...)
```

### Arguments

neighbours	an object of class nb
var	a numeric vector
order	maximum lag order
method	"corr" for correlation, "I" for Moran's I, "C" for Geary's C
style	style can take values W, B, C, and S
randomisation	variance of I or C calculated under the assumption of randomisation, if FALSE normality
zero.policy	default NULL, use global option value; if FALSE stop with error for any empty neighbour sets, if TRUE permit the weights list to be formed with zero-length weights vectors
spChk	should the data vector names be checked against the spatial objects for identity integrity, TRUE, or FALSE, default NULL to use get.spChkOption()
x	an object from sp.correlogram() of class spcor
p.adj.method	correction method as in p.adjust
main	an overall title for the plot
ylab	a title for the y axis
ylim	the y limits of the plot
...	further arguments passed through

### Details

The print function also calculates the standard deviates of Moran's I or Geary's C and a two-sided probability value, optionally using p.adjust to correct by the number of lags. The plot function plots a bar from the estimated Moran's I, or Geary's C value to +/- twice the square root of its variance (in previous releases only once, not twice). The table includes the count of included observations in brackets after the lag order. Care needs to be shown when interpreting results for few remaining included observations as lag order increases.

### Value

returns a list of class spcor:

res	for "corr" a vector of values; for "I", a matrix of estimates of "I", expectations, and variances
method	"I" or "corr"
cardnos	list of tables of neighbour cardinalities for the lag orders used
var	variable name

**Author(s)**

Roger Bivand, <Roger.Bivand@nhh.no>

**References**

Cliff, A. D., Ord, J. K. 1981 *Spatial processes*, Pion, pp. 118–122, Martin, R. L., Oeppen, J. E. 1975 The identification of regional forecasting models using space-time correlation functions, *Transactions of the Institute of British Geographers*, 66, 95–118.

**See Also**

[nblag](#), [moran](#), [p.adjust](#)

**Examples**

```
nc.sids <- st_read(system.file("shapes/sids.shp", package="spData")[1], quiet=TRUE)
rn <- as.character(nc.sids$FIPS)
ncCC89_nb <- read.gal(system.file("weights/ncCC89.gal", package="spData")[1],
  region.id=rn)
ft.SID74 <- sqrt(1000)*(sqrt(nc.sids$SID74/nc.sids$BIR74) +
  sqrt((nc.sids$SID74+1)/nc.sids$BIR74))
tr.SIDS74 <- ft.SID74*sqrt(nc.sids$BIR74)
cspc <- sp.correlogram(ncCC89_nb, tr.SIDS74, order=8, method="corr",
  zero.policy=TRUE)
print(cspc)
plot(cspc)
Ispc <- sp.correlogram(ncCC89_nb, tr.SIDS74, order=8, method="I",
  zero.policy=TRUE)
print(Ispc)
print(Ispc, "bonferroni")
plot(Ispc)
Cspc <- sp.correlogram(ncCC89_nb, tr.SIDS74, order=8, method="C",
  zero.policy=TRUE)
print(Cspc)
print(Cspc, "bonferroni")
plot(Cspc)
drop.no.neighs <- !(1:length(ncCC89_nb) %in% which(card(ncCC89_nb) == 0))
sub.ncCC89.nb <- subset(ncCC89_nb, drop.no.neighs)
plot(sp.correlogram(sub.ncCC89.nb, subset(tr.SIDS74, drop.no.neighs),
  order=8, method="corr"))
```

---

sp.mantel.mc

*Mantel-Hubert spatial general cross product statistic*

---

**Description**

A permutation test for the spatial general cross product statistic with Moran ( $C_{ij} = z_i z_j$ ), Geary ( $C_{ij} = (z_i - z_j)^2$ ), and Sokal ( $C_{ij} = |z_i - z_j|$ ) criteria, for  $z_i = (x_i - \bar{x})/\sigma_x$ . `plot.mc.sim` is a helper function to plot the outcomes of the permutation test.

**Usage**

```
sp.mantel.mc(var, listw, nsim, type = "moran", zero.policy = NULL,
             alternative = "greater", spChk=NULL, return_boot=FALSE)
## S3 method for class 'mc.sim'
plot(x, xlim, xlab, main, sub, ..., ptype="density")
```

**Arguments**

var	a numeric vector the same length as the neighbours list in listw
listw	a listw object created for example by nb2listw
nsim	number of permutations
type	"moran", "geary" or "sokal" criteria for similarity
zero.policy	default NULL, use global option value; if TRUE assign zero to the lagged value of zones without neighbours, if FALSE assign NA
alternative	a character string specifying the alternative hypothesis, must be one of "greater" (default), "two.sided", or "less".
spChk	should the data vector names be checked against the spatial objects for identity integrity, TRUE, or FALSE, default NULL to use get.spChkOption()
return_boot	return an object of class boot from the equivalent permutation bootstrap rather than an object of class htest
x	the object to be plotted
xlim	the range of the x axis
xlab	a title for the x axis
main	an overall title for the plot
sub	a sub title for the plot
ptype	either "density" or "hist"
...	further arguments passed through

**Value**

A list with class htest and mc.sim containing the following components:

statistic	the value of the observed Geary's C.
parameter	the rank of the observed Geary's C.
alternative	a character string describing the alternative hypothesis.
method	a character string giving the method used.
data.name	a character string giving the name(s) of the data, and the number of simulations.
p.value	the pseudo p-value of the test.
res	nsim simulated values of statistic, final value is observed statistic
estimate	the mean and variance of the simulated distribution.

**Author(s)**

Roger Bivand <Roger.Bivand@nhh.no>

**References**

Cliff, A. D., Ord, J. K. 1981 Spatial processes, Pion, p. 22-24, Haining, R. 1990 *Spatial data analysis in the social and environmental sciences*, Cambridge: Cambridge University Press, p. 230–1. The function has been checked against general matrix code posted to the r-help list by Ben Bolker on 1 May 2001; another `mantel()` function is in the `vegan` package.

**See Also**

[moran.mc](#), [joincount.mc](#), [geary.mc](#)

**Examples**

```
data(oldcol)
sim1 <- sp.mantel.mc(COL.OLD$CRIME, nb2listw(COL.nb),
  nsim=99, type="geary", alternative="two.sided")
sim1
plot(sim1)
sp.mantel.mc(COL.OLD$CRIME, nb2listw(COL.nb), nsim=99,
  type="sokal", alternative="two.sided")
sp.mantel.mc(COL.OLD$CRIME, nb2listw(COL.nb), nsim=99,
  type="moran")
```

---

spdep

*Return package version number*

---

**Description**

The function retrieves package version and build information

**Usage**

```
spdep(build = FALSE)
```

**Arguments**

`build` if TRUE, also returns build information

**Value**

a character vector with one or two elements

**Author(s)**

Roger Bivand <Roger.Bivand@nhh.no>

**Description**

These functions are defunct from release 1.2-1. The functions have been moved to the **spatialreg** package.

**Usage**

```
aple.plot()
localAple()
aple.mc()
aple()
lextrB()
lextrW()
lextrS()
griffith_sone()
subgraph_eigenw()
mom_calc()
mom_calc_int2()
stsls()
## S3 method for class 'stsls'
impacts()
GMerrorsar()
## S3 method for class 'gmsar'
summary()
gstsls()
## S3 method for class 'gmsar'
impacts()
## S3 method for class 'gmsar'
Hausman.test()
lagmess()
ME()
SpatialFiltering()
LR.sarlm()
## S3 method for class 'sarlm'
logLik()
LR1.sarlm()
Wald1.sarlm()
## S3 method for class 'sarlm'
Hausman.test()
as.spam.listw()
as_dgRMatrix_listw()
as_dsTMatrix_listw()
as_dsCMatrix_I()
as_dsCMatrix_IrW()
```

```
Jacobian_W()
powerWeights()
## S3 method for class 'lagImpact'
plot()
## S3 method for class 'lagImpact'
print()
## S3 method for class 'lagImpact'
summary()
## S3 method for class 'lagImpact'
HPDinterval()
intImpacts()
can.be.simmmed()
eigenw()
similar.listw()
do_ldet()
jacobianSetup()
cheb_setup()
mcdet_setup()
eigen_setup()
eigen_pre_setup()
spam_setup()
spam_update_setup()
Matrix_setup()
Matrix_J_setup()
LU_setup()
LU_prepermute_setup()
moments_setup()
SE_classic_setup()
SE_whichMin_setup()
SE_interp_setup()
MCMCsamp()
## S3 method for class 'spautolm'
MCMCsamp()
## S3 method for class 'sarlm'
MCMCsamp()
spautolm()
## S3 method for class 'spautolm'
summary()
spBreg_sac()
## S3 method for class 'MCMC_sar_g'
impacts()
## S3 method for class 'MCMC_sem_g'
impacts()
## S3 method for class 'MCMC_sac_g'
impacts()
spBreg_err()
spBreg_lag()
## S3 method for class 'SLX'
```



```
predict()
lmSLX()
## S3 method for class 'SLX'
impacts()
create_WX()
## S3 method for class 'sarlm'
anova()
bptest.sarlm()
errorsarlm()
## S3 method for class 'sarlm'
impacts()
lagsarlm()
## S3 method for class 'sarlm'
predict()
## S3 method for class 'sarlm.pred'
print()
## S3 method for class 'sarlm.pred'
as.data.frame()
## S3 method for class 'sarlm'
residuals()
## S3 method for class 'sarlm'
deviance()
## S3 method for class 'sarlm'
coef()
## S3 method for class 'sarlm'
vcov()
## S3 method for class 'sarlm'
fitted()
sacsarlm()
## S3 method for class 'sarlm'
summary()
## S3 method for class 'sarlm'
print()
## S3 method for class 'summary.sarlm'
print()
trW()
```

## Details

Model-fitting functions and functions supporting model fitting have been moved to the **spatialreg** package.

## See Also

[Defunct](#)

---

spweights.constants    *Provides constants for spatial weights matrices*

---

### Description

The function calculates the constants needed for tests of spatial autocorrelation for general weights matrices represented as listw objects. Note: from spdep 0.3-32, the values of S1 and S2 are returned correctly for both underlying symmetric and asymmetric neighbour lists, before 0.3-32, S1 and S2 were wrong for listw objects based on asymmetric neighbour lists, such as k-nearest neighbours (thanks to Luc Anselin for finding the bug).

### Usage

```
spweights.constants(listw, zero.policy=NULL, adjust.n=TRUE)
Szero(listw)
```

### Arguments

listw	a listw object from for example nb2listw
zero.policy	default NULL, use global option value; if TRUE ignore zones without neighbours, if FALSE fail when encountered
adjust.n	default TRUE, if FALSE the number of observations is not adjusted for no-neighbour observations, if TRUE, the number of observations is adjusted

### Value

n	number of zones
n1	n - 1
n2	n - 2
n3	n - 3
nn	n * n
S0	global sum of weights
S1	S1 sum of weights
S2	S2 sum of weights

### Author(s)

Roger Bivand <Roger.Bivand@nhh.no>

### References

Haining, R. 1990 Spatial data analysis in the social and environmental sciences, Cambridge University Press, p. 233; Cliff, A. D., Ord, J. K. 1981 Spatial processes, Pion, p. 19, 21.

**See Also**[nb2listw](#)**Examples**

```

data(oldcol)
B <- spweights.constants(nb2listw(COL.nb, style="B"))
W <- spweights.constants(nb2listw(COL.nb, style="W"))
C <- spweights.constants(nb2listw(COL.nb, style="C"))
S <- spweights.constants(nb2listw(COL.nb, style="S"))
U <- spweights.constants(nb2listw(COL.nb, style="U"))
print(data.frame(rbind(unlist(B), unlist(W), unlist(C), unlist(S), unlist(U)),
  row.names=c("B", "W", "C", "S", "U")))

```

SSW

*Compute the sum of dissimilarity***Description**

This function computes the sum of dissimilarity between each observation and the mean (scalar of vector) of the observations.

**Usage**

```

ssw(data, id, method = c("euclidean", "maximum",
  "manhattan", "canberra", "binary", "minkowski",
  "mahalanobis"), p = 2, cov, inverted = FALSE)

```

**Arguments**

<code>data</code>	A matrix with observations in the nodes.
<code>id</code>	Node index to compute the cost
<code>method</code>	Character or function to declare distance method. If <code>method</code> is character, <code>method</code> must be "mahalanobis" or "euclidean", "maximum", "manhattan", "canberra", "binary" or "minkowisk". If <code>method</code> is one of "euclidean", "maximum", "manhattan", "canberra", "binary" or "minkowisk", see <a href="#">dist</a> for details, because this function as used to compute the distance. If <code>method</code> ="mahalanobis", the mahalanobis distance is computed between neighbour areas. If <code>method</code> is a function, this function is used to compute the distance.
<code>p</code>	The power of the Minkowski distance.
<code>cov</code>	The covariance matrix used to compute the mahalanobis distance.
<code>inverted</code>	logical. If 'TRUE', 'cov' is supposed to contain the inverse of the covariance matrix.

**Value**

A numeric, the sum of dissimilarity between the observations id of data and the mean (scalar of vector) of this observations.

**Author(s)**

Elias T. Krainski and Renato M. Assuncao

**See Also**

See Also as [nbcost](#)

**Examples**

```
data(USArrests)
n <- nrow(USArrests)
ssw(USArrests, 1:n)
ssw(USArrests, 1:(n/2))
ssw(USArrests, (n/2+1):n)
ssw(USArrests, 1:(n/2)) + ssw(USArrests, (n/2+1):n)
```

---

subset.listw

*Subset a spatial weights list*


---

**Description**

The function subsets a spatial weights list, retaining objects for which the subset argument vector is TRUE. At present it will only subset non-general weights lists (that is those created by nb2listw with glist=NULL).

**Usage**

```
## S3 method for class 'listw'
subset(x, subset, zero.policy = NULL, ...)
```

**Arguments**

x	an object of class listw
subset	logical expression
zero.policy	default NULL, use global option value; if FALSE stop with error for any empty neighbour sets, if TRUE permit the weights list to be formed with zero-length weights vectors - passed through to nb2listw
...	generic function pass-through

**Value**

The function returns an object of class `listw` with component `style` the same as the input object, component `neighbours` a list of integer vectors containing neighbour region number ids (compacted to run from 1:number of regions in subset), and component `weights` as the weights computed for neighbours using `style`.

**Author(s)**

Roger Bivand <Roger.Bivand@nhh.no>

**See Also**

[nb2listw](#), [subset.nb](#)

**Examples**

```
col.gal.nb <- read.gal(system.file("weights/columbus.gal", package="spData")[1])
to.be.dropped <- c(31, 34, 36, 39, 42, 46)
pre <- nb2listw(col.gal.nb)
print(pre)
post <- subset(pre, !(1:length(col.gal.nb) %in% to.be.dropped))
print(post)
```

---

subset.nb

*Subset a neighbours list*

---

**Description**

The function subsets a neighbors list, retaining objects for which the subset argument vector is TRUE.

**Usage**

```
## S3 method for class 'nb'
subset(x, subset, ...)
```

**Arguments**

<code>x</code>	an object of class <code>nb</code>
<code>subset</code>	logical expression
<code>...</code>	generic function pass-through

**Value**

The function returns an object of class `nb` with a list of integer vectors containing neighbour region number ids (compacted to run from 1:number of regions in subset).

**Author(s)**

Roger Bivand <Roger.Bivand@nhh.no>

**See Also**

[nb2listw](#)

**Examples**

```
columbus <- st_read(system.file("shapes/columbus.shp", package="spData")[1], quiet=TRUE)
col.gal.nb <- read.gal(system.file("weights/columbus.gal", package="spData")[1])
coords <- st_coordinates(st_centroid(columbus))
plot(col.gal.nb, coords)
to.be.dropped <- c(31, 34, 36, 39, 42, 46)
text(coords[to.be.dropped,1], coords[to.be.dropped,2], labels=to.be.dropped,
      pos=2, offset=0.3)
sub.col.gal.nb <- subset(col.gal.nb,
  !(1:length(col.gal.nb) %in% to.be.dropped))
plot(sub.col.gal.nb, coords[-to.be.dropped,], col="red", add=TRUE)
which(!(attr(col.gal.nb, "region.id") %in%
  attr(sub.col.gal.nb, "region.id")))
```

---

summary.nb

*Print and summary function for neighbours and weights lists*

---

**Description**

The function prints summary measures for links in a neighbours list. If a matrix of coordinates is given as well, summary descriptive measures for the link lengths are also printed. Print and summary functions are also available for "listw" weights list objects, also reporting constants (S0, S1, S2) used in inference for global spatial autocorrelation statistics such as Moran's I, Geary's C, join-count tests and Getis-Ord G.

**Usage**

```
## S3 method for class 'nb'
summary(object, coords=NULL, longlat = NULL, scale = 1, ...)
## S3 method for class 'nb'
print(x, ...)
## S3 method for class 'listw'
summary(object, coords, longlat, zero.policy = NULL,
  scale = 1, ...)
## S3 method for class 'listw'
print(x, zero.policy = NULL, ...)
```

**Arguments**

object	an object of class nb
coords	matrix of region point coordinates or a SpatialPoints object or an sfc points object
longlat	TRUE if point coordinates are longitude-latitude decimal degrees, in which case distances are measured in kilometers; if coords is a SpatialPoints object, the value is taken from the object itself
...	additional arguments affecting the output produced
x	an object of class nb
zero.policy	default NULL, use global option value; if FALSE stop with error for any empty neighbour sets
scale	passed through to stem() for control of plot length

**Author(s)**

Roger Bivand <Roger.Bivand@nhh.no>

**See Also**

[plot.nb](#)

**Examples**

```
columbus <- st_read(system.file("shapes/columbus.shp", package="spData")[1], quiet=TRUE)
col.gal.nb <- read.gal(system.file("weights/columbus.gal", package="spData")[1])
coords <- st_centroid(st_geometry(columbus), of_largest_polygon=TRUE)
col.gal.nb
summary(col.gal.nb, coords)
col.listw <- nb2listw(col.gal.nb, style="W")
col.listw
summary(col.listw)
```

---

tolerance.nb	<i>Function to construct edges based on a tolerance angle and a maximum distance</i>
--------------	--

---

**Description**

This function creates an object of class nb (defined in the library spdep) containing a connexion diagram. The edges between sites are based on a tolerance angle and a maximum distance. The angle is directional; its direction is always from the bottom to the top of the screen.

**Usage**

```
tolerance.nb(coords, unit.angle = "degrees", max.dist, tolerance, rot.angle,
plot.sites=FALSE)
```

**Arguments**

<code>coords</code>	A matrix or a data frame containing the X and Y coordinates of the study sites.
<code>unit.angle</code>	Character. The measurement units in which angles are defined: either "degrees" (default) or "radians".
<code>max.dist</code>	Numeric. The maximum distance of an edge linking two sites together.
<code>tolerance</code>	Numeric. The tolerance angle in which a site can influence another site. The angle is measured vertically and from bottom to top of the pictures after rotation of the points.
<code>rot.angle</code>	Numeric, optional. An angle at which a set of coordinates should be rotated before creating the connexion diagram. The set of coordinates is rotated counterclockwise. Negative values will produce a clockwise rotation.
<code>plot.sites</code>	Logical (TRUE, FALSE) determining if the site should be plotted in a graphic window. This graph allows one to make sure the points are rotated in a correct direction.

**Details**

Even though this function creates a connexion diagram based on a tolerance angle going from the bottom to the top of the screen, the resulting object is symmetric, meaning that a site influences another and vice versa. The final object does not represent a directional connexion network.

**Value**

The function returns an object of class nb with a list of integer vectors corresponding to neighbour region numbers.

**Warning**

This function was not design to handle a large number of rows in `coords`. To use this function for a set of coordinates with more than 1500 entries is memory intensive.

**Author(s)**

F. Guillaume Blanchet

**See Also**

[dnearest](#), [cell2nb](#), [graphneigh](#), [tri2nb](#), [knn2nb](#)

**Examples**

```
set.seed(1)
ex.data<-cbind(runif(50),rexp(50))

### Construct object of class nb with a tolerance angle of 30 degrees
### and a maximum distance of 2 m.
nb.ex<-tolerance.nb(ex.data, unit.angle = "degrees", max.dist=1,
  tolerance = 30)
```



```

### Construct object of class nb with a tolerance angle of 30 degrees
### and a maximum distance of 2 m. The coordinates are rotated at an angle
### of 45 degrees counterclockwise.
nb.ex2<-tolerance.nb(ex.data, unit.angle = "degrees", max.dist=1,
  tolerance = 30, rot.angle = 45)

### Construct object of class nb with a tolerance angle of pi/8 radians
### and a maximum distance of 1.5 m. The coordinates are rotated at
### an angle of pi/4 radians clockwise.
nb.ex3<-tolerance.nb(ex.data, unit.angle = "radians", max.dist=1.5,
  tolerance = pi/8, rot.angle = -pi*2/3)

par(mfrow=c(1,3))
plot(nb.ex,ex.data,asp=1)
plot(nb.ex2,ex.data,asp=1)
plot(nb.ex3,ex.data,asp=1)

```

---

tri2nb

*Neighbours list from tri object*


---

## Description

The function uses the `deldir` package to convert a matrix of two-dimensional coordinates into a neighbours list of class `nb` with a list of integer vectors containing neighbour region number ids.

## Usage

```
tri2nb(coords, row.names = NULL)
```

## Arguments

<code>coords</code>	matrix, data.frame or tibble of point coordinates with two columns, a Spatial-Points object or an <code>sfc</code> points object
<code>row.names</code>	character vector of region ids to be added to the neighbours list as attribute <code>region.id</code> , default <code>seq(1, nrow(x))</code>

## Details

If coordinates are duplicated, this function cannot be used. If the coordinates are from a grid, then they need to be ordered such that the first three are not collinear, so that the first triangle can be constructed. This can be achieved by randomising the order of the coordinates (possibly several times), and then re-ordering the order of the data to match the new order of the neighbour list - if this fix is used, remember to re-order the `row.names` argument as well as the coordinates! Please also note that triangulation of grid points will give arbitrary diagonal neighbours, which may not be a sensible outcome, and `dnearneigh()` may serve better where `tri2nb()` cannot be used.

**Value**

The function returns an object of class nb with a list of integer vectors containing neighbour region number ids.

**Author(s)**

Roger Bivand <Roger.Bivand@nhh.no>

**See Also**

[knn2nb](#), [dnearest](#), [cell2nb](#)

**Examples**

```
columbus <- st_read(system.file("shapes/columbus.shp", package="spData")[1], quiet=TRUE)
coords <- st_centroid(st_geometry(columbus), of_largest_polygon=TRUE)
ind <- row.names(columbus)
suppressPackageStartupMessages(require(deldir))
col.tri.nb <- tri2nb(coords, row.names=ind)
plot(st_geometry(columbus), border="grey")
plot(col.tri.nb, coords, add=TRUE)
title(main="Raw triangulation links", cex.main=0.6)
x <- seq(0,1,0.1)
y <- seq(0,2,0.2)
xy <- expand.grid(x, y)
try(xy.nb <- tri2nb(xy))
seed <- 1234
xid <- sample(1:nrow(xy))
xy.nb <- tri2nb(xy[xid,])
plot(xy.nb, xy[xid,])
# example of reading points with readr::read_csv() yielding a tibble
load(system.file("etc/misc/coords.rda", package="spdep"))
class(coords)
nb <- tri2nb(coords)
plot(nb, coords)
```

---

write.nb.gal

*Write a neighbours list as a GAL lattice file*

---

**Description**

Write a neighbours list as a GAL lattice file, may also use newer GeoDa header format

**Usage**

```
write.nb.gal(nb, file, oldstyle=TRUE, shpfile=NULL, ind=NULL)
```

**Arguments**

<code>nb</code>	an object of class <code>nb</code> with a list of integer vectors containing neighbour region number ids.
<code>file</code>	name of file with GAL lattice data
<code>oldstyle</code>	if TRUE, first line of file contains only number of spatial units, if FALSE, uses newer GeoDa style
<code>shpfile</code>	Shapefile name taken from GAL file for this dataset
<code>ind</code>	region id indicator variable name

**Author(s)**

Roger Bivand <Roger.Bivand@nhh.no>

**See Also**

[read.gal](#)

**Examples**

```
col.gal.nb <- read.gal(system.file("weights/columbus.gal", package="spData")[1])
GALfile <- tempfile("GAL")
write.nb.gal(col.gal.nb, GALfile)
col.queen <- read.gal(GALfile)
summary(diffnb(col.queen, col.gal.nb))
```

# Index

- \* **cluster**
  - nbcosts, 120
  - plot.skater, 128
  - prunecost, 132
  - prunemst, 134
  - skater, 142
  - ssw, 155
- \* **datasets**
  - columbus, 14
  - eire, 26
  - oldcol, 124
- \* **data**
  - bhicv, 9
- \* **graphs**
  - mstree, 106
  - prunecost, 132
- \* **hplot**
  - plot.mst, 126
  - plot.skater, 128
- \* **manip**
  - Rotation, 138
- \* **multivariate**
  - ssw, 155
- \* **spatial**
  - aggregate.nb, 5
  - airdist, 6
  - autocov\_dist, 7
  - card, 9
  - cell2nb, 10
  - choynowski, 12
  - diffnb, 14
  - dnearneigh, 15
  - droplinks, 18
  - EBest, 19
  - EBI Moran.mc, 21
  - EBlocal, 23
  - edit.nb, 25
  - geary, 26
  - geary.mc, 27
  - geary.test, 29
  - globalG.test, 31
  - Graph Components, 32
  - graphneigh, 34
  - grid2nb, 37
  - include.self, 40
  - is.symmetric.nb, 41
  - joincount.mc, 42
  - joincount.multi, 44
  - joincount.test, 45
  - knearneigh, 47
  - knn2nb, 49
  - lag.listw, 50
  - lee, 51
  - lee.mc, 53
  - lee.test, 54
  - listw2sn, 57
  - lm.LMtests, 58
  - lm.morantest, 60
  - lm.morantest.exact, 61
  - lm.morantest.sad, 63
  - localG, 73
  - localGS, 76
  - localmoran, 78
  - localmoran.exact, 81
  - localmoran.sad, 84
  - LOSH, 91
  - LOSH.cs, 93
  - LOSH.mc, 95
  - mat2listw, 96
  - moran, 98
  - moran.mc, 99
  - moran.plot, 101
  - moran.test, 102
  - mstree, 106
  - nb.set.operations, 108
  - nb2blocknb, 109
  - nb2INLA, 111
  - nb2lines, 112

- nb2listw, 113
- nb2listwdist, 115
- nb2mat, 118
- nb2WB, 119
- nbcosts, 120
- nbdists, 121
- nblag, 122
- p.adjustSP, 125
- plot.nb, 127
- poly2nb, 129
- probmap, 131
- read.gal, 135
- read.gwt2nb, 136
- set.mcOption, 139
- set.spChkOption, 141
- sp.correlogram, 146
- sp.mantel.mc, 148
- spdep, 150
- spdep-defunct, 151
- spweights.constants, 154
- subset.listw, 156
- subset.nb, 157
- summary.nb, 158
- tolerance.nb, 159
- tri2nb, 161
- write.nb.gal, 162
- \* tree**
  - plot.mst, 126
  - prunemst, 134
  - skater, 142
- aggregate.nb, 5
- airdist, 6
- anova.sarlm (spdep-defunct), 151
- aple (spdep-defunct), 151
- aple.mc, 140
- as.data.frame.localmoranex  
(localmoran.exact), 81
- as.data.frame.localmoransad  
(localmoran.sad), 84
- as.data.frame.sarlm.pred  
(spdep-defunct), 151
- as.spam.listw (spdep-defunct), 151
- as\_dgRMatrix\_listw (spdep-defunct), 151
- as\_dsCMatrix\_I (spdep-defunct), 151
- as\_dsCMatrix\_IrW (spdep-defunct), 151
- as\_dsTMatrix\_listw (spdep-defunct), 151
- autocov\_dist, 7
- bbs (columbus), 14
- bhicv, 9
- bptest.sarlm (spdep-defunct), 151
- can.be.simmed (spdep-defunct), 151
- card, 9, 11, 16, 35, 36, 38, 50, 129, 130
- cell2nb, 10, 110, 160, 162
- cheb\_setup (spdep-defunct), 151
- chkIDs (set.spChkOption), 141
- choynowski, 12
- coef.gmsar (spdep-defunct), 151
- coef.lagmess (spdep-defunct), 151
- coef.sarlm (spdep-defunct), 151
- coef.spautolm (spdep-defunct), 151
- coef.stsIs (spdep-defunct), 151
- coerce, listw, CsparseMatrix-method  
(spdep-defunct), 151
- coerce, listw, RsparseMatrix-method  
(spdep-defunct), 151
- coerce, listw, symmetricMatrix-method  
(spdep-defunct), 151
- col.gal.nb (columbus), 14
- COL.nb (oldcol), 124
- COL.OLD (oldcol), 124
- columbus, 14
- complement.nb (nb.set.operations), 108
- coords (columbus), 14
- create\_WX (spdep-defunct), 151
- Defunct, 153
- deviance.gmsar (spdep-defunct), 151
- deviance.lagmess (spdep-defunct), 151
- deviance.sarlm (spdep-defunct), 151
- deviance.spautolm (spdep-defunct), 151
- deviance.stsIs (spdep-defunct), 151
- df2sn (nb2lines), 112
- diffnb, 14
- dist, 121, 133, 143, 155
- dnearneigh, 15, 36, 48, 110, 160, 162
- do\_ldet (spdep-defunct), 151
- dput, 120
- droplinks, 18
- EBest, 19, 22, 24, 132
- EBImoran (EBImoran.mc), 21
- EBImoran.mc, 20, 21
- EBlocal, 20, 23, 132
- edit.nb, 25
- eigen\_pre\_setup (spdep-defunct), 151

- eigen\_setup (spdep-defunct), 151
- eigenw (spdep-defunct), 151
- eire, 26
- errorsarlm, 86
- errorsarlm (spdep-defunct), 151
  
- fitted.gmsar (spdep-defunct), 151
- fitted.lagmess (spdep-defunct), 151
- fitted.ME\_res (spdep-defunct), 151
- fitted.sarlm (spdep-defunct), 151
- fitted.SFResult (spdep-defunct), 151
- fitted.spautolm (spdep-defunct), 151
- frNN, 16
  
- gabrielneigh (graphneigh), 34
- geary, 26, 28, 30
- geary.mc, 27, 27, 30, 150
- geary.test, 27, 28, 29
- geos\_unary, 34
- get.ClusterOption (set.mcOption), 139
- get.coresOption (set.mcOption), 139
- get.listw\_is\_CsparseMatrix\_Option (set.spChkOption), 141
- get.mcOption (set.mcOption), 139
- get.spChkOption (set.spChkOption), 141
- get.VerboseOption (set.spChkOption), 141
- get.ZeroPolicyOption (set.spChkOption), 141
- globalG.test, 31
- GMargminImage (spdep-defunct), 151
- GMerrorsar (spdep-defunct), 151
- Graph Components, 32
- graph2nb (graphneigh), 34
- graphneigh, 34, 160
- grid2nb, 37
- griffith\_sone (spdep-defunct), 151
- gstsls (spdep-defunct), 151
  
- Hausman.test (spdep-defunct), 151
- hotspot, 38
- HPDinterval.lagImpact (spdep-defunct), 151
  
- impacts (spdep-defunct), 151
- include.self, 40
- influence.measures, 102
- intersect.nb, 108
- intersect.nb (nb.set.operations), 108
- intImpacts (spdep-defunct), 151
  
- is.symmetric.glist (is.symmetric.nb), 41
- is.symmetric.nb, 19, 41
  
- Jacobian\_W (spdep-defunct), 151
- jacobianSetup (spdep-defunct), 151
- joincount.mc, 42, 47, 150
- joincount.multi, 44, 47
- joincount.test, 43, 45, 45
  
- knearneigh, 16, 36, 47, 50
- kNN, 48
- knn, 48
- knn2nb, 36, 48, 49, 110, 160, 162
  
- l\_max (spdep-defunct), 151
- lag.listw, 50
- lagmess (spdep-defunct), 151
- lagsarlm (spdep-defunct), 151
- lee, 51, 54, 56
- lee.mc, 52, 53, 56
- lee.test, 54
- lextrB (spdep-defunct), 151
- lextrS (spdep-defunct), 151
- lextrW (spdep-defunct), 151
- listw2lines (nb2lines), 112
- listw2mat (nb2mat), 118
- listw2sn, 57
- listw2star (localmorán.sad), 84
- listw2U, 30, 47, 56, 104
- listw2U (nb2listw), 113
- listw2WB (nb2WB), 119
- lm, 59, 61
- lm.LMtests, 58, 61
- lm.morantest, 60, 65, 86
- lm.morantest.exact, 61, 83
- lm.morantest.sad, 63, 63, 86
- lmSLX (spdep-defunct), 151
- local\_joincount\_bv, 88
- local\_joincount\_uni, 90
- localAple (spdep-defunct), 151
- localC, 65
- localC\_perm (localC), 65
- localG, 31, 32, 73, 77, 80, 125
- localG\_perm (localG), 73
- localGS, 76
- localmorán, 78, 86, 102, 125
- localmorán.exact, 81
- localmorán.sad, 83, 84
- localmorán\_bv, 87

- localmoran\_perm (localmoran), 78
- locator, 6
- logLik.lagmess (spdep-defunct), 151
- logLik.sarlm (spdep-defunct), 151
- logLik.spautolm (spdep-defunct), 151
- LOSH, 91, 94–96
- LOSH.cs, 93, 93
- LOSH.mc, 93, 94, 95, 96
- LR.sarlm (spdep-defunct), 151
- LR1.sarlm (spdep-defunct), 151
- LR1.spautolm (spdep-defunct), 151
- LU\_prepermutate\_setup (spdep-defunct), 151
- LU\_setup (spdep-defunct), 151
  
- make.sym.nb (is.symmetric.nb), 41
- mat2listw, 96
- Matrix\_J\_setup (spdep-defunct), 151
- Matrix\_setup (spdep-defunct), 151
- mcdet\_setup (spdep-defunct), 151
- MCMCsamp (spdep-defunct), 151
- ME (spdep-defunct), 151
- mom\_calc (spdep-defunct), 151
- mom\_calc\_int2 (spdep-defunct), 151
- moments\_setup (spdep-defunct), 151
- moran, 22, 98, 100, 104, 148
- moran.mc, 22, 98, 99, 104, 150
- moran.plot, 101
- moran.test, 98, 100, 102
- moran\_bv, 105
- mstree, 106, 126, 128, 134, 144
  
- n.comp.nb (Graph Components), 32
- nb.set.operations, 108
- nb2blocknb, 109
- nb2INLA, 111
- nb2lines, 112
- nb2listw, 8, 51, 57, 97, 106, 113, 117, 119, 121, 122, 155, 157, 158
- nb2listwdist, 115
- nb2mat, 97, 118
- nb2WB, 119
- nbcost, 156
- nbcost (nbcosts), 120
- nbcosts, 120
- nbdists, 121, 121
- nblag, 122, 148
- nblag\_cumul (nblag), 122
  
- old.make.sym.nb (is.symmetric.nb), 41
- oldcol, 124
  
- p.adjust, 59, 125, 148
- p.adjustSP, 93, 95, 125
- plot.Gabriel (graphneigh), 34
- plot.lagImpact (spdep-defunct), 151
- plot.listw (plot.nb), 127
- plot.mc.sim (sp.mantel.mc), 148
- plot.mst, 126
- plot.nb, 25, 33, 127, 159
- plot.relative (graphneigh), 34
- plot.skater, 128
- plot.spcor (sp.correlogram), 146
- poly2nb, 38, 110, 121, 129
- polys (columbus), 14
- powerWeights (spdep-defunct), 151
- ppois, 132
- predict.sarlm (spdep-defunct), 151
- predict.SLX (spdep-defunct), 151
- print.gmsar (spdep-defunct), 151
- print.jclist (joincount.test), 45
- print.jcmulti (joincount.multi), 44
- print.lagImpact (spdep-defunct), 151
- print.lagmess (spdep-defunct), 151
- print.listw (summary.nb), 158
- print.LMtestlist (lm.LMtests), 58
- print.localmoranex (localmoran.exact), 81
- print.localmoransad (localmoran.sad), 84
- print.ME\_res (spdep-defunct), 151
- print.moranex (lm.morantest.exact), 61
- print.moransad (lm.morantest.sad), 63
- print.nb (summary.nb), 158
- print.sarlm (spdep-defunct), 151
- print.SFResult (spdep-defunct), 151
- print.spautolm (spdep-defunct), 151
- print.spcor (sp.correlogram), 146
- print.stsls (spdep-defunct), 151
- print.summary.gmsar (spdep-defunct), 151
- print.summary.lagImpact (spdep-defunct), 151
- print.summary.lagmess (spdep-defunct), 151
- print.summary.localmoransad (localmoran.sad), 84
- print.summary.moransad (lm.morantest.sad), 63
- print.summary.sarlm (spdep-defunct), 151

- print.summary.spautolm (spdep-defunct), 151
- print.summary.stsls (spdep-defunct), 151
- probmap, 13, 20, 24, 131
- prunecost, 132
- prunemst, 133, 134
  
- read.dat2listw (read.gwt2nb), 136
- read.gal, 42, 114, 135, 137, 163
- read.geoda (read.gal), 135
- read.gwt2nb, 136
- relativeneigh (graphneigh), 34
- remove.self (include.self), 40
- residuals.gmsar (spdep-defunct), 151
- residuals.lagmess (spdep-defunct), 151
- residuals.sarlm (spdep-defunct), 151
- residuals.spautolm (spdep-defunct), 151
- residuals.stsls (spdep-defunct), 151
- Rotation, 138
  
- sacsarlm (spdep-defunct), 151
- SE\_classic\_setup (spdep-defunct), 151
- SE\_interp\_setup (spdep-defunct), 151
- SE\_whichMin\_setup (spdep-defunct), 151
- set.ClusterOption (set.mcOption), 139
- set.coresOption (set.mcOption), 139
- set.listw\_is\_CsparseMatrix\_Option (set.spChkOption), 141
- set.mcOption, 139
- set.spChkOption, 141
- set.VerboseOption (set.spChkOption), 141
- set.ZeroPolicyOption (set.spChkOption), 141
- setdiff.nb, 108
- setdiff.nb (nb.set.operations), 108
- similar.listw (spdep-defunct), 151
- skater, 126, 128, 142
- sn2listw, 113
- sn2listw (listw2sn), 57
- soi.graph (graphneigh), 34
- sp.correlogram, 146
- sp.mantel.mc, 27, 148
- spam\_setup (spdep-defunct), 151
- spam\_update\_setup (spdep-defunct), 151
- SpatialFiltering (spdep-defunct), 151
- spautolm (spdep-defunct), 151
- spBreg\_err (spdep-defunct), 151
- spBreg\_lag (spdep-defunct), 151
- spBreg\_sac (spdep-defunct), 151
- spdep, 150
- spdep-defunct, 151
- spNamedVec (set.spChkOption), 141
- spweights.constants, 154
- ssw, 155
- stsls (spdep-defunct), 151
- subgraph\_eigenw (spdep-defunct), 151
- subset.listw, 156
- subset.nb, 157, 157
- summary.gmsar (spdep-defunct), 151
- summary.lagImpact (spdep-defunct), 151
- summary.lagmess (spdep-defunct), 151
- summary.listw (summary.nb), 158
- summary.LMtestlist (lm.LMtests), 58
- summary.localmoransad (localmoran.sad), 84
- summary.moransad (lm.morantest.sad), 63
- summary.nb, 10, 11, 25, 38, 41, 114, 117, 122, 123, 127, 130, 136, 158
- summary.sarlm (spdep-defunct), 151
- summary.spautolm (spdep-defunct), 151
- summary.stsls (spdep-defunct), 151
- sym.attr.nb (is.symmetric.nb), 41
- Szero (spweights.constants), 154
  
- tolerance.nb, 159
- tri2nb, 110, 160, 161
- trW (spdep-defunct), 151
  
- union.nb, 108
- union.nb (nb.set.operations), 108
  
- vcov.sarlm (spdep-defunct), 151
- vi2mrc (cell2nb), 10
  
- Wald1.sarlm (spdep-defunct), 151
- write.nb.gal, 162
- write.sn2dat (read.gwt2nb), 136
- write.sn2gwt (read.gwt2nb), 136