

# Useful functions

- *self.hands[h].can\_split()*: Checks if the player holds a pair returns true if he does.

# Useful functions

- `self.hands[h].can_split()`: Checks if the player holds a pair returns true if he does.
- `self.hands[h].cards[0].value()`: Returns the value of the first card the player holds in hand

# Useful functions

- `self.hands[h].can_split()`: Checks if the player holds a pair returns true if he does.
- `self.hands[h].cards[0].value()`: Returns the value of the first card the player holds in hand
- `self.hands[h].value()`: Return the value of the player's hand

# Useful functions

- `self.hands[h].can_split()`: Checks if the player holds a pair returns true if he does.
- `self.hands[h].cards[0].value()`: Returns the value of the first card the player holds in hand
- `self.hands[h].value()`: Return the value of the player's hand
- `self.table.dealer.hands[0].value()`: Returns the value of the dealers face-up card

# Useful functions

- `self.hands[h].can_split()`: Checks if the player holds a pair returns true if he does.
- `self.hands[h].cards[0].value()`: Returns the value of the first card the player holds in hand
- `self.hands[h].value()`: Return the value of the player's hand
- `self.table.dealer.hands[0].value()`: Returns the value of the dealers face-up card
- `self.hands[h].stand`: Is true if the player decides to stand and false is the player hits