


Source	MD (95% CI)
U 2010	1.00 [0.80; 1.20]
E 2014	2.00 [1.61; 2.39]
X 2004	3.00 [2.41; 3.59]
Y 1995	4.00 [3.22; 4.78]
H 1999	5.00 [4.02; 5.98]
Total (fixed effect)	1.56 [1.40; 1.72]
Total (random effects)	2.94 [1.69; 4.19]
Heterogeneity: $\chi^2_4 = 143.78$ ($P < .01$), $I^2 = 97\%$	



Study	TE	SE	Weight (fixed)	Weight (random)	Mean Difference IV, Fixed + Random, 95% CI
U 2010	1.00	0.1000	68.3%	21.0%	1.00 [0.80; 1.20]
E 2014	2.00	0.2000	17.1%	20.7%	2.00 [1.61; 2.39]
X 2004	3.00	0.3000	7.6%	20.2%	3.00 [2.41; 3.59]
Y 1995	4.00	0.4000	4.3%	19.5%	4.00 [3.22; 4.78]
H 1999	5.00	0.5000	2.7%	18.7%	5.00 [4.02; 5.98]
Total (fixed effect, 95% CI)			100.0%	--	1.56 [1.40; 1.72]
Total (random effects, 95% CI)			--	100.0%	2.94 [1.69; 4.19]
Heterogeneity: $\tau^2 = 1.927$; $\chi^2 = 143.78$, $df = 4$ ($P < 0.01$); $I^2 = 97\%$					

